## Amendment to the Agreement Between

Neutral Tandem-Alabama, LLC; Neutral Tandem-Florida, LLC; Neutral Tandem-Georgia, LLC; Neutral Tandem-South Carolina, LLC and Neutral Tandem-Tennessee, LLC

and

AT&T Telecommunications, Inc.
d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia,
AT&T Kentucky, AT&T Louisiana, AT&T Mississippi,
AT&T North Carolina, AT&T South Carolina and
AT&T Tennessee
Dated February 25, 2005

Pursuant to this Amendment, (the "Amendment"), Neutral Tandem-Alabama, LLC; Neutral Tandem-Florida, LLC; Neutral Tandem-Georgia, LLC; Neutral Tandem-South Carolina, LLC and Neutral Tandem-Tennessee, LLC (Neutral Tandem), and BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee ("AT&T"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated February 25, 2005 (Agreement) to be effective thirty (30) calendar days after the date of the last signature executing the Amendment (Effective Date).

WHEREAS, AT&T and Neutral Tandem entered into the Agreement on February 25, 2005, and;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to replace the initial Section in the General Terms and Conditions with the following language:

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee, (AT&T), and Neutral Tandem-Alabama, LLC; Neutral Tandem-Florida, LLC; Neutral Tandem-Georgia, LLC; Neutral Tandem-Louisiana, LLC; Neutral Tandem-Mississippi, LLC; Neutral Tandem-South Carolina, LLC and Neutral Tandem-Tennessee, LLC Collectively (Neutral Tandem), a Delaware corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either AT&T or Neutral Tandem or both as a "Party" or "Parties."

- 2. The Parties agree to delete the second Whereas clause in the General Terms and Conditions and replace with the following:
  - **WHEREAS**, Neutral Tandem is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Louisiana, Mississippi, South Carolina, and Tennessee.
- 3. The Parties agree to add the Attachment 1, Resale Discounts & Rates, Attachment 2, Network Elements and Other Services Rates, and Attachment 3, Network Interconnection Rates for the states of Louisiana and Mississippi as Exhibit 1 attached hereto and by reference incorporated into this Amendment.
- 4. The Parties agree to delete the rates, terms and conditions for Attachment 4, Collocation, in their entirety and replace with the rates, terms and conditions for Attachment 4, Collocation reflected as Exhibit 2, attached hereto and by reference incorporated into this Amendment.
- 5. All of the other provisions of the Agreement, dated February 25, 2005, shall remain in full force and effect.
- 6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.
- 7. In entering into this Amendment, neither Party waives, and each Party expressly reserves, any rights, remedies or arguments it may have at law or under the intervening law or regulatory change provisions in the underlying Agreement (including intervening law rights asserted by either Party via written notice predating this Amendment) with respect to any orders, decisions, legislation or proceedings and any remands thereof, which the Parties have not yet fully incorporated into this Agreement or which may be the subject of further review.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

| BellSouth Telecommunications, Inc.<br>d/b/a AT&T Alabama, AT&T Florida, | Neutral Tandem-Alabama, LLC,<br>Neutral Tandem-Florida, LLC,   |
|---|--|
| AT&T Georgia, AT&T Kentucky,<br>AT&T Louisiana, AT&T Mississippi,       | Neutral Tandem-Georgia, LLC,<br>Neutral Tandem-Louisiana, LLC, |
| AT&T North Carolina, AT&T South   | Neutral Tandem-Mississippi, LLC,                               |
| Carolina and AT&T Tennessee   | Neutral Tandem-South Carolina,                                 |
|   | LLC, and Neutral Tandem-Tennessee,                             |
| By: Hit E. Shn  | By: David Fatale   |
| Name: Kristen E. Shore  | Name: DAVID TATAK  |
| Title: Director   | Title: VP BILLING & REVENUE SVES                               |
| Date: 7/10/07   | Date: 7/9/07   |

| RESALE DIS       | SCOUNTS & RATES - Alabama |         |      |     |      |     |        |           |              |            |           |           | Att: 1 Exh: D |             |             |             |
|------------------|---------------------------|---------|------|-----|------|-----|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|                  |                           |         |      |     |      |     |        |           |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|                  |                           |         |      |     |      |     |        |           |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|                  |                           |         |      |     |      |     |        |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY         | RATE ELEMENTS             | Interim | Zone | BCS | USOC |     |        | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |
|                  |                           |         |      |     |      | Rec | Nonred | urring    | Nonrecurring | Disconnect |           |           | oss           | Rates(\$)   |             |             |
|                  |                           |         |      |     |      | Rec | First  | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |
| This page left b | plank intentionally       |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

| RESALE D       | SCOUNTS & RATES - Florida    |         |      |     |      |     |        |           |              |            |           |           | Att: 1 Exh: D |             |             |             |
|----------------|------------------------------|---------|------|-----|------|-----|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|                |                              |         |      |     |      |     |        |           |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|                |                              |         |      |     |      |     |        |           |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|                |                              |         |      |     |      |     |        |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY       | RATE ELEMENTS                | Interim | Zone | BCS | USOC |     |        | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|                |                              |         |      |     |      |     |        |           |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|                |                              |         |      |     |      |     |        |           |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|                |                              |         |      |     |      |     |        |           |              |            |           |           | l             | l           |             |             |
|                |                              |         |      |     |      | Rec | Nonred | urring    | Nonrecurring | Disconnect |           |           | oss           | Rates(\$)   |             |             |
|                |                              |         |      |     |      | Nec | First  | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|                |                              |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |
| This page left | age left blank intentionally |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 5 of 149]

| RESALE DI        | SCOUNTS & RATES - Georgia |         |      |     |      |     |        |           |              |            |           |           | Att: 1 Exh: D |             |             |             |
|------------------|---------------------------|---------|------|-----|------|-----|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|                  |                           |         |      |     |      |     |        |           |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|                  |                           |         |      |     |      |     |        |           |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|                  |                           |         |      |     |      |     |        |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY         | RATE ELEMENTS             | Interim | Zone | BCS | USOC |     |        | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           | l             | l           |             |             |
|                  |                           |         |      |     |      | Rec | Nonred | urring    | Nonrecurring | Disconnect |           |           | oss           | Rates(\$)   |             |             |
|                  |                           |         |      |     |      | Rec | First  | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|                  |                           |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |
| This page left b | lank intentionally        |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 6 of 149]

| RESA      | LE DIS  | SCOUNTS & RATES - Louisiana   |          |         |                        |                |                 |                |                |                   |                  |              |             | Att: 1 Exh: D  |                   |  | <del></del>                                      |
|-----------|---------|---|----------|---------|------------------------|----------------|-----------------|----------------|----------------|-------------------|------------------|--------------|-------------|----------------|-------------------|--|--|
|           |         |   |          |         |                        |                |                 |                |                |                   |                  | Svc Order    | Svc Order   | Incremental    | Incremental       | Incremental                                      | Incremental                                      |
|           |         |   |          |         |                        |                |                 |                |                |                   |                  |              | Submitted   | Charge -       | Charge -          | Charge -   | Charge -   |
|           |         |   |          |         |                        |                |                 |                |                |                   |                  | Elec         | Manually    | Manual Svc     | Manual Svc        |  |  |
| CATEG     | ORY     | RATE ELEMENTS   | Interim  | Zone    | BCS                    | usoc           |                 |                | RATES(\$)      |                   |                  | per LSR      | per LSR     | Order vs.      | Order vs.         | Order vs.  | Order vs.  |
| OAILO     | 0       | KATE ELEMENTO   |          | 20110   | 500                    | 0000           |                 |                | <u></u>        |                   |                  | per LSR      | perLSR      |                |                   |  |  |
|           |         |   |          |         |                        |                |                 |                |                |                   |                  |              |             | Electronic-    | Electronic-       | Electronic-                                      | Electronic-                                      |
|           |         |   |          |         |                        |                |                 |                |                |                   |                  |              |             | 1st            | Add'l             | Disc 1st   | Disc Add'l                                       |
|           |         |   |          |         |                        |                | D               | Nonrec         | urring         | Nonrecurring      | Disconnect       |              | l           | OSS            | Rates(\$)         | 1  |  |
|           |         |   |          |         |                        | İ              | Rec             | First          | Add'l          | First             | Add'l            | SOMEC        | SOMAN       | SOMAN          | SOMAN             | SOMAN  | SOMAN  |
|           |         |   |          |         |                        | İ              |                 |                |                |                   |                  |              |             |                |                   |  |  |
| RESAL     | E APPL  | ICABLE DISCOUNTS  |          |         |                        | İ              |                 |                |                |                   |                  |              |             |                |                   |  |  |
|           |         | Residence %   |          |         |                        | İ              | 20.72           |                |                |                   |                  |              |             |                |                   |  |  |
|           |         | Business %  |          |         |                        | i e            | 20.72           |                |                |                   |                  |              |             |                |                   |  |  |
|           |         | CSAs %  |          |         |                        |                | 9.05            |                |                |                   |                  |              |             |                |                   |  |  |
| OPERA     | TIONS   | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"                            |          |         |                        |                |                 |                |                |                   |                  |              |             |                |                   |  |  |
|           |         | (   |          |         |                        |                |                 |                |                |                   |                  |              |             |                |                   |  |  |
|           | NOTE:   | (1) CLEC should contact its contract negotiator if it prefers the " | state so | ecific" | OSS charges as orde    | ered by the St | tate Commission | ns. The OSS cl | narges current | ly contained in t | his rate exhibit | are the AT   | T "regional | " service orde | ring charges.     | CLEC may ele                                     | ect either the                                   |
|           |         | pecific Commission ordered rates for the service ordering charge    |          |         |                        |                |                 |                |                |                   |                  |              |             |                |                   |  |  |
|           | otato o | OSS - Electronic Service Order Charge, Per Local Service            | 1        |         | y oloot the regional c | 1              | l g change, hen | 770., 0220 04. | not obtain a n |                   | 0 . oga. a.ooo   | l care mas i |             |                | l cotabilotion ii | 1 00011 01 1110 0                                |  |
|           |         | Request (LSR) - Resale Only   |          |         |                        | SOMEC          |                 | 3.50           | 0.00           | 3.50              | 0.00             |              |             |                |                   |  |  |
| -         |         | OSS - Manual Service Order Charge, Per Local Service Request        |          |         |                        | COMILO         | <b> </b>        | 0.00           | 0.00           | 0.00              | 0.00             |              |             |                |                   |  | <del>                                     </del> |
|           |         | (LSR) - Resale Only   |          |         |                        | SOMAN          |                 | 19.99          | 0.00           | 19.99             | 0.00             |              |             |                |                   |  |  |
| ODLIE/E   | ODITE   | SERVICES  | -        |         |                        | JOINAIN        |                 | 15.55          | 0.00           | 13.33             | 0.00             |              |             |                |                   |  | -  |
|           |         | NAL DAILY USAGE FILE (ODUF)   |          |         |                        | l              |                 |                |                | l .               |                  | l            | l           | l              | l                 | 1  |  |
|           | 01 1101 | ODUF: Recording, per message  | 1        | 1       |                        | ı              | 0.0000117       | 1              |                | ı                 |                  | l .          | 1           | ı              | ı                 | 1  | T  |
| -         |         | ODUF: Message Processing, per message                               | -        |         |                        | <u> </u>       | 0.004641        |                |                |                   |                  |              |             |                |                   |  | -  |
|           |         | ODUF: Message Processing, per Magnetic Tape provisioned             |          | 1       |                        |                | 48.45           |                |                |                   |                  |              |             |                |                   |  |  |
| -         |         | ODUF: Data Transmission (CONNECT:DIRECT), per message               | -        | 1       |                        | <b>-</b>       | 0.00010568      |                |                |                   |                  | -            |             |                |                   | <b>-</b>   | <b></b>  |
|           | CAILLAN | ICED OPTIONAL DAILY USAGE FILE (EODUF)                              |          |         |                        | l .            | 0.00010306      | <u> </u>       |                | l .               |                  | l            | l           | l              | l                 | l .  | <u> </u>   |
| -         |         | EODUF: Message Processing, per message                              |          |         |                        | ı              | 0.250015        | 1              |                | 1                 |                  | 1            | 1           | 1              | 1                 | 1  | т  |
| 051.50    |         | ALL ROUTING USING LINE CLASS CODES (SCR-LCC)                        |          | 1       |                        | -              | 0.250015        |                |                |                   |                  |              |             |                |                   |  | <del></del>                                      |
| SELEC     | TIVE CA | Selective Routing Per Unique Line Class Code Per Request Per        |          |         |                        | <u> </u>       |                 |                |                |                   |                  |              |             |                |                   |  | <b></b>  |
|           |         |   |          |         |                        |                |                 |                |                |                   |                  |              |             |                |                   |  |  |
| DID = 0.7 |         | Switch  |          |         |                        |                |                 | 82.25          | 82.25          |                   |                  |              |             |                |                   | ļ  | -  |
| DIRECT    | ORY A   | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS                     | SOFTV    | VARE    |                        |                |                 | 0.000.00       |                |                   |                  |              |             |                |                   | ļ  | -  |
| -         |         | Recording of DA Custom Branded Announcement                         | -        | 1       |                        |                |                 | 3,000.00       | 3,000.00       |                   |                  |              |             |                |                   |  |  |
|           |         | Loading of DA Custom Branded Anouncement per Switch per             |          |         |                        |                |                 | 4 470 00       | 4 470 00       |                   |                  |              |             |                |                   |  |  |
| DID = 0.7 |         | OCN   |          |         |                        |                |                 | 1,170.00       | 1,170.00       |                   |                  |              |             |                |                   | ļ  | -  |
| DIRECT    | URY A   | SSISTANCE UNBRANDING via OLNS SOFTWARE                              | -        |         |                        | 1              |                 | 400.00         | 100.00         |                   |                  | -            | -           | -              |                   | <del>                                     </del> | <b>├</b>   |
| <u> </u>  |         | Loading of DA per OCN (1 OCN per Order)                             |          |         |                        | ļ              |                 | 420.00         | 420.00         |                   |                  |              | ļ           |                |                   | ļ  | <b></b>  |
|           |         | Loading of DA per Switch per OCN                                    |          |         |                        | <b> </b>       |                 | 16.00          | 16.00          |                   |                  |              |             |                |                   | -  | <del>                                     </del> |
| OPERA     | I OR AS | SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS                     | SOFTW    | ARE     |                        | ļ              |                 |                |                |                   |                  |              | ļ           |                | ļ                 | <b>!</b>   | <b></b>  |
|           |         | Recording of Custom Branded OA Announcement                         |          | 1       |                        | ļ              |                 | 7,000.00       | 7,000.00       |                   |                  |              | ļ           |                | ļ                 | <b>!</b>   | <b></b>  |
| 1         |         | Loading of Custom Branded OA Announcement per shelf/NAV per         |          |         |                        | 1              |                 |                |                |                   |                  |              | l           | l              |                   |  | 1  |
|           |         | OCN   |          |         |                        | ļ              |                 | 500.00         | 500.00         |                   |                  |              |             |                |                   | ļ  | ļ  |
|           |         | Loading of OA Custom Branded Announcement per Switch per            |          |         |                        | 1              |                 |                |                |                   |                  |              |             |                |                   |  |  |
|           |         | OCN   |          |         |                        |                |                 | 1,170.00       | 1,170.00       |                   |                  |              |             |                |                   |  | ļ  |
| OPERA     | TOR AS  | SSISTANCE UNBRANDING via OLNS SOFTWARE                              |          |         |                        |                |                 |                |                |                   |                  |              |             |                |                   |  | L  |
| 1         |         | Loading of OA per OCN (Regional)                                    | <u> </u> |         |                        |                |                 | 1,200.00       | 1,200.00       |                   |                  |              |             |                |                   |  | ]  |

| RESALE DISCOUNTS & I                             | RATES - Mississippi                                 |            |          |                         |                |                |                |                |  |                  |            |              | Att: 1 Exh: D  |               |                 |                |
|--|---|------------|----------|-------------------------|----------------|----------------|----------------|----------------|--|------------------|------------|--------------|----------------|---------------|-----------------|----------------|
|  | .,  |            |          |                         |                |                |                |                |  |                  | Svc Order  | Svc Order    | Incremental    | Incremental   | Incremental     | Incremental    |
|  |   |            |          |                         |                |                |                |                |  |                  |            | Submitted    | Charge -       | Charge -      | Charge -        | Charge -       |
|  |   |            |          |                         |                |                |                |                |  |                  | Elec       | Manually     | Manual Svc     | Manual Svc    | Manual Svc      |                |
| CATEGORY   | RATE ELEMENTS                                       | Interim    | Zone     | BCS                     | usoc           |                |                | RATES(\$)      |  |                  | per LSR    |              | Order vs.      | Order vs.     | Order vs.       | Order vs.      |
| OAT EGORT  | TATE ELEMENTO                                       | III.C.IIII | 20110    | 500                     | 0000           |                |                | 101120(4)      |  |                  | per LSR    | per LSR      |                |               |                 | Electronic-    |
|  |   |            |          |                         |                |                |                |                |  |                  |            |              | Electronic-    | Electronic-   | Electronic-     |                |
|  |   |            |          |                         |                |                |                |                |  |                  |            |              | 1st            | Add'l         | Disc 1st        | Disc Add'l     |
|  |   |            |          |                         | 1              | l              | Nonrec         | urring         | Nonrecurring                                     | Disconnect       |            | l            | 088            | Rates(\$)     | l               |                |
|  |   |            |          |                         | 1              | Rec            | First          | Add'l          | First  | Add'I            | SOMEC      | SOMAN        | SOMAN          | SOMAN         | SOMAN           | SOMAN          |
| <del>                                     </del> |   |            | 1        |                         | 1              |                | 11131          | Addi           | 11131  | Addi             | JOINEC     | JOINAIN      | JONAN          | SOMAN         | SOWAN           | JOINAIN        |
| RESALE APPLICABLE DISCOU                         | NTC   |            |          |                         | 1              |                |                |                |  |                  |            |              |                |               |                 | +              |
| Residence %                                      | NIS   |            |          |                         | 1              | 15.75          |                |                |  |                  |            |              |                |               |                 | +              |
| Business %                                       |   |            | 1        |                         | 1              | 15.75          |                |                |  |                  |            | 1            |                |               |                 |                |
| CSAs %   |   | -          | +        |                         | +              | 15.75          |                |                | <del>                                     </del> |                  | -          | <b>†</b>     |                | -             | 1               | <del></del>    |
|  | EMS (OSS) - "REGIONAL RATES"                        | -          | +        |                         | +              | 15.75          |                |                | <del>                                     </del> |                  | -          | <b>†</b>     |                | -             | 1               | -              |
| OFERATIONS SUFFORT STST                          | EMS (033) - REGIONAL RATES                          | ı          | l        |                         | 1              | l l            | ļ              |                |  |                  | l          | l .          | l              | 1             | l .             |                |
| NOTE: (1) CLEC should                            | contact its contract negotiator if it prefers the ' | "etato er  | acific"  | OSS charage as ord      | arad by the S  | tata Commissio | ne The OSS c   | harase current | ly contained in                                  | thic rate evhibi | are the AT | &T "regional | " corvice orde | ring charges  | CLEC may ale    | act aither the |
|  | on ordered rates for the service ordering charge    |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
|  | Service Order Charge, Per Local Service             | es, or C   | LEC IIIa | ly elect the regional s | service orderi | ng charge, now | ever, CLEC can | not obtain a n | lixture of the tw                                | 70 regardiess i  | CLEC nas   | a interconne | Ction contract | established i | n each of the s | states.        |
| Request (LSR) -                                  |   |            |          |                         | SOMEC          |                | 3.50           | 0.00           | 3.50   | 0.00             |            |              |                |               |                 |                |
|  | ervice Order Charge, Per Local Service Request      | 1          | 1        |                         | SOMEC          |                | 3.50           | 0.00           | 3.50   | 0.00             |            |              |                |               | <b>.</b>        |                |
|  |   |            |          |                         | 001441         |                | 40.00          | 0.00           | 40.00  | 0.00             |            |              |                |               |                 |                |
| (LSR) - Resale C                                 | niy   | <u> </u>   | -        |                         | SOMAN          |                | 19.99          | 0.00           | 19.99  | 0.00             |            | ļ            |                |               |                 |                |
| ODUF/EODUF SERVICES                              |   |            |          |                         | 1              |                |                |                |  |                  |            |              |                |               |                 |                |
| OPTIONAL DAILY USAG                              |   | 1          |          |                         | 1              | 0.0000000      | П              |                | 1  |                  | 1          | 1            |                | 1             | 1               |                |
| ODUF: Recordin                                   |   | <u> </u>   | -        |                         |                | 0.0000063      |                |                |  |                  |            | ļ            |                |               |                 |                |
|  | Processing, per message                             |            |          |                         |                | 0.004707       |                |                |  |                  |            | ļ            |                |               |                 | -              |
|  | Processing, per Magnetic Tape provisioned           |            |          |                         |                | 49.04          |                |                |  |                  |            |              |                |               |                 | <u> </u>       |
|  | nsmission (CONNECT:DIRECT), per message             |            |          |                         |                | 0.00010669     |                |                |  |                  |            |              |                |               |                 |                |
|  | DAILY USAGE FILE (EODUF)                            |            |          |                         | 1              |                |                |                |  |                  |            |              |                |               |                 | т              |
|  | e Processing, per message                           |            |          |                         |                | 0.250424       |                |                |  |                  |            |              |                |               |                 |                |
|  | SING LINE CLASS CODES (SCR-LCC)                     |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
|  | Per Unique Line Class Code Per Request Per          |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
| Switch   |   |            |          |                         | 1              |                | 85.19          | 85.19          | 14.19  | 14.19            |            | ļ            |                |               |                 | 1              |
|  | STOM BRANDING ANNOUNCEMENT via OLNS                 | SOFTV      | WARE     |                         | 1              |                |                |                |  |                  |            | ļ            |                |               |                 | 1              |
|  | Custom Branded Announcement                         |            |          |                         |                |                | 3,000.00       | 3,000.00       |  |                  |            |              |                |               |                 |                |
|  | ustom Branded Anouncement per Switch per            |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
| OCN  |   |            |          |                         |                |                | 1,170.00       | 1,170.00       |  |                  |            |              |                |               |                 |                |
|  | BRANDING via OLNS SOFTWARE                          |            |          |                         | 1              |                |                |                |  |                  |            | ļ            |                |               |                 | 1              |
|  | er OCN (1 OCN per Order)                            | ļ          |          |                         |                |                | 420.00         | 420.00         |  |                  |            | 1            |                |               | ļ               | ↓              |
|  | er Switch per OCN                                   |            |          |                         |                |                | 16.00          | 16.00          |  |                  |            | ļ            |                |               |                 | ļ              |
|  | TOM BRANDING ANNOUNCEMENT via OLNS                  | SOFTW      | VARE     |                         | ļ              |                |                |                |  |                  |            |              |                |               |                 | ↓              |
|  | stom Branded OA Announcement                        | L          |          |                         | ļ              |                | 7,000.00       | 7,000.00       |  |                  |            |              |                |               |                 | ↓              |
|  | m Branded OA Announcement per shelf/NAV per         |            |          |                         |                |                |                |                |  |                  |            | 1            |                | 1             | 1               |                |
| OCN  |   | <u> </u>   |          |                         |                |                | 500.00         | 500.00         |  |                  |            |              |                |               |                 |                |
|  | ustom Branded Announcement per Switch per           |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
| OCN  |   |            |          |                         |                | <u> </u>       | 1,170.00       | 1,170.00       |  |                  |            |              |                |               |                 |                |
|  | RANDING via OLNS SOFTWARE                           |            |          |                         |                |                |                |                |  |                  |            |              |                |               |                 |                |
| Loading of OA p                                  | er OCN (Regional)                                   |            |          |                         |                |                | 1,200.00       | 1,200.00       |  |                  |            |              |                |               |                 |                |

| RESALE DIS       | SCOUNTS & RATES - South Carolina |         |      |     |      |                             |       |           |              |            |   |           | Att: 1 Exh: D |                                     |          |   |
|------------------|----------------------------------|---------|------|-----|------|-----------------------------|-------|-----------|--------------|------------|---|-----------|---------------|-------------------------------------|----------|---|
| CATEGORY         | RATE ELEMENTS                    | Interim | Zone | BCS | USOC |                             |       | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Submitted | Charge -      | Charge -<br>Manual Svc<br>Order vs. | Charge - | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                  |                                  |         |      |     |      | Poc                         | Nonre | curring   | Nonrecurring | Disconnect |   |           | oss           | Rates(\$)                           |          |   |
|                  |                                  |         |      | ·   |      | Rec First Add'l First Add'l |       |           |              |            | SOMEC                                     | SOMAN     | SOMAN         | SOMAN                               | SOMAN    | SOMAN   |
|                  |                                  |         |      |     |      |                             |       |           |              |            |   |           |               |                                     |          |   |
| This page left b | lank intentionally               |         |      |     |      |                             |       |           |              |            |   |           |               |                                     |          |   |

Version: 2Q07 Std ICA 04/26/07 [CCCS Amendment 9 of 149]

| RESALE DIS       | SCOUNTS & RATES - Tennessee  |         |      |     |      |                                      |  |  |  |  |           |           | Att: 1 Exh: D |             |             |             |
|------------------|------------------------------|---------|------|-----|------|--------------------------------------|--|--|--|--|-----------|-----------|---------------|-------------|-------------|-------------|
|                  |                              |         |      |     |      |                                      |  |  |  |  | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|                  |                              |         |      |     |      |                                      |  |  |  |  | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|                  |                              |         |      |     |      |                                      |  |  |  |  | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY         | RATE ELEMENTS                | Interim | Zone | BCS | USOC | RATES(\$)                            |  |  |  |  | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|                  |                              |         |      |     |      |                                      |  |  |  |  |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|                  |                              |         |      |     |      |                                      |  |  |  |  |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|                  |                              |         |      |     |      | Nonrecurring Nonrecurring Disconnect |  |  |  |  |           |           | OSS           | Rates(\$)   |             |             |
|                  |                              |         |      |     |      | Rec First Add'l First Add'l          |  |  |  |  | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|                  |                              |         |      |     |      |                                      |  |  |  |  |           |           |               |             |             |             |
| This page left b | age left blank intentionally |         |      |     |      |                                      |  |  |  |  |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 10 of 149]

| UNBUNDLE | D NETWORK ELEMENTS - Alabama |         |      |     |      |           |        |        |              |            |           |           | Att: 2 Exh: A |             |             |             |
|----------|------------------------------|---------|------|-----|------|-----------|--------|--------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|          |                              |         |      |     |      |           |        |        |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|          |                              |         |      |     |      |           |        |        |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|          |                              |         |      |     |      |           |        |        |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY | RATE ELEMENTS                | Interim | Zone | BCS | USOC | RATES(\$) |        |        |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|          |                              |         |      |     |      |           |        |        |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|          |                              |         |      |     |      |           |        |        |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|          |                              |         |      |     |      |           |        |        |              |            |           |           |               | l           |             |             |
|          |                              |         |      |     |      | Rec       | Nonred | urring | Nonrecurring | Disconnect |           |           |               | Rates(\$)   |             |             |
|          |                              |         |      |     |      | 1100      | First  | Add'l  | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|          |                              |         |      |     |      |           |        |        |              |            |           |           |               |             |             |             |
| This p   | age left blank intentionally |         |      |     |      |           |        |        |              |            |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

| UNBUNDLE | ED NETWORK ELEMENTS - Florida      |         |      |     |      |           |        |        |            |       |           |           | Att: 2 Exh: A |             |             |             |
|----------|------------------------------------|---------|------|-----|------|-----------|--------|--------|------------|-------|-----------|-----------|---------------|-------------|-------------|-------------|
|          |                                    |         |      |     |      |           |        |        |            |       | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|          |                                    |         |      |     |      |           |        |        |            |       | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|          |                                    |         |      |     |      |           |        |        |            |       | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY | RATE ELEMENTS                      | Interim | Zone | BCS | USOC | RATES(\$) |        |        |            |       | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|          |                                    |         |      |     |      |           |        |        |            |       |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|          |                                    |         |      |     |      |           |        |        |            |       |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|          |                                    |         |      |     |      | Dee       | Nonrec | urring | Disconnect |       | l         | oss       | Rates(\$)     | 1           |             |             |
|          |                                    |         |      |     |      | Rec       | First  | Add'l  | First      | Add'l | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|          |                                    |         |      |     |      |           |        |        |            |       |           |           |               |             |             |             |
| This pa  | This page left blank intentionally |         |      |     |      |           |        |        |            |       |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 12 of 149]

| UNBUNDLE | D NETWORK ELEMENTS - Georgia |         |      |     |                                      |           |       |          |       |       |           |           | Att: 2 Exh: A |             |             |             |
|----------|------------------------------|---------|------|-----|--------------------------------------|-----------|-------|----------|-------|-------|-----------|-----------|---------------|-------------|-------------|-------------|
|          |                              |         |      |     |                                      |           |       |          |       |       | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|          |                              |         |      |     |                                      |           |       |          |       |       | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|          |                              |         |      |     |                                      |           |       |          |       |       | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY | RATE ELEMENTS                | Interim | Zone | BCS | USOC                                 | RATES(\$) |       |          |       |       | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|          |                              |         |      |     |                                      |           |       |          |       |       |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|          |                              |         |      |     |                                      |           |       |          |       |       |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|          |                              |         |      |     | Nonrecurring Nonrecurring Disconnect |           |       |          |       |       |           |           | oss           | Rates(\$)   |             |             |
| h        |                              |         |      |     |                                      | Rec       | First | Add'l    | First | Add'l | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|          |                              |         |      |     |                                      |           | 50    | ,,,,,,,, | 30    | ,     | COMEO     | JJ.MAIN   |               |             | 55.MAIN     | 55.M-44     |
| <u> </u> |                              |         |      | ı   |                                      |           |       |          |       |       | ı         | ı         |               |             |             |             |
| This pa  | ge left blank intentionally  |         |      |     |                                      |           |       |          |       |       |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 13 of 149]

| IINBII   | NDI E    | D NETWORK ELEMENTS - Louisiana  |           |         |                                    |                |  |                |                |                   |                   |   |   | Att: 2 Exh: A   |  |   |  |
|----------|----------|---|-----------|---------|------------------------------------|----------------|--|----------------|----------------|-------------------|-------------------|---|---|---|--|---|--|
| CATEG    |          | RATE ELEMENTS   | Interim   | Zone    | BCS                                | usoc           |  |                | RATES(\$)      |                   |                   | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |          |   |           |         |                                    |                | 5  | Nonred         | curring        | Nonrecurring      | Disconnect        |   |   | oss   | Rates(\$)  |   |  |
|          |          |   |           |         |                                    |                | Rec  | First          | Add'l          | First             | Add'l             | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN  |
| <b>—</b> | The "7   | <br>one" shown in the sections for stand-alone loops or loops as pa   | <u> </u>  |         | tion refere to Coorner             | hisally Dear   | aranad LINE Zar                                  | Taview C       | `aaaraahiaalli | Desirana d III    | E Zana Dasien     | ations by Co                              | mtral Office                                  | vofev te intern   | ant Walanita   |   |  |
|          |          | ww.interconnection.bellsouth.com/become a clec/html/interco   |           |         | tion refers to Geograp             | mically Deav   | eraged UNE ZOI                                   | ies. To view G | eographically  | Deaveraged Or     | E Zone Design     | ations by Ce                              | entrai Omice,                                 | reier to interi   | iet website:   |   |  |
|          |          | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  |           |         |                                    |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          | ,   | 1         |         |                                    |                |  |                |                | •                 |                   | 1   |   |   |  | •   | 1  |
|          | NOTE:    | (1) CLEC should contact its contract negotiator if it prefers the   | state sp  | ecific" | OSS charges as orde                | red by the S   | tate Commission                                  | ns. The OSS c  | harges current | ly contained in   | this rate exhibit | are the AT                                | T "regional"                                  | " service orde  | ring charges.  | CLEC may ele  | ect either the   |
|          | State Sp | pecific Commission ordered rates for the service ordering charg (2) Any element that can be ordered electronically will be billed | es, or Cl | LEC ma  | ay elect the regional so           | ervice orderi  | ng charge, how                                   | ever, CLEC car | not obtain a n | nixture of the to | o regardless if   | CLEC has a                                | interconne                                    | ction contract  | established in   | each of the 9   | states.  |
|          |          | I electronically at present per the LOH, the listed SOMEC rate in   |           |         |                                    |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          | CLECs    | bill when it submits an LSR to AT&T.  |           |         |                                    |                |  |                |                |                   |                   |   | · ·   |   |  |   | -  |
|          |          | OSS - Electronic Service Order Charge, Per Local Service  |           |         |                                    | 001150         |  | 0.50           |                | 0.50              |                   |   |   |   |  |   |  |
|          |          | Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request   | -         |         |                                    | SOMEC          | <del>                                     </del> | 3.50           | 0.00           | 3.50              | 0.00              | -   |   |   | <del>                                     </del>                           |   | -  |
|          |          | (LSR) - UNE Only  |           |         |                                    | SOMAN          |  | 15.20          | 0.00           | 15.20             | 0.00              |   |   |   |  |   |  |
|          |          | DATE ADVANCEMENT CHARGE   |           |         |                                    |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          | The Expedite charge will be maintained commensurate with Be   | ellSouth' | s FCC   |                                    | as applicable  | е.   |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   | 1         |         | UAL, UEANL, UCL,                   |                | ]  |                |                | 1                 |                   |   |   |   |  |   |  |
|          |          |   |           |         | UEF, UDF, UEQ,<br>UDL, UENTW, UDN, |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UEA, UHL, ULC,                     |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | USL, U1T12, U1T48,                 |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | U1TD1, U1TD3,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | U1TDX, U1TO3,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | U1TS1, U1TVX,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1BC, UC1BL,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1CC, UC1CL,<br>UC1DC, UC1DL,     |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1EC, UC1EL,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1FC, UC1FL,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1GC, UC1GL,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UC1HC, UC1HL,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UDL12, UDL48,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UDLO3, UDLSX,<br>UE3, ULD12,       |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | ULD48, ULDD1,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | ULDD3, ULDDX,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | ULDO3, ULDS1,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | ULDVX, UNC1X,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UNC3X, UNCDX,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UNCNX, UNCSX,<br>UNCVX, UNLD1,     |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UNLD3, UXTD1,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | UXTD3, UXTS1,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | U1TUC, U1TUD,                      |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          |   |           |         | U1TUB,                             |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          |          | UNE Expedite Charge per Circuit or Line Assignable USOC, per  |           |         | U1TUA,NTCVG,                       | SDASP          |  | 000.00         |                |                   |                   |   |   |   |  |   |  |
| ORDER    | MODIF    | Day<br> CATION CHARGE   |           |         | NTCUD, NTCD1                       | SDASP          |  | 200.00         |                |                   |                   |   |   |   |  |   |  |
| ONDER    | IIIODII  | Order Modification Charge (OMC)   |           |         |                                    |                |  | 26.21          | 0.00           | 0.00              | 0.00              |   |   |   |  |   |  |
|          |          | Order Modification Additional Dispatch Charge (OMCAD)   |           |         |                                    |                |  | 150.00         | 0.00           | 0.00              | 0.00              |   |   |   |  |   |  |
|          |          | XCHANGE ACCESS LOOP   |           |         |                                    |                |  |                |                |                   |                   |   |   |   |  |   |  |
|          | 2-WIRE   | ANALOG VOICE GRADE LOOP   | 1         |         | LIFANI                             | LIEALO         | 10.00  | 00.51          | 40.07          | 1                 | 1                 | 1   |   |   |  | 1   | 1  |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2                 | 1         | 2       | UEANL<br>UEANL                     | UEAL2<br>UEAL2 | 12.90<br>23.33                                   | 36.54<br>36.54 | 16.87<br>16.87 | <del> </del>      |                   |   |   |   | -  |   |  |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3                 | 1         | 3       | UEANL                              | UEAL2          | 48.43  | 36.54          | 16.87          |                   |                   |   |   |   |  |   |  |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1  | 1         | 1       | UEANL                              | UEASL          | 12.90  | 36.54          | 16.87          | İ                 |                   |   |   |   |  |   |  |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  |           | 2       | UEANL                              | UEASL          | 23.33  | 36.54          | 16.87          |                   |                   |   |   |   |  |   |  |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3  |           | 3       | UEANL                              | UEASL          | 48.43  | 36.54          | 16.87          |                   |                   |   |   |   |  |   |  |
|          |          | Tag Loop at End User Premise  | <b>!</b>  |         | UEANL                              | URETL          |  | 8.92           | 0.88           | <b> </b>          |                   |   |   |   |  |   |  |
|          |          | Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour  | 1         | -       | UEANL<br>UEANL                     | URET1<br>URETA |  | 33.17<br>19.28 | 0.00<br>19.28  | <del> </del>      |                   |   |   |   | -  |   |  |
|          |          | Manual Order Coordination for UVL-SL1s (per loop)   | <b> </b>  |         | UEANL                              | UEAMC          |  | 7.92           | 7.92           |                   |                   | -   |   |   | <del>                                     </del>                           |   |  |
|          |          | Order Coordination for Specified Conversion Time for UVL-SL1  | 1         |         |                                    |                | j  |                |                |                   |                   |   |   |   | 1  |   |  |
|          |          | (per LSR)   | 1         | 1       | UEANL                              | OCOSL          |  | 17.56          | 17.56          |                   |                   | 1   |   |   |  | 1   | l  |

| UNBU  | NDLE    | D NETWORK ELEMENTS - Louisiana  |          |      |                   |        |  | -              |               | <del></del>           | -   |          | Att: 2 Exh: A  |  |   |   |
|---|---------|---|----------|------|-------------------|--------|--|----------------|---------------|-----------------------|---|----------|--|--|---|---|
| CATEGO  |         | RATE ELEMENTS   | Interim  | Zone | BCS               | USOC   |  |                | RATES(\$)     |                       | Svc Order<br>Submitted<br>Elec<br>per LSR |          | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|   |         |   |          |      |                   |        | Rec  | Nonrec         |               | Nonrecurring Disconne |   |          |  | Rates(\$)  |   |   |
|   |         |   |          |      |                   |        |  | First          | Add'l         | First Add             | SOMEC                                     | SOMAN    | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|   |         | Unbundled Non-Design Voice Loop, billing for AT&T providing                                 |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | make-up (Engineering Information - E.I.)  |          |      | UEANL             | UEANM  |  | 13.04          | 13.04         |                       |   |          |  |  |   |   |
|   |         | Unbundled Loop Service Rearrangement, change in loop facility,                              |          |      |                   | UREWO  |  | 45.75          | 0.00          |                       |   |          |  |  |   |   |
|   |         | per circuit Bulk Migration, per 2 Wire Voice Loop-SL1                                       |          |      | UEANL<br>UEANL    | UREPN  | -  | 15.75<br>36.54 | 8.93<br>16.87 |                       |   |          |  |  |   | -   |
|   |         | Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1                                |          |      | UEANL             | UREPM  |  | 7.92           | 7.92          |                       |   | 1        |  |  |   |   |
|   |         | Unbundled COPPER LOOP   |          |      | OLITAL            | OKETW  |  | 7.52           | 1.02          | l l                   | l   | 1        | l .  | l .  |   | <u> </u>  |
| ĺ   |         | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1  | 1        | 1    | UEQ               | UEQ2X  | 12.40  | 35.27          | 15.60         |                       |   |          |  |  |   |   |
|   |         | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2  | i        |      | UEQ               | UEQ2X  | 14.32  | 35.27          | 15.60         |                       |   |          |  |  |   |   |
|   |         | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3  | - 1      |      | UEQ               | UEQ2X  | 16.87  | 35.27          | 15.60         |                       |   |          |  |  |   |   |
|   |         | Unbundled Miscellaneous Rate Element, Tag Loop at End User                                  |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | Premise   |          |      | UEQ               | URETL  |  | 8.92           | 0.88          |                       |   |          |  |  |   |   |
|   |         | Loop Testing - Basic 1st Half Hour  |          |      | UEQ               | URET1  |  | 33.17          | 0.00          |                       |   |          |  |  |   |   |
|   |         | Loop Testing - Basic Additional Half Hour   |          |      | UEQ               | URETA  |  | 19.28          | 19.28         |                       |   |          |  |  |   |   |
| 1 T   | 1       | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-                               |          |      |                   |        | Ι Τ  |                |               |                       |   | 1        | i  | <u> </u>   |   |   |
| <b></b>   |         | Designed (per loop)   |          |      | UEQ               | USBMC  | <b></b>  | 7.92           | 7.92          |                       |   | 1        |  |  |   | <b>↓</b>  |
|   |         | Unbundled Copper Loop - Non-Design, billing for AT&T providing                              |          |      | UEO               | LIEOMA |  | 40.01          | 10.01         |                       |   |          | l  | l  |   |   |
| <b></b>   |         | make-up (Engineering Information - E.I.)  | -        |      | UEQ               | UEQMU  | <del>                                     </del> | 13.04          | 13.04         |                       |   | 1        | <b></b>  | <b></b>  |   | <del>                                     </del>                                |
|   |         | Unbundled Loop Service Rearrangement, change in loop facility,                              |          |      | UEQ               | UREWO  |  | 44.05          | 7.40          |                       |   |          |  |  |   |   |
|   |         | per circuit<br>Bulk Migration, per 2 Wire UCL-ND  |          |      | UEQ               | UREPN  | -  | 14.25<br>35.27 | 7.42<br>15.60 |                       |   |          |  |  |   | <del>                                     </del>                                |
|   |         | Bulk Migration Order Coordination, per 2 Wire UCL-ND  |          |      | UEQ               | UREPM  |  | 7.92           | 7.92          |                       |   | 1        |  |  |   |   |
| IINRIIN   | DI ED E | EXCHANGE ACCESS LOOP  |          |      | OLQ               | OKEI W |  | 1.52           | 1.32          |                       | _   |          |  |  |   | +   |
|   |         | ANALOG VOICE GRADE LOOP   |          |      |                   | ı.     |  |                |               | l l                   | l   | 1        | l .  | l .  |   | <u> </u>  |
| H   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or                                  |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | Ground Start Signaling - Zone 1   |          | 1    | UEA               | UEAL2  | 14.93  | 102.10         | 65.72         |                       |   |          |  |  |   |   |
|   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or                                  |          |      |                   |        |  |                |               |                       |   |          |  |  |   | 1   |
|   |         | Ground Start Signaling - Zone 2   |          | 2    | UEA               | UEAL2  | 25.35  | 102.10         | 65.72         |                       |   |          |  |  |   |   |
|   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or                                  |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | Ground Start Signaling - Zone 3   |          | 3    | UEA               | UEAL2  | 50.46  | 102.10         | 65.72         |                       |   |          |  |  |   |   |
|   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse                                  |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | Battery Signaling - Zone 1  |          | 1    | UEA               | UEAR2  | 14.93  | 102.10         | 65.72         |                       |   |          |  |  |   | ļ   |
|   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse                                  |          |      |                   |        | 05.05  | 400.40         | 05.70         |                       |   |          |  |  |   |   |
|   |         | Battery Signaling - Zone 2  |          | 2    | UEA               | UEAR2  | 25.35  | 102.10         | 65.72         |                       |   | 1        |  |  |   | <del></del>   |
|   |         | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse                                  |          | 3    | UEA               | LIEADO | E0 46  | 100.10         | 6E 70         |                       |   |          |  |  |   |   |
|   |         | Battery Signaling - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per      |          | 3    | UEA               | UEAR2  | 50.46  | 102.10         | 65.72         |                       |   |          |  |  |   | <del>                                     </del>                                |
|   |         | DS0)  |          |      | UEA               | URESL  |  | 24.98          | 3.52          |                       |   |          |  |  |   |   |
|   |         | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per                                |          |      | OLA               | UNLOL  |  | 24.30          | 3.32          |                       | _   |          |  |  |   | +   |
|   |         | DS0)  |          |      | UEA               | URESP  |  | 26.47          | 5.01          |                       |   |          | l  | l  |   |   |
|   |         | Unbundled Loop Service Rearrangement, change in loop facility,                              |          |      |                   | 0.1201 | 1  | 20.41          | 5.51          |                       | 1   |          | i  | İ  |   | 1   |
|   |         | per circuit   |          |      | UEA               | UREWO  |  | 87.59          | 36.30         |                       |   |          |  |  |   |   |
|   |         | Loop Tagging - Service Level 2 (SL2)  |          |      | UEA               | URETL  |  | 11.20          | 1.10          |                       |   |          |  |  |   |   |
|   |         | Bulk Migration, per 2 Wire Voice Loop-SL2   |          |      | UEA               | UREPN  |  | 102.10         | 65.72         |                       |   |          |  |  |   |   |
|   |         | Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2                                |          |      | UEA               | UREPM  |  | 0.00           | 0.00          |                       |   |          |  |  |   |   |
|   |         | ANALOG VOICE GRADE LOOP   |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
|   |         | 4-Wire Analog Voice Grade Loop - Zone 1   |          |      | UEA               | UEAL4  | 30.81  | 127.40         | 91.02         |                       |   |          |  |  |   |   |
|   |         | 4-Wire Analog Voice Grade Loop - Zone 2   |          |      | UEA               | UEAL4  | 38.32  | 127.40         | 91.02         |                       |   |          |  |  |   | L   |
|   |         | 4-Wire Analog Voice Grade Loop - Zone 3   |          | 3    | UEA               | UEAL4  | 60.39  | 127.40         | 91.02         |                       |   |          | ļ  | ļ  |   | <b></b>   |
|   |         | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per                                 |          |      |                   |        |  |                |               |                       |   |          | l  | l  |   |   |
| $\vdash \!$ |         | DS0)  | <u> </u> |      | UEA               | URESL  | <b>.</b>   | 24.98          | 3.52          |                       |   | 1        | ļ  | ļ  |   | <b>├</b>  |
|   |         | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)                           |          |      | LIEA              | LIBEOD |  | 06.47          | E 04          |                       |   |          |  |  |   |   |
| 1   |         | Unbundled Loop Service Rearrangement, change in loop facility,                              | 1        |      | UEA               | URESP  | <del>                                     </del> | 26.47          | 5.01          |                       | +   | 1        | 1  | 1  |   | $\vdash$  |
|   |         | per circuit   |          |      | UEA               | UREWO  |  | 87.59          | 36.30         |                       |   |          |  |  |   |   |
|   | 2-WIRF  | ISDN DIGITAL GRADE LOOP   |          |      | ( <del> / ·</del> |        |  | 01.00          | 30.30         | ı L                   |   |          |  |  | 1   |   |
| l l   |         | 2-Wire ISDN Digital Grade Loop - Zone 1   |          | 1    | UDN               | U1L2X  | 22.09  | 113.34         | 76.96         |                       |   |          |  |  |   |   |
|   |         | 2-Wire ISDN Digital Grade Loop - Zone 2   |          | 2    | UDN               | U1L2X  | 35.28  | 113.34         | 76.96         |                       | 1   |          | i  | İ  |   | 1   |
|   |         | 2-Wire ISDN Digital Grade Loop - Zone 3   |          |      | UDN               | U1L2X  | 65.18  | 113.34         | 76.96         |                       |   |          |  |  |   |   |
|   |         | Unbundled Loop Service Rearrangement, change in loop facility,                              |          |      |                   |        |  |                |               |                       |   |          |  |  |   |   |
| L J   |         | per circuit   |          |      | UDN               | UREWO  | <u> </u>   | 91.49          | 44.09         |                       |   | <u> </u> |  |  |   |   |
|   | 2-WIRE  | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA   | TIBLE L  | .00P |                   |        |  |                |               |                       | _   |          |  |  | _   |   |
|   |         |   |          |      |                   | 1      | 1  |                |               | 1                     |   | 1        |  |  |   | l   |
|   |         | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1 |          |      | UAL               | UAL2X  | 12.29  | 117.08         | 68.36         | l l                   |   |          |  |  |   |   |

| UNBUNDLE      | ED NETWORK ELEMENTS - Louisiana  |  |      |            |                |                |                  |                |  |   |       | Att: 2 Exh: A  |  |   |  |
|---------------|--|--|------|------------|----------------|----------------|------------------|----------------|--|---|-------|--|--|---|--|
| ATEGORY       | RATE ELEMENTS  | Interim  | Zone | BCS        | usoc           |                |                  | RATES(\$)      |  | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -   |
|               |  |  |      |            |                | Rec            | Nonrec           |                | Nonrecurring Disconnect                          |   |       |  | Rates(\$)  |   |  |
|               |  |  |      |            |                |                | First            | Add'l          | First Add'l                                      | SOMEC                                     | SOMAN | SOMAN  | SOMAN  | SOMAN   | SOMAN  |
|               | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2        |  | 2    | UAL        | UAL2X          | 14.09          | 117.08           | 68.36          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3        |  | 3    | UAL        | UAL2X          | 15.75          | 117.08           | 68.36          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1           |  | 1    | UAL        | UAL2W          | 12.29          | 92.83            | 56.02          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2           |  | 2    | UAL        | UAL2W          | 14.09          | 92.83            | 56.02          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3           |  | 3    | UAL        | UAL2W          | 15.75          | 92.83            | 56.02          |  |   |       |  |  |   |  |
|               | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                         |  |      | UAL        | UREWO          |                | 86.07            | 40.34          |  |   |       |  |  |   |  |
| 2-WIRI        | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT  | TIBLE LO   | OOP  | 1          | 10             |                |                  |                | •  |   |       | l l  | ı  | I .   |  |
|               | 2 Wire Unbundled HDSL Loop including manual service inquiry &                                      |  |      |            |                |                |                  |                |  |   |       |  |  |   |  |
|               | facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry &       |  | 1    | UHL        | UHL2X          | 9.79           | 125.50           | 76.77          |  |   |       |  |  |   |  |
|               | facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry &       |  | 2    | UHL        | UHL2X          | 11.52          | 125.50           | 76.77          |  |   |       |  |  |   | <u> </u>   |
|               | facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry and       |  | 3    | UHL        | UHL2X          | 12.74          | 125.50           | 76.77          |  |   |       |  |  |   |  |
|               | facility reservation - Zone 1  |  | 1    | UHL        | UHL2W          | 9.79           | 101.24           | 64.43          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2        |  | 2    | UHL        | UHL2W          | 11.52          | 101.24           | 64.43          |  |   |       |  |  |   |  |
|               | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3        |  | 3    | UHL        | UHL2W          | 12.74          | 101.24           | 64.43          |  |   |       |  |  |   |  |
|               | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                         |  |      | UHL        | UREWO          |                | 86.00            | 40.34          |  |   |       |  |  |   |  |
| 4-WIRI        | E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT  | TIBLE LO   | OOP  |            |                |                | •                |                | •  | •   |       |  |  | •   | •  |
|               | 4 Wire Unbundled HDSL Loop including manual service inquiry and<br>facility reservation - Zone 1   |  | 1    | UHL        | UHL4X          | 16.24          | 153.26           | 104.54         |  |   |       |  |  |   |  |
|               | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2      |  | 2    | UHL        | UHL4X          | 16.65          | 153.26           | 104.54         |  |   |       |  |  |   |  |
|               | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3      |  | 3    | UHL        | UHL4X          | 17.34          | 153.26           | 104.54         |  |   |       |  |  |   |  |
|               | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1        |  | 1    | UHL        | UHL4W          | 16.24          | 129.00           | 92.20          |  |   |       |  |  |   |  |
|               | 4-Wire Unbundled HDSL Loop without manual service inquiry and                                      |  | -    |            |                |                |                  |                |  |   |       |  |  |   |  |
|               | facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and        |  | 2    | UHL        | UHL4W          | 16.65          | 129.00           | 92.20          |  |   |       |  |  |   | <del>                                     </del> |
|               | facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,       |  | 3    | UHL        | UHL4W          | 17.34          | 129.00           | 92.20          |  |   |       |  |  |   |  |
|               | per circuit  |  |      | UHL        | UREWO          |                | 86.00            | 40.34          |  |   |       |  |  |   |  |
| 4-WIRI        | E DS1 DIGITAL LOOP  4-Wire DS1 Digital Loop - Zone 1   | 1  | 1    | USL        | USLXX          | 85.70          | 245.16           | 152.98         |  | _   |       |  | ı  | 1   |  |
|               | 4-Wire DS1 Digital Loop - Zone 2   |  |      | USL        | USLXX          | 194.96         | 245.16           | 152.98         |  | +   |       |  |  |   | +  |
|               | 4-Wire DS1 Digital Loop - Zone 3   |  |      | USL        | USLXX          | 491.94         | 245.16           | 152.98         |  |   |       |  |  |   |  |
|               | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)                                   |  |      | USL        | URESL          |                | 24.98            | 3.52           |  |   |       |  |  |   |  |
|               | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)                                  |  |      | USL        | URESP          |                | 26.47            | 5.01           |  |   |       |  |  |   |  |
|               | Unbundled Loop Service Rearrangement, change in loop facility,                                     |  |      |            |                |                |                  |                |  |   |       |  |  |   |  |
| 4 18/101      | per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP   | <u> </u>   |      | USL        | UREWO          |                | 100.93           | 42.98          |  |   | l     |  |  | l   |  |
| 4-VVIK        | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1  | 1  | 1    | UDL        | UDL2X          | 30.99          | 121.86           | 85.48          |  | 1   |       |  | I  | 1   |  |
| 1             | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2  | 1  |      | UDL        | UDL2X          | 36.78          | 121.86           | 85.48          |  |   |       |  |  |   | <del></del>                                      |
|               | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3   |  |      | UDL        | UDL2X          | 38.92          | 121.86           | 85.48          |  |   |       |  |  |   |  |
|               | 4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1   |  | 1    | UDL        | UDL4X          | 30.99          | 121.86           | 85.48          |  |   |       |  |  |   |  |
|               | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2  |  | 2    | UDL        | UDL4X          | 36.78          | 121.86           | 85.48          |  |   |       |  |  |   |  |
|               | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3  |  | 3    | UDL        | UDL4X          | 38.92          | 121.86           | 85.48          |  |   |       |  |  |   |  |
|               | 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1  | <del>                                     </del> | 1    | UDL        | UDL9X          | 30.99          | 121.86           | 85.48          |  |   | ļ     |  |  |   |  |
|               | 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2<br>6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 |  | 3    | UDL<br>UDL | UDL9X<br>UDL9X | 36.78<br>38.92 | 121.86<br>121.86 | 85.48<br>85.48 |  | -   |       |  |  |   | +  |
|               | To write oriburialed Digital Loop 9.0 Kbps - Zorie 3   | 1  |      |            |                |                |                  |                | <del>                                     </del> |   |       |  | ļ  |   | +  |
| <del>  </del> | 4 Wire Unbundled Digital 19.2 Kbps - Zone 1  |  | 1    | UDL        | UDL19          | 30.99          | 121.86           | 85.48          | l I  |   |       |  |  |   |  |

| UNBUNDLE     | D NETWORK ELEMENTS - Louisiana   |         |  |                |                |  |                  | <u> </u>       | <del></del>                                      |   |   | Att: 2 Exh: A  |  |   | <u> </u>  |
|--------------|--|---------|--|----------------|----------------|--|------------------|----------------|--|---|---|--|--|---|---|
| CATEGORY     | RATE ELEMENTS  | Interim | Zone   | BCS            | USOC           |  |                  | RATES(\$)      |  | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|              |  |         |  |                |                | Rec  | Nonrec           |                | Nonrecurring Disconnect                          | 001150                                    | 001111  |  | Rates(\$)  | 001441  | 001111  |
|              | 1115   |         | _  |                | 1101.40        | 00.00  | First            | Add'l          | First Add'l                                      | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|              | 4 Wire Unbundled Digital 19.2 Kbps - Zone 3  |         |  | UDL            | UDL19          | 38.92  | 121.86           | 85.48          |  |   |   |  |  |   | <del>                                     </del>                                |
|              | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1   |         |  | UDL            | UDL56          | 30.99  | 121.86           | 85.48          |  |   |   |  |  |   | <del>                                     </del>                                |
|              | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2   |         |  | UDL            | UDL56          | 36.78  | 121.86           | 85.48          |  | 1   |   |  |  |   | <del></del>   |
|              | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3   |         |  | UDL            | UDL56          | 38.92<br>30.99                                 | 121.86<br>121.86 | 85.48<br>85.48 |  | -   |   |  |  |   | <del>                                     </del>                                |
|              | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2  |         |  | UDL<br>UDL     | UDL64<br>UDL64 | 36.78  | 121.86           | 85.48          |  |   |   |  |  |   | <del></del>   |
|              | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3   |         |  | UDL            | UDL64          | 38.92  | 121.86           | 85.48          |  | <u> </u>                                  |   |  |  |   |   |
|              | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |         | 3  | ODL            | ODL04          | 30.92  | 121.00           | 05.40          |  | 1   |   |  |  |   | ſ   |
|              | DS0)   |         |  | UDL            | URESL          |  | 24.98            | 3.52           |  |   |   |  |  |   | 1   |
|              | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per   |         |  |                |                |  |                  |                |  |   |   |  |  |   |   |
|              | DS0)   |         |  | UDL            | URESP          |  | 26.47            | 5.01           |  |   |   |  |  |   | <del>                                     </del>                                |
|              | Unbundled Loop Service Rearrangement, change in loop facility,   |         |  | UDL            | LIDEWO         |  | 404.07           | 40.07          |  |   |   |  |  |   | 1   |
| 2 MIDE       | per circuit  |         | <u> </u>   | UDL            | UREWO          |  | 101.97           | 49.67          | 1  | l   |   |  |  |   |   |
| Z-WIRE       | Unbundled COPPER LOOP  | 1       | ı  | ı              |                | 1  | ı                |                | 1  | 1   |   |  | ı  | 1   |   |
|              | 2-Wire Unbundled Copper Loop-Designed including manual<br>service inquiry & facility reservation - Zone 1  |         | 4  | UCL            | UCLPB          | 12.29  | 116.18           | 67.46          |  |   |   |  |  |   | í   |
|              | 2-Wire Unbundled Copper Loop-Designed including manual   |         |  | UCL            | UCLFB          | 12.29  | 110.10           | 07.40          | <u> </u>   |   |   |  |  |   |   |
|              | service inquiry & facility reservation - Zone 2  |         | 2  | UCL            | UCLPB          | 14.09  | 116.18           | 67.46          |  |   |   |  |  |   | 1   |
|              | 2 Wire Unbundled Copper Loop-Designed including manual service   |         | <u> </u>   | 002            | 002. 2         | 1 1.00   | 110.10           | 07.10          |  |   |   |  |  |   | (   |
|              | inquiry & facility reservation - Zone 3  |         | 3  | UCL            | UCLPB          | 15.75  | 116.18           | 67.46          |  |   |   |  |  |   | 1   |
|              | 2-Wire Unbundled Copper Loop-Designed without manual service   |         | Ť  | 002            | 002. 2         | 10.10  | 110.10           | 07.10          |  |   |   |  |  |   | (   |
|              | inquiry and facility reservation - Zone 1  |         | 1  | UCL            | UCLPW          | 12.29  | 91.92            | 55.12          |  |   |   |  |  |   | 1   |
|              | 2-Wire Unbundled Copper Loop-Designed without manual service   |         |  |                |                |  |                  |                |  |   |   |  |  |   | í T   |
|              | inquiry and facility reservation - Zone 2  |         | 2  | UCL            | UCLPW          | 14.09  | 91.92            | 55.12          |  |   |   |  |  |   | 1   |
|              | 2-Wire Unbundled Copper Loop-Designed without manual service   |         |  |                |                |  |                  |                |  |   |   |  |  |   |   |
|              | inquiry and facility reservation - Zone 3  |         | 3  | UCL            | UCLPW          | 15.75  | 91.92            | 55.12          |  |   |   |  |  |   | 1   |
|              | Order Coordination for Unbundled Copper Loops (per loop)   |         |  | UCL            | UCLMC          |  | 7.92             | 7.92           |  |   |   |  |  |   | í   |
|              | Unbundled Loop Service Rearrangement, change in loop facility,   |         |  |                |                |  |                  |                |  |   |   |  |  |   | í   |
|              | per circuit  |         |  | UCL            | UREWO          |  | 91.92            | 42.47          |  |   |   |  |  |   |   |
| 4-WIRE       | COPPER LOOP  |         |  |                |                | ,  |                  |                |  |   |   |  |  |   |   |
|              | 4-Wire Copper Loop-Designed including manual service inquiry   |         |  |                |                |  |                  |                |  |   |   |  |  |   | 1   |
|              | and facility reservation - Zone 1  |         | 1  | UCL            | UCL4S          | 22.27  | 139.69           | 90.96          |  |   |   |  |  |   | <b></b>   |
|              | 4-Wire Copper Loop-Designed including manual service inquiry   |         | _  |                |                | 40.05  | 400.00           |                |  |   |   |  |  |   | 1   |
|              | and facility reservation - Zone 2  |         | 2  | UCL            | UCL4S          | 18.95  | 139.69           | 90.96          |  | 1   |   |  |  |   |   |
|              | 4-Wire Copper Loop-Designed including manual service inquiry   |         | 3  | 1101           | 1101.40        | 40.00  | 400.00           | 00.00          |  |   |   |  |  |   | 1   |
|              | and facility reservation - Zone 3  |         | 3  | UCL            | UCL4S          | 10.99  | 139.69           | 90.96          |  | -   |   |  |  |   |   |
|              | 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1   |         | 1  | UCL            | UCL4W          | 22.27  | 115.43           | 78.63          |  |   |   |  |  |   | 1   |
|              | 4-Wire Copper Loop-Designed without manual service inquiry and   |         | -  | UCL            | UCL4VV         | 22.21  | 110.40           | 76.03          |  | 1   |   |  |  |   |   |
|              | facility reservation - Zone 2  |         | 2  | UCL            | UCL4W          | 18.95  | 115.43           | 78.63          |  |   |   |  |  |   | i   |
|              | 4-Wire Copper Loop-Designed without manual service inquiry and   |         |  |                | 502411         | 10.90  | 110.40           | 70.00          |  |   |   |  |  |   | <u> </u>  |
|              | facility reservation - Zone 3  |         | 3  | UCL            | UCL4W          | 10.99  | 115.43           | 78.63          |  |   |   |  |  |   | i   |
|              | Order Coordination for Unbundled Copper Loops (per loop)   |         |  | UCL            | UCLMC          |  | 7.92             | 7.92           |  |   |   |  |  |   | í   |
| l l          | Unbundled Loop Service Rearrangement, change in loop facility,   |         |  |                |                |  |                  |                |  |   |   |  |  |   | l   |
|              | per circuit  | <u></u> | L  | UCL            | UREWO          | <u>                                       </u> | 91.92            | 42.47          |  | <u></u>                                   |   |  |  |   | <u>.                                    </u>                                    |
|              |  |         |  | UEA, UDN, UAL, |                |  |                  |                |  |   |   |  |  |   |   |
|              | Order Coordination for Specified Conversion Time (per LSR)   |         |  | UHL, UDL, USL  | OCOSL          |  | 17.56            |                |  |   |   |  |  |   |   |
| Rearra       | ngements   |         |  |                |                |  | ·                |                |  |   |   |  |  |   |   |
|              | EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-   |         | 1  |                |                |  |                  |                |  |   |   |  |  |   | i ——  |
|              | SL2  |         |  | UEA            | UREEL          |  | 87.59            | 36.30          |  | <u> </u>                                  |   |  |  |   | <b></b>   |
|              |  |         |  | l              | 1              |  |                  |                |  |   |   |  |  |   | 1   |
|              | EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop  |         | <b></b>  | UEA            | UREEL          |  | 87.59            | 36.30          |  | 1   |   |  |  |   | <b></b>   |
| <b></b>      | EEL to UNE-L Retermination, per 2 Wire ISDN Loop   | -       | 1  | UDN            | UREEL          |  | 91.49            | 44.09          |  | 1   |   |  |  |   |   |
|              | EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop  |         |  | UDL            | UREEL          |  | 101.97           | 49.67          | ]  |   |   |  |  |   | 1   |
|              | EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop  EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop                                     | 1       | 1  | USL            | UREEL          |  | 101.97           | 49.67          |  | 1   |   |  |  |   |   |
| LINE LOOP CO | MMINGLING  |         | <del>                                     </del> | 001            | OINELL         |  | 100.93           | 42.30          | <del>                                     </del> | <b> </b>                                  |   |  |  |   | ſ   |
|              | E ANALOG VOICE GRADE LOOP - COMMINGLING  | L       |  | I              | -1             | ·  | LI               |                | <u> </u>   | 1   |   | <u> </u>   | LI   |   |   |
|              |  |         |  |                |                | 1  |                  |                |  |   |   |  |  |   |   |
|              |  |         |  |                |                |  |                  |                |  |   |   |  |  |   |   |
|              | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |         | 1  | NTCVG          | UEAL2          | 14.93  | 102.10           | 65.72          | l l  |   |   |  |  |   | 1   |
|              | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1   |         | 1  | NTCVG          | UEAL2          | 14.93  | 102.10           | 65.72          |  |   |   |  |  |   |   |
|              | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |         | 1 2  | NTCVG<br>NTCVG | UEAL2<br>UEAL2 | 14.93<br>25.35                                 | 102.10<br>102.10 | 65.72<br>65.72 |  |   |   |  |  |   |   |
|              | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or<br>Ground Start Signaling - Zone 1     2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or |         | 1 2  |                |                |  |                  |                |  |   |   |  |  |   |   |

| UNBUNDLE | D NETWORK ELEMENTS - Louisiana   |          |          |                                 |                |                |                  |                |  |       |   |       | Att: 2 Exh: A                                      |  |  |  |
|----------|--|----------|----------|---------------------------------|----------------|----------------|------------------|----------------|--|-------|---|-------|--|--|--|--|
| CATEGORY | RATE ELEMENTS  | Interim  | Zone     | BCS                             | usoc           |                |                  | RATES(\$)      |  |       | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Incremental<br>Charge -<br>Manual Svc<br>Order vs. | Incremental<br>Charge -<br>Manual Svc<br>Order vs. | Incremental<br>Charge -<br>Manual Svc<br>Order vs. | Incrementa<br>Charge -<br>Manual Sv<br>Order vs. |
|          |  |          |          |                                 |                |                |                  |                |  |       | -   |       | Electronic-<br>1st                                 | Electronic-<br>Add'l                               | Electronic-<br>Disc 1st                            | Electronic<br>Disc Add'l                         |
|          |  |          |          |                                 |                | Rec            | Nonrec           |                | Nonrecurring I                                   |       | 001150                                    |       |  | Rates(\$)  |  |  |
|          | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |          |          |                                 | +              |                | First            | Add'l          | First  | Add'l | SOMEC                                     | SOMAN | SOMAN  | SOMAN  | SOMAN  | SOMAN  |
|          | Battery Signaling - Zone 1   |          | 1        | NTCVG                           | UEAR2          | 14.93          | 102.10           | 65.72          |  |       |   |       |  |  |  |  |
|          | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |          |          |                                 |                |                |                  |                |  |       |   |       |  |  |  |  |
|          | Battery Signaling - Zone 2   |          | 2        | NTCVG                           | UEAR2          | 25.35          | 102.10           | 65.72          |  |       |   |       |  |  |  |  |
|          | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse<br>Battery Signaling - Zone 3           |          | 3        | NTCVG                           | UEAR2          | 50.46          | 102.10           | 65.72          |  |       |   |       |  |  |  |  |
|          | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |          | 3        | NICVO                           | OLAKZ          | 30.40          | 102.10           | 05.72          |  |       |   |       |  |  |  |  |
|          | DS0)   |          |          | NTCVG                           | URESL          |                | 24.98            | 3.52           |  |       |   |       |  |  |  |  |
|          | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per                                       |          |          |                                 |                |                |                  |                |  |       |   |       |  |  |  |  |
|          | DS0)   |          |          | NTCVG                           | URESP          |                | 26.47            | 5.01           |  |       |   |       |  |  |  |  |
|          | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                         |          |          | NTCVG                           | UREWO          |                | 87.59            | 36.30          |  |       |   |       |  |  |  |  |
| 1        | Loop Tagging - Service Level 2 (SL2)   |          |          | NTCVG                           | URETL          |                | 11.20            | 1.10           |  |       |   |       |  |  |  |  |
| 4-WIRE   | ANALOG VOICE GRADE LOOP  |          |          |                                 |                |                |                  |                |  |       |   | •     |  |  |  |  |
|          | 4-Wire Analog Voice Grade Loop - Zone 1  |          | 1        | NTCVG                           | UEAL4          | 30.81          | 127.40           | 91.02          | 0.00   | 0.00  |   |       |  |  |  |  |
|          | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3                    |          | 3        | NTCVG<br>NTCVG                  | UEAL4<br>UEAL4 | 38.32<br>60.39 | 127.40<br>127.40 | 91.02<br>91.02 | 0.00   | 0.00  |   |       |  |  |  | ļ  |
| -        | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |          | 3        | NICVG                           | UEAL4          | 00.39          | 127.40           | 91.02          | 0.00   | 0.00  |   |       |  |  |  |  |
|          | DS0)   |          |          | NTCVG                           | URESL          |                | 24.98            | 3.52           |  |       |   |       |  |  |  |  |
|          | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per                                       |          |          |                                 |                |                |                  |                |  |       |   |       |  |  |  |  |
|          | DS0)   |          |          | NTCVG                           | URESP          |                | 26.47            | 5.01           |  |       |   |       |  |  |  |  |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                     |          |          | NTOVO                           | LIDEWO         |                | 07.50            | 20.00          |  |       |   |       |  |  |  |  |
| 4 WIDE   | per circuit  DS1 DIGITAL LOOP  |          |          | NTCVG                           | UREWO          |                | 87.59            | 36.30          |  |       |   |       |  |  |  |  |
| 4-4411/1 | 4-Wire DS1 Digital Loop - Zone 1   |          | 1        | NTCD1                           | USLXX          | 85.70          | 245.16           | 152.98         | 1  |       |   |       |  | I  |  |  |
|          | 4-Wire DS1 Digital Loop - Zone 2   |          | 2        | NTCD1                           | USLXX          | 194.96         | 245.16           | 152.98         |  |       |   |       |  |  |  |  |
|          | 4-Wire DS1 Digital Loop - Zone 3   |          | 3        | NTCD1                           | USLXX          | 491.94         | 245.16           | 152.98         |  |       |   |       |  |  |  |  |
|          | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)                                   |          |          | NTCD1                           | URESL          |                | 24.98            | 3.52           |  |       |   |       |  |  |  |  |
|          | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)                                  |          |          | NTCD1                           | URESP          |                | 26.47            | 5.01           |  |       |   |       |  |  |  |  |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                     |          |          |                                 | 011201         |                | 20.11            | 0.01           |  |       |   |       |  |  |  |  |
|          | per circuit  |          |          | NTCD1                           | UREWO          |                | 100.93           | 42.98          |  |       |   |       |  |  |  |  |
| 4-WIRE   | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP   |          |          | I                               | I              |                |                  |                | 1  |       |   | 1     |  | 1  |  |  |
| -        | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1  |          | 1        | NTCUD                           | UDL2X          | 30.99          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
| -        | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3     |          | 3        | NTCUD<br>NTCUD                  | UDL2X<br>UDL2X | 36.78<br>38.92 | 121.86<br>121.86 | 85.48<br>85.48 | +  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1   |          | 1        | NTCUD                           | UDL4X          | 30.99          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2  |          | 2        | NTCUD                           | UDL4X          | 36.78          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3  |          | 3        | NTCUD                           | UDL4X          | 38.92          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1  | 1        | 1        | NTCUD                           | UDL9X          | 30.99          | 121.86           | 85.48          | ļ  |       |   |       |  |  |  | <u> </u>   |
|          | 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2<br>6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 | <b>!</b> | 3        | NTCUD<br>NTCUD                  | UDL9X<br>UDL9X | 36.78<br>38.92 | 121.86<br>121.86 | 85.48<br>85.48 | +  |       |   |       |  | -  |  | 1  |
| -        | 4 Wire Unbundled Digital 19.2 Kbps - Zone 1  | 1        | 1        | NTCUD                           | UDL9X          | 30.92          | 121.86           | 85.48          |  |       |   |       |  |  |  | <b> </b>   |
|          | 4 Wire Unbundled Digital 19.2 Kbps - Zone 2  | <b>†</b> | 2        | NTCUD                           | UDL19          | 36.78          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital 19.2 Kbps - Zone 3  |          | 3        | NTCUD                           | UDL19          | 38.92          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1   |          | 1        | NTCUD                           | UDL56          | 30.99          | 121.86           | 85.48          |  |       |   |       |  |  |  |  |
|          | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2   |          | 2        | NTCUD                           | UDL56          | 36.78          | 121.86           | 85.48          | ļ  |       |   |       |  |  |  | 1  |
|          | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3   | l        | 3        | NTCUD<br>NTCUD                  | UDL56<br>UDL64 | 38.92<br>30.99 | 121.86<br>121.86 | 85.48<br>85.48 |  |       |   |       |  |  |  |  |
| -        | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2      | <b>!</b> | 2        | NTCUD                           | UDL64<br>UDL64 | 30.99          | 121.86<br>121.86 | 85.48<br>85.48 | <del>                                     </del> |       |   | 1     |  |  |  | 1  |
|          | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3   | <b>†</b> | 3        | NTCUD                           | UDL64          | 38.92          | 121.86           | 85.48          | <del> </del>                                     |       |   |       |  |  |  | 1  |
|          | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |          |          |                                 |                |                |                  |                | <u> </u>   |       |   |       |  |  |  |  |
|          | DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per                                  |          |          | NTCUD                           | URESL          |                | 24.98            | 3.52           |  |       |   |       |  |  |  |  |
|          | DS0)   |          | <u> </u> | NTCUD                           | URESP          |                | 26.47            | 5.01           |  |       |   |       |  |  |  |  |
|          | I Inhundled Lean Contine Dearrangement change in lean facility                                     |          |          |                                 |                |                |                  |                | 1  |       | 1   | I     | l  | i  |  | 1  |
|          | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                         |          |          | NTCUD                           | UREWO          |                | 101.97           | 49.67          |  |       |   |       |  |  |  |  |
|          |  |          |          | NTCUD<br>NTCVG, NTCUD,<br>NTCD1 | UREWO<br>OCOSL |                | 101.97<br>17.56  | 49.67          |  |       |   |       |  |  |  |  |

| UNBUNDL    | ED NETWORK ELEMENTS - Louisiana   |         |      |   |       |          |         |           |              |       |   |   | Att: 2 Exh: A  |  |   |   |
|------------|---|---------|------|---|-------|----------|---------|-----------|--------------|-------|---|---|--|--|---|---|
| CATEGORY   | RATE ELEMENTS   | Interim | Zone | BCS   | USOC  |          |         | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|            |   |         |      |   |       | Rec      | Nonrec  | urring    | Nonrecurring |       |   |   | oss  | Rates(\$)  |   |   |
|            |   |         |      | UDC, UEA, UDL,  |       |          | First   | Add'l     | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|            | Maintenance of Soniae Charge Pagis Time, per half hour  |         |      | UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNCSX, UNCSX, UNCSX,                           | MVVBT |          | 80.00   | 55.00     |              |       |   |   |  |  |   |   |
|            | Maintenance of Service Charge, Basic Time, per half hour  |         |      | UNCVX, ULS<br>UDC, UEA, UDL,  | MVVBT |          | 80.00   | 55.00     |              |       |   |   |  |  |   |   |
|            |   |         |      | UDN, USL, UAL, UDN, USL, UAL, UDN, USL, UAL, UTDN, UTCD1, UTTD1, UTTD3, UTTDX, UTTS1, UTTVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX,               |       |          |         |           |              |       |   |   |  |  |   |   |
|            | Maintenance of Service Charge, Overtime, per half hour  |         |      | UNCVX, ULS  | MVVOT |          | 90.00   | 65.00     |              |       |   |   |  |  |   |   |
| LOOP MODIF | Maintenance of Service Charge, Premium, per half hour   |         |      | UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, UTTS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS | MVVPT |          | 100.00  | 75.00     |              |       |   |   |  |  |   |   |
| LOOP MODIF | ICATION   | 1       | -    | UAL, UHL, UCL,  |       |          | <b></b> |           |              | -     | -   |   |  |  |   |   |
|            | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop                   |         |      | UEQ, ULS, UEA,<br>UEANL, UEPSR,<br>UEPSB  | ULM2L |          | 0.00    | 0.00      |              |       |   |   |  |  |   |   |
|            | Unbundled Loop Modification Removal of Load Coils - 4 Wire less   | ·[      |      | LIBI LICI LIEA  | ULM4L |          | 0.00    | 0.00      | ]            |       |   |   |  |  |   |   |
|            | than or equal to 18K ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop         |         |      | UHL, UCL, UEA UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB   | ULMBT |          | 12.15   | 12.15     |              |       |   |   |  |  |   |   |
| SUB-LOOPS  | Loop Distribution   | 1       | l    | l .   |       | <u> </u> |         |           | <u> </u>     | l     | 1   |   |  | l  |   |   |
| Sub-       | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-<br>Up   |         |      | UEANL, UEF  | USBSA |          | 144.09  | 144.09    |              |       |   |   |  |  |   |   |
|            | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility          |         |      | UEANL, UEF  | USBSB |          | 10.99   | 10.99     |              |       |   |   |  |  |   |   |
|            | Set-Up Sub-Loop - Per Building Equipment Room - CLEC reeder racinly Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- | -       |      | UEANL   | USBSC |          | 86.16   | 86.16     |              |       |   |   |  |  |   |   |
|            | Up  |         |      | UEANL   | USBSD |          | 27.13   | 27.13     |              |       |   |   |  |  |   |   |

| UNBUNDLE   | D NETWORK ELEMENTS - Louisiana   |         |          |  |                |                |                |                |  |   |  | Att: 2 Exh: A   |  |   |   |
|--|--|---------|----------|--|----------------|----------------|----------------|----------------|--|---|--|---|--|---|---|
| CATEGORY   | RATE ELEMENTS  | Interim | Zone     | BCS  | usoc           |                |                | RATES(\$)      |  | Svc Order<br>Submitted<br>Elec<br>per LSR |  | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Sv<br>Order vs.<br>Electronic<br>Disc Add' |
|  |  |         |          |  |                | Rec            | Nonred         |                | Nonrecurring Disconnec                           | t   |  |   | Rates(\$)  |   |   |
|  |  |         |          |  |                | 1100           | First          | Add'l          | First Add'l                                      | SOMEC                                     | SOMAN  | SOMAN   | SOMAN  | SOMAN   | SOMAN   |
|  | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -<br>Zone 1   |         | 1        | UEANL  | USBN2          | 7.57           | 63.89          | 30.06          |  |   |  |   |  |   |   |
|  | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -   |         | 1        | UEANL  | USBN2          | 7.57           | 63.89          | 30.06          |  |   |  |   |  |   |   |
|  | Zone 2   |         | 2        | UEANL  | USBN2          | 12.75          | 63.89          | 30.06          |  |   |  |   |  |   |   |
|  | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -   |         |          |  |                |                |                |                |  |   |  |   |  |   |   |
|  | Zone 3   |         | 3        | UEANL  | USBN2          | 21.45          | 63.89          | 30.06          |  |   |  |   |  |   |   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair  |         |          | UEANL  | USBMC          |                | 7.92           | 7.92           |  |   |  |   |  |   |   |
|  | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -   |         |          | UEANL  | USBIVIC        |                | 7.92           | 7.92           |  |   |  |   |  |   |   |
|  | Zone 1   |         | 1        | UEANL  | USBN4          | 11.76          | 76.75          | 42.92          |  |   |  |   |  |   |   |
|  | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -   |         |          |  |                |                |                |                |  |   |  |   |  |   |   |
|  | Zone 2   |         | 2        | UEANL  | USBN4          | 16.84          | 76.75          | 42.92          |  |   |  |   |  |   |   |
|  | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -<br>Zone 3   |         | 3        | UEANL  | USBN4          | 19.27          | 76.75          | 42.92          |  |   |  |   |  |   |   |
| <del>                                     </del> | ZUITE U  |         | 3        | CEAINE   | USDIN4         | 19.27          | 10.15          | 42.92          | <del>                                     </del> |   | <del>                                     </del> |   |  |   | -   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair  |         |          | UEANL  | USBMC          | <u> </u>       | 7.92           | 7.92           |  |   |  | <u> </u>  | <u> </u>   |   | <u> </u>  |
|  | Sub-Loop 2-Wire Intrabuilding Network Cable (INC)  |         |          | UEANL  | USBR2          | 2.91           | 51.48          | 17.65          |  |   |  |   |  |   |   |
|  | Onder Occardination for Habrardia 12.1   |         |          | LIFANI   | LIODAGO        |                | 7.0-           | =              |  |   |  |   |  |   |   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair<br>Sub-Loop 4-Wire Intrabuilding Network Cable (INC) |         |          | UEANL<br>UEANL   | USBMC<br>USBR4 | 6.58           | 7.92<br>57.54  | 7.92<br>23.71  |  |   |  |   |  |   |   |
|  | Sub-Loop 4-vviile illitabuliuling Network Cable (INC)  |         |          | UEANL  | USBN4          | 0.36           | 57.54          | 23.71          |  |   |  |   |  |   |   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair  |         |          | UEANL  | USBMC          |                | 7.92           | 7.92           |  |   |  |   |  |   |   |
|  | Loop Testing - Basic 1st Half Hour   |         |          | UEANL  | URET1          |                | 33.17          | 0.00           |  |   |  |   |  |   |   |
|  | Loop Testing - Basic Additional Half Hour  |         |          | UEANL  | URETA          |                | 19.28          | 19.28          |  |   |  |   |  |   |   |
|  | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1   |         | 1        | UEF  | UCS2X          | 6.26           | 63.89          | 30.06          |  |   |  |   |  |   |   |
| -  | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2<br>2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3   |         |          | UEF<br>UEF   | UCS2X<br>UCS2X | 10.07<br>12.70 | 63.89<br>63.89 | 30.06<br>30.06 |  |   |  |   |  |   |   |
|  | 2 Wife Copper Oriburialed Sub-Loop Distribution - Zone 3   |         | 3        | UEF  | 0032A          | 12.70          | 03.09          | 30.00          |  |   |  |   |  |   |   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair  |         |          | UEF  | USBMC          |                | 7.92           | 7.92           |  |   |  |   |  |   |   |
|  | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1   |         | 1        | UEF  | UCS4X          | 8.03           | 76.75          | 42.92          |  |   |  |   |  |   |   |
|  | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2   |         |          | UEF  | UCS4X          | 10.71          | 76.75          | 42.92          |  |   |  |   |  |   |   |
|  | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3   |         | 3        | UEF  | UCS4X          | 6.08           | 76.75          | 42.92          |  |   |  |   |  |   |   |
|  | Order Coordination for Unbundled Sub-Loops, per sub-loop pair  |         |          | UEF  | USBMC          |                | 7.92           | 7.92           |  |   |  |   |  |   |   |
|  | Loop Tagging Service Level 1, Unbundled Copper Loop, Non-  |         |          |  |                |                |                |                |  |   |  |   |  |   |   |
|  | Designed and Distribution Subloops   |         |          | UEF, UEANL   | URETL          |                | 8.92           | 0.88           |  |   |  |   |  |   |   |
|  | Loop Testing - Basic 1st Half Hour   |         |          | UEF  | URET1          |                | 33.17          | 0.00           |  |   |  |   |  |   |   |
| Habin  | Loop Testing - Basic Additional Half Hour  |         |          | UEF  | URETA          |                | 19.28          | 19.28          |  |   |  |   |  |   |   |
| Unbun  | Iled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load                                  |         |          |  | 1              | 1              |                |                |  | 1   | 1  | 1   | 1  |   | 1   |
|  | Coil/Equip Removal per 2-W PR  |         |          | UEF  | ULM2X          |                | 0.00           | 0.00           |  |   |  |   |  |   |   |
|  | Unbundled Sub-loop Modification - 4-W Copper Dist Load   |         |          |  |                |                |                |                |  |   |  |   |  |   |   |
|  | Coil/Equip Removal per 4-W PR  |         | 1        | UEF  | ULM4X          |                | 0.00           | 0.00           |  |   |  |   |  |   |   |
|  | Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop   |         |          | UEF  | ULMBT          |                | 224.55         | 4.29           |  |   |  |   |  |   |   |
| Unbun  | Iled Network Terminating Wire (UNTW)   | 1       | ı        | 10   | I O CIVID I    |                | 227.00         | 7.23           | 1  | 1   | 1  | l   | 1  | 1   | l   |
|  | Unbundled Network Terminating Wire (UNTW) per Pair   |         |          | UENTW  | UENPP          | 0.3454         | 14.72          | 14.72          |  |   |  |   |  |   |   |
| Netwo  | k Interface Device (NID)   |         |          |  |                |                |                |                |  |   |  |   |  |   |   |
|  | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines                              |         | 1        | UENTW  | UND12<br>UND16 |                | 42.26<br>62.86 | 27.83          |  |   | 1  |   |  |   |   |
| <del>                                     </del> | Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W                           |         | 1        | UENTW<br>UENTW   | UND16<br>UNDC2 |                | 62.86<br>5.73  | 48.43<br>5.73  |  | -   | 1  | -   | 1  |   | -   |
| <u> </u>   | Network Interface Device Cross Connect - 2 W   |         |          | UENTW  | UNDC4          |                | 5.73           | 5.73           |  |   | 1  |   |  |   |   |
| UNE OTHER, F                                     | ROVISIONING ONLY - NO RATE   |         |          |  |                |                |                | 2.70           |  |   |  |   |  |   |   |
|  | Unbundled Contact Name, Provisioning Only - no rate  |         |          | UAL, UCL, UDC,<br>UDL, UDN, UEA,<br>UHL, UEANL, UEF,<br>UEQ, UENTW,<br>NTCVG, NTCUD,<br>NTCD1, USL | UNECN          | 0.00           | 0.00           |                |  |   |  |   |  |   |   |
|  | Unbundled DS1 Loop - Superframe Format Option - no rate  |         | <u> </u> | USL, NTCD1   | CCOSF          | 5.00           | 0.00           |                |  | 1   |  |   |  |   |   |
|  | Unbundled DS1 Loop - Expanded Superframe Format option - no rate   |         |          | USL, NTCD1   | CCOEF          |                | 0.00           |                |  |   |  |   |  |   |   |
|  | NID - Dispatch and Service Order for NID installation  |         |          | UENTW  | UNDBX          | 0.00           | 0.00           |                |  |   |  |   |  |   |   |
|  | UNTW Circuit Establishment, Provisioning Only - No Rate  |         |          | UENTW  | UENCE          | 0.00           | 0.00           |                | 1 1  |   | 1  | 1   |  |   | 1   |

| UNBUNI       | DLE    | D NETWORK ELEMENTS - Louisiana   |          |          |                |                |                 |         |           |              |       |   |   | Att: 2 Exh: A  |  |   |   |
|--------------|--------|--|----------|----------|----------------|----------------|-----------------|---------|-----------|--------------|-------|---|---|--|--|---|---|
| CATEGOR      |        | RATE ELEMENTS  | Interim  | Zone     | BCS            | usoc           |                 |         | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|              |        |  |          |          |                |                | Rec             | Nonred  |           | Nonrecurring |       |   |   |  | Rates(\$)  |   |   |
| LOOP MAR     | VE 115 |  |          |          |                |                |                 | First   | Add'l     | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| LOOP MAP     | KE-UI  | Loop Makeup - Preordering Without Reservation, per working or  |          |          |                |                |                 |         |           |              |       |   |   |  |  |   | -   |
|              |        | spare facility queried (Manual).   |          |          | UMK            | UMKLW          |                 | 23.29   | 23.29     |              |       |   |   |  |  |   | İ   |
|              |        | Loop Makeup - Preordering With Reservation, per spare facility   |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | queried (Manual).  |          |          | UMK            | UMKLP          |                 | 24.70   | 24.70     |              |       |   |   |  |  |   |   |
|              |        | Loop MakeupWith or Without Reservation, per working or spare   |          |          |                |                |                 |         | 0.40      |              |       |   |   |  |  |   | İ   |
| LINE SPLIT   | TTINIC | facility queried (Mechanized)  | <u> </u> |          | UMK            | UMKMQ          |                 | 0.19    | 0.19      |              |       |   |   |  |  |   |   |
|              |        | SER ORDERING-CENTRAL OFFICE BASED  | <u> </u> |          | l              |                | l .             |         |           |              | I.    |   |   |  |  | l   | <b>L</b>  |
|              |        | Line Splitting - per line activation DLEC owned splitter   |          |          | UEPSR UEPSB    | UREOS          | 0.61            |         |           |              |       |   |   |  |  |   |   |
|              |        | Line Splitting - per line activation AT&T owned - physical   |          |          | UEPSR UEPSB    | UREBP          | 0.61            | 17.97   | 10.29     |              |       |   |   |  |  |   |   |
|              |        | Line Splitting - per line activation AT&T owned - virtual  |          |          | UEPSR UEPSB    | UREBV          | 0.61            | 17.97   | 10.29     |              |       |   |   |  |  |   |   |
| EN           | ID US  | SER ORDERING - REMOTE SITE LINE SPLITTING  |          |          | •              |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | Remote Site Shared Loop Line Activation for End Users - CLEC   |          |          | LIEDOD LIEDOD  | URERS          | 0.04            | 50.00   | 00.00     | 7.40         | 7.40  |   |   |  |  |   | İ   |
| $\vdash$     |        | Owned Splitter Remote Site Shared Loop - Subsequent Activity - CLEC Owned  | <b>-</b> | <b>!</b> | UEPSR UEPSB    | UKERS          | 0.61            | 56.83   | 23.00     | 7.19         | 7.19  | 1   |   |  |  |   | <del>                                     </del>                              |
|              |        | Splitter   |          |          | UEPSR UEPSB    | URERA          |                 | 53.82   | 21.35     |              |       |   |   |  |  |   | ĺ   |
| UN           |        | DLED EXCHANGE ACCESS LOOP  |          |          |                | 13112101       |                 | 33.02   | 21.00     |              |       |   |   | 1  |  |   | 1   |
|              |        | ANALOG VOICE GRADE LOOP  |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | Zone 1   |          | 1        | UEPSR UEPSB    | UEALS          | 12.90           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   |   |
|              |        | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |          |          |                |                | 40.00           | 00.54   | 40.07     |              |       |   |   |  |  |   |   |
|              |        | Zone 1<br>2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-  |          | 1        | UEPSR UEPSB    | UEABS          | 12.90           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   | -   |
|              |        | Zone 2   |          | 2        | UEPSR UEPSB    | UEALS          | 23.33           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   | İ   |
|              |        | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-  |          |          | OLI SIX OLI SB | ULALS          | 23.33           | 30.34   | 10.07     | 0.00         | 0.00  |   |   |  |  |   |   |
|              |        | Zone 2   |          | 2        | UEPSR UEPSB    | UEABS          | 23.33           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   | İ   |
|              |        | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | Zone 3   |          | 3        | UEPSR UEPSB    | UEALS          | 48.43           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   |   |
|              |        | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |          |          |                |                | 40.40           | 00.54   | 40.07     |              |       |   |   |  |  |   | İ   |
|              |        | Zone 3 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-  |          | 3        | UEPSR UEPSB    | UEABS          | 48.43           | 36.54   | 16.87     | 0.00         | 0.00  |   |   |  |  |   | -   |
|              |        | Line Splitting - CLEC Owned Splitter - Zone 1  |          | 1        | UEPSR UEPSB    | UEARS          | 7.57            | 63.89   | 30.06     | 0.00         | 0.00  |   |   |  |  |   |   |
|              |        | Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-<br>Line Splitting - CLEC Owned Splitter - Zone 2    |          | 2        | UEPSR UEPSB    | UEARS          | 12.75           | 63.89   | 30.06     | 0.00         | 0.00  |   |   |  |  |   | İ   |
| -            |        | Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-   |          |          | UEPSK UEPSB    | UEARS          | 12.75           | 63.69   | 30.06     | 0.00         | 0.00  | 1   |   |  |  |   | -   |
|              |        | Line Splitting - CLEC Owned Splitter - Zone 3  |          | 3        | UEPSR UEPSB    | UEARS          | 21.45           | 63.89   | 30.06     | 0.00         | 0.00  |   |   |  |  |   |   |
| PH           | IYSIC  | AL COLLOCATION   |          |          | 10-1-01-01-01  | 1              |                 |         |           |              |       |   |   |  |  | l.  |   |
|              |        | Physical Collocation-2 Wire Cross Connects (Loop) for Line   |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |
|              |        | Splitting  |          |          | UEPSR UEPSB    | PE1LS          | 0.0318          | 11.94   | 11.46     | 0.00         | 0.00  |   |   |  |  |   | <u> </u>  |
| VIF          | RTUA   | L COLLOCATION  | 1        | 1        | T .            | 1              | 1               |         |           | 1            | 1     |   |   |  | 1  |   | 1   |
|              |        | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting  |          |          | UEPSR UEPSB    | VE1LS          | 0.0296          | 11.94   | 11.46     | 0.00         | 0.00  |   |   |  |  |   |   |
| UNBUNDL      | ED D   | EDICATED TRANSPORT   |          |          | OLI SIX OLI SB | VETES          | 0.0290          | 11.54   | 11.40     | 0.00         | 0.00  |   |   |  |  |   |   |
|              |        | OFFICE CHANNEL - DEDICATED TRANSPORT   |          |          |                | 1              | I .             |         |           |              | ı     |   |   |  |  | ı   | 1   |
|              |        | Interoffice Channel - 2-Wire Voice Grade - per mile  |          |          | U1TVX          | 1L5XX          | 0.013           |         |           |              |       |   |   |  |  |   |   |
|              |        | Interoffice Channel - 2-Wire Voice Grade - Facility Termination  |          |          | U1TVX          | U1TV2          | 22.60           | 39.36   | 26.62     |              |       |   |   |  |  |   |   |
|              |        | Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile  |          |          | U1TVX          | 1L5XX          | 0.013           |         |           |              |       |   |   |  |  |   |   |
|              |        | Interesting Observation (O. Mira V.O. Barrier Berline, Tarrellanting   |          |          | LIATION        | LIATEO         | 00.00           | 20.00   | 00.00     |              |       |   |   |  |  |   |   |
| -            |        | Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile |          |          | U1TVX<br>U1TVX | U1TR2<br>1L5XX | 22.60<br>0.013  | 39.36   | 26.62     |              |       |   |   |  |  |   |   |
| +            |        | interornee chariller - 4-vviile voice Grade - per mile   | 1        | 1        | 011 VA         | ILUAA          | 0.013           |         |           |              |       |   |   |  |  |   | <del>                                     </del>                              |
|              |        | Interoffice Channel - 4- Wire Voice Grade - Facility Termination   |          |          | U1TVX          | U1TV4          | 19.81           | 39.36   | 26.62     |              |       |   |   |  |  |   | ĺ   |
|              |        | Interoffice Channel - 56 kbps - per mile   |          |          | U1TDX          | 1L5XX          | 0.013           |         |           |              |       |   |   |  | İ  |   |   |
|              |        | Interoffice Channel - 56 kbps - Facility Termination   |          |          | U1TDX          | U1TD5          | 15.61           | 39.36   | 26.62     |              |       |   |   |  |  |   |   |
| $oxed{\Box}$ |        | Interoffice Channel - 64 kbps - per mile   |          |          | U1TDX          | 1L5XX          | 0.013           |         |           | ļ            |       |   |   |  | ļ  |   | L   |
| $\vdash$     |        | Interoffice Channel - 64 kbps - Facility Termination   |          |          | U1TDX          | U1TD6          | 15.61           | 39.36   | 26.62     |              |       |   |   |  | <b> </b>   |   | <del>                                     </del>                              |
| $\vdash$     |        | Interoffice Channel - DS1 - per mile Interoffice Channel - DS1 - Facility Termination                            |          |          | U1TD1<br>U1TD1 | 1L5XX<br>U1TF1 | 0.2652<br>70.47 | 86.69   | 79.44     |              |       | -   |   |  |  |   | <del>                                     </del>                              |
| $\vdash$     |        | Interoffice Channel - DS3 - Facility Termination Interoffice Channel - DS3 - per mile                            |          |          | U1TD3          | 1L5XX          | 6.04            | 00.09   | 79.44     | <del> </del> | 1     |   |   |  | 1  |   | <del>                                     </del>                              |
| $\vdash$     |        | Interoffice Channel - DS3 - per fine  Interoffice Channel - DS3 - Facility Termination                           |          |          | U1TD3          | U1TF3          | 850.45          | 270.69  | 158.05    |              |       | t   |   |  | <b> </b>   | 1   | <b></b>   |
|              |        | Interoffice Channel - STS-1 - per mile   |          |          | U1TS1          | 1L5XX          | 6.04            | 2. 2.30 |           | İ            | İ     |   |   |  | İ  |   |   |
|              |        | Interoffice Channel - STS-1 - Facility Termination   |          |          | U1TS1          | U1TFS          | 830.19          | 270.69  | 158.05    |              |       |   |   |  |  |   |   |
| LIA          | JRIIN  | DLED DARK FIBER  |          |          |                |                |                 |         |           |              |       |   |   |  |  |   |   |

| UNBUNDLED NETWORK ELEMENTS - Louis  | siana                   |         |                             |                |                 |                |                |              |       |   |   | Att: 2 Exh: A  |  |   |   |
|---|-------------------------|---------|-----------------------------|----------------|-----------------|----------------|----------------|--------------|-------|---|---|--|--|---|---|
| CATEGORY RATE ELEMENTS  |                         | im Zone | BCS                         | usoc           |                 |                | RATES(\$)      |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|   |                         |         |                             |                | Rec             | Nonre          |                | Nonrecurring |       |   |   |  | Rates(\$)  |   |   |
|   |                         | _       |                             |                |                 | First          | Add'l          | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| Dark Fiber - Interoffice Transport, Per Four<br>Route Mile Or Fraction Thereof          | Fiber Strands, Per      |         | UDF, UDFCX                  | 1L5DF          | 25.28           |                |                |              |       |   |   |  |  |   |   |
| Dark Fiber - Interoffice Transport, Per Fou   | Fiher Strands Per       | _       | ODF, ODFCX                  | ILSDF          | 25.20           |                |                |              |       |   |   |  |  |   |   |
| Route Mile Or Fraction Thereof  | r iber Ottarias, r er   |         | UDF, UDFCX                  | UDF14          |                 | 620.60         | 133.88         |              |       |   |   |  |  |   |   |
| HIGH CAPACITY UNBUNDLED LOCAL LOOP  |                         |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| DS-3/STS-1 UNBUNDLED LOCAL LOOP - Stand   | Alone                   |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| DS3 Unbundled Local Loop - per mile   |                         |         | UE3                         | 1L5ND          | 10.04           | 100.10         | 050.00         |              |       |   |   |  |  |   |   |
| DS3 Unbundled Local Loop - Facility Term  | nation                  |         | UE3<br>UDLSX                | UE3PX<br>1L5ND | 362.34<br>10.04 | 438.46         | 256.30         |              |       |   |   |  |  |   |   |
| STS-1Unbundled Local Loop - per mile STS-1 Unbundled Local Loop - Facility Ter          | mination                | -       | UDLSX                       | UDLS1          | 374.56          | 438.46         | 256.30         |              |       |   |   |  |  |   |   |
| ENHANCED EXTENDED LINK (EELs)   | maton                   |         | ODLOX                       | ODLOT          | 074.00          | 400.40         | 200.00         |              |       |   |   |  |  |   |   |
| Network Elements Used in Combinations   |                         |         | •                           |                | ·               |                |                |              |       |   |   |  |  |   |   |
| 2-Wire VG Loop (SL2) in Combination - Zo  |                         | 1       | UNCVX                       | UEAL2          | 14.93           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 2-Wire VG Loop (SL2) in Combination - Zo  |                         |         | UNCVX                       | UEAL2          | 25.35           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 2-Wire VG Loop (SL2) in Combination - Zo  |                         | 3       | UNCVX                       | UEAL2          | 50.46           | 94.21          | 45.09          |              |       | 1   |   |  |  |   |   |
| 4-Wire Analog Voice Grade Loop in Comb<br>4-Wire Analog Voice Grade Loop in Comb        |                         | 2       | UNCVX                       | UEAL4<br>UEAL4 | 30.81<br>38.32  | 94.21<br>94.21 | 45.09<br>45.09 |              | -     |   |   |  |  |   |   |
| 4-Wire Analog Voice Grade Loop in Comb  |                         | 3       | UNCVX                       | UEAL4          | 60.39           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 2-Wire ISDN Loop in Combination - Zone  |                         | 1       | UNCNX                       | U1L2X          | 22.09           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 2-Wire ISDN Loop in Combination - Zone 2  |                         | 2       | UNCNX                       | U1L2X          | 35.28           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 2-Wire ISDN Loop in Combination - Zone 3  |                         | 3       | UNCNX                       | U1L2X          | 65.18           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 4-Wire 56Kbps Digital Grade Loop in Com   |                         | 1       | UNCDX                       | UDL56          | 30.99           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 4-Wire 56Kbps Digital Grade Loop in Com   |                         | 2       | UNCDX                       | UDL56          | 36.78           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 4-Wire 56Kbps Digital Grade Loop in Com   |                         | 3       | UNCDX                       | UDL56          | 38.92           | 94.21          | 45.09<br>45.09 |              |       |   |   |  |  |   |   |
| 4-Wire 64Kbps Digital Grade Loop in Com<br>4-Wire 64Kbps Digital Grade Loop in Com      |                         | 2       | UNCDX                       | UDL64<br>UDL64 | 30.99<br>36.78  | 94.21<br>94.21 | 45.09<br>45.09 |              |       |   |   |  |  |   |   |
| 4-Wire 64Kbps Digital Grade Loop in Com   |                         | 3       | UNCDX                       | UDL64          | 38.92           | 94.21          | 45.09          |              |       |   |   |  |  |   |   |
| 4-Wire DS1 Digital Loop in Combination -  |                         | 1       | UNC1X                       | USLXX          | 85.70           | 169.22         | 100.89         |              |       |   |   |  |  |   |   |
| 4-Wire DS1 Digital Loop in Combination -  |                         | 2       | UNC1X                       | USLXX          | 194.96          | 169.22         | 100.89         |              |       |   |   |  |  |   |   |
| 4-Wire DS1 Digital Loop in Combination - 2  | Zone 3                  | 3       | UNC1X                       | USLXX          | 491.94          | 169.22         | 100.89         |              |       |   |   |  |  |   |   |
| DS3 Local Loop in combination - per mile  |                         |         | UNC3X                       | 1L5ND          | 10.04           | 100.15         | 105.51         |              |       |   |   |  |  |   |   |
| DS3 Local Loop in combination - Facility T  |                         | _       | UNC3X                       | UE3PX<br>1L5ND | 362.34<br>10.04 | 188.45         | 125.51         |              |       | 1   |   |  |  |   |   |
| STS-1 Local Loop in combination - per mile STS-1 Local Loop in combination - Facility   |                         | -       | UNCSX                       | UDLS1          | 374.56          | 188.45         | 125.51         |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 2-wire   |                         |         | UNCVX                       | 1L5XX          | 0.013           | 100.40         | 120.01         |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 2-wire   |                         |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| Termination   | •                       |         | UNCVX                       | U1TV2          | 22.60           | 72.60          | 41.75          |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 4-wire   |                         |         | UNCVX                       | 1L5XX          | 0.013           |                |                |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 4-wire   | VG - Facility           |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| Termination   | EC libra normila        | _       | UNCVX                       | U1TV4<br>1L5XX | 19.81<br>0.013  | 72.60          | 41.75          |              |       | 1   |   |  |  |   |   |
| Interoffice Channel in combination - 4-wire Interoffice Channel in combination - 4-wire |                         | _       | UNCDX                       | ILSAA          | 0.013           |                |                |              |       |   |   |  |  |   |   |
| Termination Termination   |                         |         | UNCDX                       | U1TD5          | 15.61           | 72.60          | 41.75          |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 4-wire   | 64 kbps - per mile      |         | UNCDX                       | 1L5XX          | 0.013           |                |                |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - 4-wire   | 64 kbps - Facility      |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| Termination   |                         |         | UNCDX                       | U1TD6          | 15.61           | 72.60          | 41.75          | ļ            | ļ     | ļ   |   |  |  |   |   |
| Interoffice Channel in combination - DS1 -  |                         | _       | UNC1X                       | 1L5XX          | 0.2652          | 440.50         | 100.00         |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - DS1 F. Interoffice Channel in combination - DS3 -  |                         |         | UNC1X<br>UNC3X              | U1TF1<br>1L5XX | 70.47<br>6.04   | 143.58         | 103.88         |              | -     | -   |   |  |  |   |   |
| Interoffice Channel in combination - DS3 -  |                         | -       | UNC3X<br>UNC3X              | U1TF3          | 850.45          | 296.68         | 121.16         |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - STS-1  |                         |         | UNCSX                       | 1L5XX          | 6.04            | 200.00         | 121.10         |              |       |   |   |  |  |   |   |
| Interoffice Channel in combination - STS-1  |                         |         | UNCSX                       | U1TFS          | 830.19          | 296.68         | 121.16         |              |       |   |   |  |  |   |   |
| ADDITIONAL NETWORK ELEMENTS   |                         |         |                             |                |                 |                |                |              |       |   |   |  |  |   |   |
| Optional Features & Functions:  |                         |         | Luzor                       |                |                 |                |                | ,            |       | _   |   |  |  |   |   |
| Clear Channel Capability Extended Frame   | Option - per DS1        |         | U1TD1,<br>ULDD1,UNC1X       | CCOEF          |                 | 0.00           | 0.00           | 0.00         | 0.00  |   |   |  |  |   |   |
| Clear Channel Capability Super FrameOpti  |                         |         | U1TD1,<br>ULDD1,UNC1X       | CCOSF          |                 | 0.00           | 0.00           | 0.00         | 0.00  |   |   |  |  |   |   |
| Clear Channel Capability (SF/ESF) Option per DS1  | - Subsequent Activity - |         | ULDD1, U1TD1,<br>UNC1X, USL | NRCCC          |                 | 184.65         | 23.79          | 1.97         | 0.77  |   |   |  |  |   |   |
| C-bit Parity Option - Subsequent Activity -   | per DS3 i               |         | U1TD3, ULDD3,<br>UE3, UNC3X | NRCC3          |                 | 218.78         | 7.66           | 0.7263       | 0.00  |   |   |  |  |   |   |
| DS1/DS0 Channel System  |                         |         | UNC1X                       | MQ1            | 105.09          | 59.97          | 12.96          |              |       |   |   |  |  |   |   |
| DS3/DS1Channel System   |                         |         | UNC3X, UNCSX                | MQ3            | 201.48          | 107.05         | 48.07          |              |       | 1   |   |  |  |   | L   |

| UNBUNDI F   | D NETWORK ELEMENTS - Louisiana  |          |          |  |                |                |              |              |  |       |   |   | Att: 2 Exh: A  |   |   |  |
|-------------|---|----------|----------|--|----------------|----------------|--------------|--------------|--|-------|---|---|--|---|---|--|
| CATEGORY    | RATE ELEMENTS   | Interim  | Zone     | BCS  | USOC           |                |              | RATES(\$)    |  |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|             |   |          |          |  |                | Rec            | Nonrec       |              | Nonrecurring Disco                               |       |   |   |  | Rates(\$)   |   |  |
|             | V : 0 ! 000!: 1: #  |          |          | 1110101  | 15.010         |                | First        | Add'l        | First  | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN   | SOMAN   | SOMAN  |
|             | Voice Grade COCI in combination   |          |          | UNCVX  | 1D1VG          | 0.6497         | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop   |          |          | UEA  | 1D1VG          | 0.6497         | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | Voice Grade COCI - for connection to a channelized DS1 Local  |          |          | OLA  | IDIVO          | 0.0437         | 5.51         | 4.20         |  |       |   |   |  |   |   |  |
|             | Channel in the same SWC as collocation  |          |          | U1TUC  | 1D1VG          | 0.6497         | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | OCU-DP COCI (2.4-64kbs) in combination  |          |          | UNCDX  | 1D1DD          | 1.38           | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop  |          |          | UDL  | 1D1DD          | 1.38           | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1   |          |          |  | 1              |                |              |              |  |       |   |   |  |   |   |  |
|             | Local Channel in the same SWC as collocation  |          |          | U1TUD  | 1D1DD          | 1.38           | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
| $\vdash$    | 2-wire ISDN COCI (BRITE) in combination 2-wire ISDN COCI (BRITE) - for a Local Loop                               |          |          | UNCNX<br>UDN   | UC1CA<br>UC1CA | 2.96<br>2.96   | 6.39<br>6.39 | 4.58<br>4.58 |  |       |   |   |  |   |   |  |
| <b>—</b>    | 2-wire ISDN COCI (BRITE) - for a Local Loop  2-wire ISDN COCI (BRITE) - for connection to a channelized DS1       |          |          | UDIN   | UCTCA          | 2.90           | 6.39         | 4.56         |  |       |   |   |  |   |   |  |
|             | Local Channel in the same SWC as collocation  | 1        |          | U1TUB  | UC1CA          | 2.96           | 6.39         | 4.58         |  |       |   |   |  | I   |   | 1  |
|             | DS1 COCI in combination   |          | 1        | UNC1X  | UC1D1          | 11.78          | 5.91         | 4.26         |  |       |   |   |  | 1   |   |  |
|             | DS1 COCI - for Stand Alone Local Channel  |          |          | ULDD1  | UC1D1          | 11.78          | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             | DS1 COCI - for Stand Alone Interoffice Channel  |          |          | U1TD1  | UC1D1          | 11.78          | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
| $\vdash$    | DS1 COCI - for DS1 Local Loop   |          |          | USL, NTCD1   | UC1D1          | 11.78          | 5.91         | 4.26         |  |       |   |   |  | <u> </u>  |   |  |
| 1 1         | DS1 COCI - for connection to a channelized DS1 Local Channel in   | 1        |          | 1147114  | LICADA         | 44 =0          |              | 4.00         |  |       |   |   |  | I   |   | 1  |
| $\vdash$    | the same SWC as collocation   |          |          | U1TUA<br>UNCVX, UNCDX,   | UC1D1          | 11.78          | 5.91         | 4.26         |  |       |   |   |  |   |   |  |
|             |   |          |          | UNC1X, UNC3X,<br>UNCSX, UDFCX,<br>XDH1X, HFQC6,<br>XDD2X, XDV6X,<br>XDDFX, XDD4X,  |                |                |              |              |  |       |   |   |  |   |   |  |
|             | Wholesale - UNE, Switch-As-Is Conversion Charge   |          |          | HFRST, UNCNX   | UNCCC          |                | 5.43         | 5.43         |  |       |   |   |  |   |   |  |
|             |   |          |          | U1TVX, U1TDX,  |                |                |              |              |  |       |   |   |  |   |   |  |
|             | Unbundled Misc Rate Element, SNE SAI, Single Network Element  |          |          | U1TD1, U1TD3,  |                |                |              |              |  |       |   |   |  |   |   |  |
| -           | Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element |          |          | U1TS1, UDF, UE3<br>U1TVX, U1TDX,   | URESL          |                | 36.83        | 16.12        |  |       |   |   |  |   |   |  |
|             | Switch As Is Non-recurring Charge, incremental charge per circuit   | 1        |          | U1TD1, U1TD3,  |                |                |              |              |  |       |   |   |  |   |   |  |
|             | on a spreadsheet  | l i      |          | U1TS1, UDF, UE3  | URESP          |                | 1.49         | 1.49         |  |       |   |   |  |   |   |  |
| Access      | to DCS - Customer Reconfiguration (FlexServ)  |          |          | ,,   | 10             | 1              |              |              | 1  |       |   |   | ı  |   | ı   |  |
|             | Customer Reconfiguration Establishment  |          |          |  |                |                | 1.43         |              |  |       |   |   |  |   |   |  |
|             | DS1 DCS Termination with DS0 Switching  |          |          |  |                | 19.58          | 24.81        | 19.09        |  |       |   |   |  |   |   |  |
|             | DS1 DCS Termination with DS1 Switching  |          |          |  |                | 10.95          | 17.93        | 12.22        |  |       |   |   |  |   |   |  |
|             | DS3 DCS Termination with DS1 Switching  |          |          |  |                | 149.41         | 24.81        | 19.09        |  |       |   |   |  |   |   |  |
| Node (      | SynchroNet)   |          | 1        | UNCDX  | UNCNT          | 45.40          |              |              | 1  |       |   |   |  |   |   |  |
| Service     | Node per month<br>Rearrangements  |          | l        | UNCDX  | UNCNI          | 15.43          |              |              |  | J     |   |   | l  |   | l   | l .  |
| Service     | rearrangements  |          |          | U1TVX, U1TDX,  |                |                |              |              |  |       |   |   |  |   |   |  |
|             | NRC - Change in Facility Assignment per circuit Service<br>Rearrangement  | ı        |          | U1TUC, U1TUD,<br>U1TUB, ULDVX,<br>ULDDX, UNCVX,<br>UNCDX, UNC1X  | URETD          |                | 100.93       | 42.98        |  |       |   |   |  |   |   |  |
|             | NRC - Change in Facility Assignment per circuit Project   |          |          | U1TVX, U1TDX,<br>U1TUC, U1TUD,<br>U1TUB, ULDVX,<br>ULDDX, UNCVX,   |                |                |              |              |  |       |   |   |  |   |   |  |
|             | Management (added to CFA per circuit if project managed)  |          | <u>L</u> | UNCDX, UNC1X   | URETB          | <u> </u>       | 3.67         | 3.67         |  |       |   |   |  |   |   |  |
|             | NRC - Order Coordination Specific Time - Dedicated Transport  |          |          | UNC1X, UNC3X   | OCOSR          |                | 18.85        | 18.85        |  |       |   |   |  |   |   |  |
| COMMINGLING |   |          |          |  | ļ              |                |              |              |  |       |   |   |  | <u> </u>  |   |  |
|             |   |          |          | UNCVX, UNCDX,<br>UNC1X, UNC3X,<br>UNCSX, U1TD1,<br>U1TD3, U1TS1,<br>UE3, UDLSX,<br>U1TVX, U1TDX,<br>U1TUB, ULDVX,<br>ULDD1, ULDD3, |                |                |              |              |  |       |   |   |  |   |   |  |
|             | Commingling Authorization   | <u> </u> | <u> </u> | ULDS1  | CMGAU          | 0.00           | 0.00         | 0.00         |  |       |   |   | <u> </u>   | L   | <u> </u>  |  |
| Commi       | ngled (UNE part of single bandwidth circuit) Commingled VG COCI   |          |          | XDV2X  | 1D1VG          | 0.040=         | 501          | 100          | 1  | -     | 1   | 1   | ı  |   | ı   | ı  |
| $\vdash$    | Commingled VG COCI Commingled Digital COCI  |          | 1        | XDV2X<br>XDV6X   | 1D1VG<br>1D1DD | 0.6497<br>1.38 | 5.91<br>5.91 | 4.26<br>4.26 | <del>                                     </del> |       |   |   |  | <b>-</b>  |   |  |
|             | Comminged Digital COCI  | L        | 1        | VD A 0V  | טטוטו          | 1.38           | 5.91         | 4.26         | 1  |       |   |   | l  | 1   | l   | l  |

| UNBUNDL       | ED NETWORK ELEMENTS - Louisiana  |              |      |                              |                |                 |                |                |              |            |   |   | Att: 2 Exh: A  |  |          |  |
|---------------|--|--------------|------|------------------------------|----------------|-----------------|----------------|----------------|--------------|------------|---|---|--|--|----------|--|
| CATEGORY      | RATE ELEMENTS  | Interim      | Zone | BCS                          | usoc           |                 |                | RATES(\$)      |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Charge - | Charge -   |
|               |  |              |      |                              |                | Dee             | Nonrec         | urring         | Nonrecurring | Disconnect | 1   |   | oss  | Rates(\$)  | 1        |  |
|               |  |              |      |                              |                | Rec             | First          | Add'l          | First        | Add'l      | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN    | SOMAN  |
|               | Commingled ISDN COCI   |              |      | XDD4X                        | UC1CA          | 2.96            | 6.39           | 4.58           |              |            |   |   |  |  |          |  |
|               | Commingled 2-wire VG Interoffice Channel   |              |      | XDV2X                        | U1TV2          | 22.60           | 72.60          | 41.75          |              |            |   |   |  |  |          |  |
|               | Commingled 4-wire VG Interoffice Channel   |              |      | XDV6X                        | U1TV4          | 19.81           | 72.60          | 41.75          |              |            |   |   |  |  |          |  |
|               | Commingled 56kbps Interoffice Channel  |              |      | XDD4X                        | U1TD5          | 15.61           | 72.60          | 41.75          |              |            |   |   |  |  |          |  |
|               | Commingled 64kbps Interoffice Channel  |              |      | XDD4X                        | U1TD6          | 15.61           | 72.60          | 41.75          |              |            |   |   |  |  |          |  |
|               | Commingled VG/DS0 Interoffice Channel Mileage                                      |              |      | XDV2X, XDV6X,<br>XDD4X       | 1L5XX          | 0.013           |                |                |              |            |   |   |  |  |          |  |
| <u> </u>      | Commingled VG/DS0 interoffice Charmer Mileage  Commingled 2-wire Local Loop Zone 1 |              | 1    | XDV2X                        | UEAL2          | 14.93           | 94.21          | 45.09          |              |            | 1   |   |  |  |          | +  |
|               | Commingled 2-wire Local Loop Zone 1  Commingled 2-wire Local Loop Zone 2           |              | 2    | XDV2X                        | UEAL2          | 25.35           | 94.21          | 45.09          |              |            |   |   |  |  |          | +  |
|               | Commingled 2-wire Local Loop Zone 3  |              | 3    | XDV2X                        | UEAL2          | 50.46           | 94.21          | 45.09          |              |            |   |   |  |  |          |  |
| <u> </u>      | Commingled 4-wire Local Loop Zone 1  |              | 1    | XDV6X                        | UEAL4          | 30.81           | 94.21          | 45.09          |              |            |   |   |  | İ  | 1        |  |
|               | Commingled 4-wire Local Loop Zone 2  |              | 2    | XDV6X                        | UEAL4          | 38.32           | 94.21          | 45.09          |              |            |   |   |  |  | <u> </u> |  |
|               | Commingled 4-wire Local Loop Zone 3  |              | 3    | XDV6X                        | UEAL4          | 60.39           | 94.21          | 45.09          |              |            |   |   |  |  |          |  |
|               | Commingled 56kbps Local Loop Zone 1  |              | 1    | XDD4X                        | UDL56          | 30.99           | 94.21          | 45.09          | _            |            |   |   |  |  |          |  |
|               | Commingled 56kbps Local Loop Zone 2  |              | 2    | XDD4X                        | UDL56          | 36.78           | 94.21          | 45.09          |              |            | ļ   |   |  | <u> </u>   |          | <del></del>                                      |
|               | Commingled 56kbps Local Loop Zone 3  | <del> </del> | 3    | XDD4X                        | UDL56          | 38.92           | 94.21          | 45.09          |              |            | 1   |   |  |  |          | <b>↓</b>   |
|               | Commingled 64kbps Local Loop Zone 1  |              | 1    | XDD4X                        | UDL64          | 30.99           | 94.21          | 45.09          |              |            |   |   |  |  |          |  |
|               | Commingled 64kbps Local Loop Zone 2 Commingled 64kbps Local Loop Zone 3            |              | 3    | XDD4X<br>XDD4X               | UDL64<br>UDL64 | 36.78<br>38.92  | 94.21<br>94.21 | 45.09<br>45.09 |              |            | 1   |   |  |  |          | +  |
|               | Commingled 64kbps Local Loop Zone 3  Commingled ISDN Local Loop Zone 1             |              | 1    | XDD4X<br>XDD4X               | U1L2X          | 22.09           | 94.21          | 45.09          |              |            |   |   |  |  |          | +  |
|               | Commingled ISDN Local Loop Zone 2  |              | 2    | XDD4X                        | U1L2X          | 35.28           | 94.21          | 45.09          |              |            |   |   |  |  |          | +  |
| +             | Commingled ISDN Local Loop Zone 3  |              | 3    | XDD4X                        | U1L2X          | 65.18           | 94.21          | 45.09          |              |            |   |   |  |  |          | +  |
|               | Commingled DS1 COCI  |              | Ŭ    | XDH1X                        | UC1D1          | 11.78           | 5.91           | 4.26           |              |            |   |   |  |  |          |  |
|               | Commingled DS1 Interoffice Channel   |              |      | XDH1X                        | U1TF1          | 70.47           | 143.58         | 103.88         |              |            |   |   |  |  |          | 1  |
|               | Commingled DS1 Interoffice Channel Mileage   |              |      | XDH1X                        | 1L5XX          | 0.2652          |                |                |              |            |   |   |  |  |          | 1  |
|               | Commingled DS1/DS0 Channel System  |              |      | XDH1X                        | MQ1            | 105.09          | 59.97          | 12.96          |              |            |   |   |  |  |          |  |
|               | Commingled DS1 Local Loop Zone 1   |              | 1    | XDH1X                        | USLXX          | 85.70           | 169.22         | 100.89         |              |            |   |   |  |  |          |  |
|               | Commingled DS1 Local Loop Zone 2   |              | 2    | XDH1X                        | USLXX          | 194.96          | 169.22         | 100.89         |              |            |   |   |  |  |          |  |
|               | Commingled DS1 Local Loop Zone 3   |              | 3    | XDH1X                        | USLXX          | 491.94          | 169.22         | 100.89         |              |            |   |   |  |  |          |  |
|               | Commingled DS3 Local Loop  |              |      | HFQC6                        | UE3PX          | 362.34          | 188.45         | 125.51         |              |            |   |   |  |  |          |  |
|               | Commingled DS3/STS-1 Local Loop Mileage Commingled STS-1 Local Loop                |              |      | HFQC6, HFRST<br>HFRST        | 1L5ND<br>UDLS1 | 10.04<br>374.56 | 188.45         | 125.51         |              |            | 1   |   |  |  |          | +  |
|               | Commingled DS3/DS1 Channel System  |              |      | HFQC6                        | MQ3            | 201.48          | 107.05         | 48.07          |              |            |   |   |  |  |          | +  |
|               | Commingled DS3/DS1 Charmel System  Commingled DS3 Interoffice Channel              |              |      | HFQC6                        | U1TF3          | 850.45          | 296.68         | 121.16         |              |            |   |   |  |  |          | +  |
|               | Commingled DS3 Interoffice Channel Mileage   |              |      | HFQC6                        | 1L5XX          | 6.04            | 250.00         | 121.10         |              |            |   |   |  |  |          | <del></del>                                      |
|               | Commingled STS-1Interoffice Channel  |              |      | HFRST                        | U1TFS          | 830.19          | 296.68         | 121.16         |              |            |   |   |  |  |          |  |
|               | Commingled STS-1Interoffice Channel Mileage  |              |      | HFRST                        | 1L5XX          | 6.04            |                |                |              |            |   |   |  |  |          | 1  |
| ĺ             | Commingled Dark Fiber - Interoffice Transport, Per Four Fiber                      |              |      |                              |                |                 |                |                |              |            |   |   |  |  |          |  |
|               | Strands, Per Route Mile Or Fraction Thereof  |              |      | HEQDL                        | 1L5DF          | 25.28           |                |                |              |            |   |   |  |  |          | <b>↓</b>   |
|               | Commingled Dark Fiber - Interoffice Transport, Per Four Fiber                      |              | 1    |                              |                |                 |                |                |              |            |   |   |  | i  |          | 1  |
|               | Strands, Per Route Mile Or Fraction Thereof  | <del> </del> |      | HEQDL                        | UDF14          | 0.00            | 620.60         | 133.88         | 0.5-         |            |   |   |  | -  |          | <b>↓</b>   |
|               | UNE to Commingled Conversion Tracking  | +            |      | XDH1X, HFQC6<br>XDH1X, HFQC6 | CMGUN<br>CMGSP | 0.00            | 0.00           | 0.00           | 0.00         | 0.00       |   |   |  | -  | -        | +  |
| LNP Query Se  | SPA to Commingled Conversion Tracking  | +            |      | ADMIA, HEQUE                 | CMGSP          | 0.00            | 0.00           | 0.00           | 0.00         | 0.00       | 1   |   |  | <del> </del>   | 1        | +  |
| LINP Query Se | LNP Charge Per query   | +            |      |                              | 1              | 0.0008559       |                |                |              | -          | 1   |   |  | 1  | 1        | +  |
|               | LNP Service Establishment Manual   | 1            | 1    |                              | +              | 0.0000009       | 12.16          |                |              |            |   |   |  |  | <b>†</b> | +  |
| -             | LNP Service Provisioning with Point Code Establishment                             | 1            |      | <u> </u>                     | 1              | +               | 576.33         | 294.43         |              | 1          |   |   |  | <del>l</del>   | 1        | <del>                                     </del> |
| 911 PBX LOC   |  |              |      | 1                            | 1              | 1               | ,,,,,,,        |                |              | İ          |   |   |  | İ  | İ        | †  |
|               | BX LOCATE DATABASE CAPABILITY  |              |      |                              |                |                 |                |                |              |            |   |   |  |  |          | -  |
|               | Service Establishment per CLEC per End User Account                                |              |      | 9PBDC                        | 9PBEU          |                 | 1,819.00       |                |              |            |   |   |  |  |          |  |
|               | Changes to TN Range or Customer Profile  |              |      | 9PBDC                        | 9PBTN          |                 | 181.99         | _              | _            |            |   |   |  |  |          |  |
|               | Per Telephone Number (Monthly)   |              |      | 9PBDC                        | 9PBMM          | 0.07            |                |                |              |            |   |   |  |  |          |  |
|               | Change Company (Service Provider) ID   | 1            |      | 9PBDC                        | 9PBPC          |                 | 534.22         |                |              |            | 1   |   |  |  |          |  |
|               | PBX Locate Service Support per CLEC (Monthlt)                                      | -            | -    | 9PBDC                        | 9PBMR          | 178.58          | 45.00          |                |              | -          | <b> </b>                                  |   |  | 1  | 1        | +  |
| 044 P         | Service Order Charge BX LOCATE TRANSPORT COMPONENT                                 |              |      | 9PBDC                        | 9PBSC          | <u> </u>        | 15.20          |                | 1            | l          | l   |   |  | <u> </u>   | l        |  |
| See A         |  |              |      |                              |                |                 |                |                |              |            |   |   |  |  |          |  |
| Jee A         |  | 1            |      |                              | 1              | I               | J              |                |              | I          |   |   |  | 1  | 1        | T  |
|               |  |              |      |                              |                |                 |                |                |              |            |   |   |  |  | 1        |  |

| UNBU     | NDLE     | D NETWORK ELEMENTS - Mississippi   |            |          |                                |                | 1               |                 |                |                  |  | 0               |                     | Att: 2 Exh: A           | I to a constant : •     | In                                    | I to                    |
|----------|----------|--|------------|----------|--------------------------------|----------------|-----------------|-----------------|----------------|------------------|--|-----------------|---------------------|-------------------------|-------------------------|---------------------------------------|-------------------------|
|          |          |  |            |          |                                |                |                 |                 |                |                  |  |                 | Svc Order           | Incremental             | Incremental             | Incremental                           |                         |
|          |          |  |            |          |                                |                |                 |                 |                |                  |  | Submitted       |                     | Charge -                | Charge -                | Charge -                              | Charge -                |
| CATEG    | ORY      | RATE ELEMENTS  | Interim    | Zone     | BCS                            | USOC           |                 |                 | RATES(\$)      |                  |  | Elec<br>per LSR | Manually<br>per LSR | Manual Svc<br>Order vs. | Manual Svc<br>Order vs. | Manual Svc<br>Order vs.               | Manual Svo<br>Order vs. |
| CALLO    | OKI      | KATE ELEMENTS  | interim    | 20116    | 500                            | 0300           |                 |                 | KAI LO(φ)      |                  |  | per LSR         | perLSK              | Electronic-             | Electronic-             | Electronic-                           | Electronic-             |
|          |          |  |            |          |                                |                |                 |                 |                |                  |  |                 | ,                   | 1st                     | Add'l                   | Disc 1st                              | Disc Add'l              |
|          |          |  |            |          |                                |                |                 |                 |                |                  |  |                 | 1 '                 | ist                     | Add I                   | DISC 1St                              | DISC Add I              |
|          |          |  |            |          |                                |                | Rec             | Nonre           | curring        | Nonrecurring     | Disconnect                                       |                 |                     | oss                     | Rates(\$)               |                                       |                         |
|          |          |  |            |          |                                |                | Kec             | First           | Add'l          | First            | Add'l  | SOMEC           | SOMAN               | SOMAN                   | SOMAN                   | SOMAN                                 | SOMAN                   |
|          |          |  |            |          |                                |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          | The "Zo  | ne" shown in the sections for stand-alone loops or loops as par  | rt of a co | ombina   | tion refers to Geograp         | hically Deav   | eraged UNE Zo   | nes. To view 0  | Geographically | Deaveraged UN    | IE Zone Design                                   | ations by Ce    | ntral Office.       | refer to intern         | net Website:            |                                       |                         |
|          | http://w | ww.interconnection.bellsouth.com/become_a_clec/html/interco  | nnectio    | n.htm    |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
| OPERA    | TIONS S  | SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"   |            |          |                                |                |                 |                 |                |                  |  |                 | <u> </u>            |                         |                         |                                       |                         |
|          |          |  |            |          |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          | <ol><li>CLEC should contact its contract negotiator if it prefers the "</li></ol>  |            |          |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          | ecific Commission ordered rates for the service ordering charge  |            |          |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          | (2) Any element that can be ordered electronically will be billed  |            |          |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          | electronically at present per the LOH, the listed SOMEC rate in  | this cate  | egory re | eflects the charge that        | would be b     | illed to a CLEC | once electronic | ordering capat | oilities come on | -line for that ele                               | ment. Othe      | wise, the m         | ianuai orderin          | g charge, SON           | AN, will be ap                        | oplied to a             |
|          |          | bill when it submits an LSR to AT&T.   |            | 1        |                                |                | 1               |                 | 1              | ı                |  |                 |                     |                         | 1                       |                                       | 1                       |
|          |          | OSS - Electronic Service Order Charge, Per Local Service<br>Request (LSR) - UNE Only   |            |          |                                | SOMEC          |                 | 3.50            | 0.00           | 3.50             | 0.00   |                 | ,                   |                         |                         |                                       |                         |
|          |          | OSS - Manual Service Order Charge, Per Local Service Request   |            |          |                                | JOIVIEU        | 1               | 3.50            | 0.00           | 3.50             | 0.00   |                 |                     |                         | 1                       |                                       | 1                       |
|          |          | (LSR) - UNE Only   |            |          |                                | SOMAN          | Ì               | 15.75           | 0.00           | 1.97             | 0.00   |                 | 1 '                 |                         | l                       |                                       |                         |
| UNF SE   | RVICE    | DATE ADVANCEMENT CHARGE  |            |          |                                | SOWAN          |                 | 13.73           | 0.00           | 1.57             | 0.00   |                 | <b>—</b>            |                         |                         |                                       |                         |
|          |          | The Expedite charge will be maintained commensurate with Be  | ISouth'    | s FCC    | No.1 Tariff. Section 5         | as applicable  | 9.              |                 | ı              |                  |  |                 |                     |                         |                         |                                       | 1                       |
|          |          |  |            | 1        | UAL, UEANL, UCL,               |                |                 |                 |                |                  |  |                 | · ·                 |                         |                         |                                       |                         |
|          |          |  |            |          | UEF, UDF, UEQ,                 |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UDL, UENTW, UDN,               |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UEA, UHL, ULC,                 |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | USL, U1T12, U1T48,             |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | U1TD1, U1TD3,                  |                |                 |                 |                |                  |  |                 | 1 '                 |                         |                         |                                       |                         |
|          |          |  |            |          | U1TDX, U1TO3,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | U1TS1, U1TVX,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UC1BC, UC1BL,                  |                |                 |                 |                |                  |  |                 | 1 '                 |                         |                         |                                       |                         |
|          |          |  |            |          | UC1CC, UC1CL,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UC1DC, UC1DL,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UC1EC, UC1EL,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UC1FC, UC1FL,<br>UC1GC, UC1GL, |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UC1HC, UC1HL,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UDL12. UDL48.                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UDLO3, UDLSX,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UE3, ULD12,                    |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | ULD48, ULDD1,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | ULDD3, ULDDX,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | ULDO3, ULDS1,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | ULDVX, UNC1X,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UNC3X, UNCDX,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UNCNX, UNCSX,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UNCVX, UNLD1,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UNLD3, UXTD1,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | UXTD3, UXTS1,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | U1TUC, U1TUD,                  |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          |  |            |          | U1TUB,                         |                |                 |                 |                |                  |  |                 | ,                   |                         |                         |                                       |                         |
|          |          | UNE Expedite Charge per Circuit or Line Assignable USOC, per   |            |          | U1TUA,NTCVG,                   | 00405          | Ì               | 200 5 -         |                | Ì                | I  |                 | ı '                 |                         | l                       |                                       |                         |
| OBSES    | MODIE    | Day CATION CHARGE  | -          | <u> </u> | NTCUD, NTCD1                   | SDASP          | <del> </del>    | 200.00          | -              | 1                | <del>                                     </del> |                 |                     |                         | 1                       |                                       | 1                       |
| OKDER    |          | Order Modification Charge (OMC)  | -          | 1        |                                |                |                 | 26.21           | 0.00           | 0.00             | 0.00   |                 | $\vdash \vdash$     |                         |                         |                                       | <b> </b>                |
| <b>-</b> |          | Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)  |            | <u> </u> |                                |                | <b> </b>        | 150.00          | 0.00           | 0.00             | 0.00   |                 | $\vdash$            |                         | -                       |                                       | -                       |
| IINRIIA  | DIEDE    | XCHANGE ACCESS LOOP  | 1          | <b>!</b> |                                |                | 1               | 150.00          | 0.00           | 0.00             | 0.00   | 1               |                     |                         | 1                       |                                       | 1                       |
| CIABON   |          | ANALOG VOICE GRADE LOOP  | L          | 1        |                                |                | l               |                 | I.             | l                | 1  | 1               |                     |                         | I                       | <u> </u>                              | 1                       |
|          | _ *****  | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1   |            | 1        | UEANL                          | UEAL2          | 12.03           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2  | 1          | 2        | UEANL                          | UEAL2          | 16.87           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         | <del> </del>            |                                       | 1                       |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   |            |          | UEANL                          | UEAL2          | 25.68           | 37.92           | 17.55          |                  | 5.25   |                 |                     |                         | İ                       |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4  |            | 4        | UEANL                          | UEAL2          | 43.85           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1   |            | 1        | UEANL                          | UEASL          | 12.03           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2   |            | 2        | UEANL                          | UEASL          | 16.87           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   |            | 3        | UEANL                          | UEASL          | 25.68           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4  |            | 4        | UEANL                          | UEASL          | 43.85           | 37.92           | 17.55          | 23.48            | 5.25   |                 |                     |                         |                         |                                       |                         |
|          |          | Tag Loop at End User Premise   |            |          | UEANL                          | URETL          |                 | 8.92            | 0.88           |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          |  |            | 1 -      | UEANL                          | URET1          | 1               | 34.36           | 0.00           | 1                | 1  | 1               | 1 7                 |                         |                         | · · · · · · · · · · · · · · · · · · · | 1                       |
|          |          | Loop Testing - Basic 1st Half Hour   |            |          |                                |                |                 |                 |                |                  |  |                 |                     |                         |                         |                                       |                         |
|          |          | Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour  Manual Order Coordination for UVL-SL1s (per loop) |            |          | UEANL                          | URETA<br>UEAMC |                 | 19.97<br>8.20   | 19.97<br>8.20  |                  |  |                 |                     |                         |                         |                                       |                         |

| UNBUND   | LED NETWORK ELEMENTS - Mississippi   |  |      |            |                |                |                  |                |                |                |   |   | Att: 2 Exh: A  |  |   |  |
|--|--|--|------|------------|----------------|----------------|------------------|----------------|----------------|----------------|---|---|--|--|---|--|
| CATEGORY   |  | Interim  | Zone | BCS        | USOC           |                |                  | RATES(\$)      |                |                | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -   |
| $\vdash$   |  |  |      |            |                | Rec            | Nonred           |                | Nonrecurring   |                |   |   |  | Rates(\$)  |   | T  |
| $\vdash \vdash$                                  |  | <b>_</b>   |      |            |                |                | First            | Add'l          | First          | Add'l          | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN  |
|  | Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)                                     |  |      | UEANL      | OCOSL          |                | 18.19            | 18.19          |                |                |   |   |  |  |   |  |
| <del>                                     </del> | Unbundled Non-Design Voice Loop, billing for AT&T providing  |  |      | UEANL      | UCUSL          |                | 10.19            | 10.19          |                |                |   |   |  |  |   |  |
| İ  | make-up (Engineering Information - E.I.)   |  |      | UEANL      | UEANM          |                | 13.51            | 13.51          |                |                |   |   |  |  |   |  |
|  | Unbundled Loop Service Rearrangement, change in loop facility,   |  |      | OL7 II IL  | 02711111       |                | 10.01            | 10.01          |                |                |   |   |  |  |   |  |
|  | per circuit  |  |      | UEANL      | UREWO          |                | 15.75            | 8.92           | 23.48          | 5.25           |   |   |  |  |   | ļ  |
|  | Bulk Migration, per 2 Wire Voice Loop-SL1  |  |      | UEANL      | UREPN          |                | 37.92            | 17.55          | 23.48          | 5.25           |   |   |  |  |   |  |
| L  | Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1   |  |      | UEANL      | UREPM          |                | 8.20             | 8.20           |                |                |   |   |  |  |   | <u> </u>   |
| 2-WI   | RE Unbundled COPPER LOOP   |  |      |            | Lucosy         |                | 00.50            | 10.10          | 20.00          |                |   |   |  |  |   |  |
| $\vdash \vdash \vdash$                           | 2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2    | I  | 1 2  | UEQ<br>UEQ | UEQ2X<br>UEQ2X | 11.01<br>11.51 | 36.53<br>36.53   | 16.16<br>16.16 | 22.66<br>22.66 | 4.42<br>4.42   |   |   |  |  |   | <b></b>  |
| <del>                                     </del> | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3   | H  |      | UEQ        | UEQ2X          | 11.57          | 36.53            | 16.16          | 22.66          | 4.42           |   |   |  |  |   |  |
|  | 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3  2 Wire Unbundled Copper Loop - Non-Designed - Zone 4 | <del>l i</del>                                   |      | UEQ        | UEQ2X          | 13.10          | 36.53            | 16.16          | 22.66          | 4.42           |   |   |  | -  |   | <del>                                     </del> |
| $\vdash$   | Tag Loop at End User Premise   | <del></del>                                      | -    | UEQ        | URETL          | 13.10          | 8.92             | 0.88           | 22.00          | 7.42           |   |   |  |  | 1   | <b>†</b>   |
|  | Loop Testing - Basic 1st Half Hour   | <b>†</b>   |      | UEQ        | URET1          | 1              | 34.36            | 0.00           | t              |                |   |   |  | l  | l   |  |
|  | Loop Testing - Basic Additional Half Hour  |  |      | UEQ        | URETA          |                | 19.97            | 19.97          |                |                |   |   |  |  |   |  |
|  | Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-  |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
| $\vdash \vdash$                                  | Designed (per loop)  | ļ  |      | UEQ        | USBMC          |                | 8.20             | 8.20           | ļ              |                |   |   |  |  |   | <b>↓</b>   |
| i l  | Unbundled Copper Loop - Non-Design, billing for AT&T providing   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
| $\vdash$   | make-up (Engineering Information - E.I.)   | <u> </u>   | 1    | UEQ        | UEQMU          |                | 13.51            | 13.51          |                |                |   |   |  |  |   | ļ  |
| i I  | Unbundled Loop Service Rearrangement, change in loop facility,   |  |      | UEQ        | LIDEWO         |                | 44.04            | 7.40           | 00.00          | 4.40           |   |   |  |  |   |  |
|  | per circuit Bulk Migration, per 2 Wire UCL-ND  |  |      | UEQ        | UREWO<br>UREPN |                | 14.24<br>36.53   | 7.42<br>16.16  | 22.66<br>22.66 | 4.42<br>4.42   |   |   |  |  |   | <del> </del>                                     |
|  | Bulk Migration Order Coordination, per 2 Wire UCL-ND   |  |      | UEQ        | UREPM          |                | 8.20             | 8.20           | 22.00          | 4.42           |   |   |  |  |   | <del></del>                                      |
| UNBUNDI F  | D EXCHANGE ACCESS LOOP   |  |      | OLQ        | OKEI W         |                | 0.20             | 0.20           |                |                |   |   |  |  |   | 1  |
|  | RE ANALOG VOICE GRADE LOOP   |  |      |            | 1              |                |                  |                |                |                | l .                                       |   |  |  |   |  |
|  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
|  | Ground Start Signaling - Zone 1  |  | 1    | UEA        | UEAL2          | 13.89          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   | ļ  |
| 1  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
|  | Ground Start Signaling - Zone 2  |  | 2    | UEA        | UEAL2          | 18.75          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
| İ  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |  | _    |            | l              |                |                  |                |                |                |   |   |  |  |   |  |
| <del></del>                                      | Ground Start Signaling - Zone 3  |  | 3    | UEA        | UEAL2          | 27.55          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
| 1  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or<br>Ground Start Signaling - Zone 4              |  | 4    | UEA        | UEAL2          | 45.72          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
| <del> </del>                                     | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |  | 4    | UEA        | UEALZ          | 45.72          | 105.90           | 06.20          | 52.62          | 10.37          |   |   |  |  |   |  |
| İ  | Battery Signaling - Zone 1   |  | 1    | UEA        | UEAR2          | 13.89          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
|  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |  | Ė    | OL/        | OE/WE          | 10.00          | 100.00           | 00.20          | 02.02          | 10.01          |   |   |  |  |   |  |
| İ  | Battery Signaling - Zone 2   |  | 2    | UEA        | UEAR2          | 18.75          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
|  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
|  | Battery Signaling - Zone 3   |  | 3    | UEA        | UEAR2          | 27.55          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
| i l  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
|  | Battery Signaling - Zone 4   |  | 4    | UEA        | UEAR2          | 45.72          | 105.96           | 68.28          | 52.82          | 10.37          |   |   |  |  |   |  |
|  | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)   |  |      | UEA        | URESL          |                | 25.01            | 3.53           |                |                |   |   |  |  |   |  |
| $\vdash$   | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per   | <del>                                     </del> |      | OLA        | UNESL          |                | 25.01            | 3.33           | t              |                |   |   |  | 1  |   | $\vdash$   |
| İ  | DS0)   |  |      | UEA        | URESP          |                | 26.50            | 5.02           |                |                |   |   |  |  |   |  |
|  | Unbundled Loop Service Rearrangement, change in loop facility,   |  |      | OL/        | O.C.C.         |                | 20.00            | 0.02           |                |                |   |   |  |  |   |  |
| İ  | per circuit  |  |      | UEA        | UREWO          |                | 87.56            | 36.29          |                |                |   |   |  |  |   |  |
|  | Loop Tagging - Service Level 2 (SL2)   |  |      | UEA        | URETL          |                | 11.19            | 1.10           |                |                |   |   |  |  |   |  |
|  | Bulk Migration, per 2 Wire Voice Loop-SL2  |  |      | UEA        | UREPN          |                | 105.96           | 68.28          |                |                |   |   |  |  |   |  |
|  | Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2   |  |      | UEA        | UREPM          |                | 0.00             | 0.00           |                |                |   |   |  |  |   |  |
| 4-WI   | RE ANALOG VOICE GRADE LOOP   |  |      |            | 1              |                |                  |                |                |                |   |   |  |  |   |  |
|  | 4-Wire Analog Voice Grade Loop - Zone 1  | 1  |      | UEA        | UEAL4          | 27.47          | 132.27           | 94.59          |                | 14.64          |   |   |  | -  |   | <del> </del>                                     |
| $\vdash$   | 4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3                            | -  | 3    | UEA<br>UEA | UEAL4<br>UEAL4 | 38.26<br>50.03 | 132.27<br>132.27 | 94.59<br>94.59 | 60.68<br>60.68 | 14.64<br>14.64 |   |   |  | -  | -   | <del> </del>                                     |
| <del></del>                                      | 4-Wire Analog Voice Grade Loop - Zone 3  4-Wire Analog Voice Grade Loop - Zone 4                           | <del>                                     </del> | 4    | UEA        | UEAL4          | 50.03          | 132.27           | 94.59          | 60.68          | 14.64          |   |   |  | -  | -   | <del>                                     </del> |
|  | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |  | +-   | 0271       | SEALT          | 30.03          | 102.27           | 54.55          | 00.00          | 14.04          |   |   |  |  |   | <b>†</b>   |
| 1 1  | DS0)   | 1  |      | UEA        | URESL          |                | 25.01            | 3.53           | I              |                |   |   |  |  |   |  |
|  | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per   | 1  |      |            |                |                |                  |                |                |                |   |   |  |  |   | 1  |
|  | DS0)   | <u> </u>   |      | UEA        | URESP          |                | 26.50            | 5.02           | <u> </u>       |                |   |   |  | <u> </u>   | <u></u>   | <u></u>  |
|  | Unbundled Loop Service Rearrangement, change in loop facility,   |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
|  | per circuit  |  |      | UEA        | UREWO          |                | 87.56            | 36.29          | 1              |                |   |   |  |  |   | <u> </u>   |
|  |  |  |      |            |                |                |                  |                |                |                |   |   |  |  |   |  |
| 2-WI   | RE ISDN DIGITAL GRADE LOOP  2-Wire ISDN Digital Grade Loop - Zone 1  |  |      | UDN        | U1L2X          | 21.01          | 117.61           | 79.92          | 52.82          | 10.37          |   |   |  |  |   |  |

| UNBUNDLE | D NETWORK ELEMENTS - Mississippi   |         |          |       |           |   |                 |                  |              |                |   |   | Att: 2 Exh: A  |  |   |   |
|----------|--|---------|----------|-------|-----------|---|-----------------|------------------|--------------|----------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS  | Interim | Zone     | BCS   | USOC      |   |                 | RATES(\$)        |              |                | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|          |  |         |          |       |           | Rec   | Nonrec          | curring<br>Add'l | Nonrecurring |                | SOMEC                                     | SOMAN   | SOMAN  | Rates(\$)<br>SOMAN   | SOMAN   | SOMAN   |
|          | 2-Wire ISDN Digital Grade Loop - Zone 2  |         | 2        | UDN   | U1L2X     | 27.59   | First<br>117.61 | 79.92            | First 52.82  | Add'I<br>10.37 | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SUMAN   |
|          | 2-Wire ISDN Digital Grade Loop - Zone 2  |         | 3        | UDN   | U1L2X     | 37.34   | 117.61          | 79.92            | 52.82        | 10.37          |   |   |  |  |   | <del> </del>  |
|          | 2-Wire ISDN Digital Grade Loop - Zone 4  |         | -        | UDN   | U1L2X     | 59.18   | 117.61          | 79.92            |              | 10.37          |   |   |  |  |   |   |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                   |         |          |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
|          | per circuit  |         |          | UDN   | UREWO     |   | 91.46           | 44.07            |              |                |   |   |  |  |   | <u> </u>  |
| 2-WIRE   | ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA  | TIBLE L | OOP      |       | 1         | 1   |                 |                  |              |                |   |   | 1  | 1  | 1   |   |
|          | 2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1      |         | 1        | UAL   | UAL2X     | 11.11   | 121.27          | 70.81            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled ADSL Loop including manual service inquiry &                                    |         |          | UAL   | UALZA     | 11.11   | 121.21          | 70.61            | 30.36        | 7.93           |   |   |  |  |   | -   |
|          | facility reservation - Zone 2  |         | 2        | UAL   | UAL2X     | 11.47   | 121.27          | 70.81            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled ADSL Loop including manual service inquiry &                                    |         |          |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
|          | facility reservation - Zone 3  |         | 3        | UAL   | UAL2X     | 11.74   | 121.27          | 70.81            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled ADSL Loop including manual service inquiry &                                    |         | 4        | UAL   | UAL2X     | 12.69   | 121.27          | 70.04            | 50.00        | 7.00           |   |   |  |  |   |   |
|          | facility reservation - Zone 4 2 Wire Unbundled ADSL Loop without manual service inquiry &        |         | 4        | UAL   | UALZX     | 12.69   | 121.27          | 70.81            | 50.38        | 7.93           |   |   |  |  |   | <del>                                     </del>                              |
|          | facility reservation - Zone 1  |         | 1        | UAL   | UAL2W     | 11.11   | 96.15           | 58.03            | 50.38        | 7.93           |   |   |  |  |   | 1   |
|          | 2 Wire Unbundled ADSL Loop without manual service inquiry &                                      |         |          |       |           |   | 220             |                  |              |                |   |   |  |  |   |   |
|          | facility reservaton - Zone 2   |         | 2        | UAL   | UAL2W     | 11.47   | 96.15           | 58.03            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled ADSL Loop without manual service inquiry &                                      |         | 3        |       | 1141 014  | 44.74   | 00.45           | 50.00            | 50.00        | 7.00           |   |   |  |  |   |   |
| <b></b>  | facility reservaton - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &         |         | 3        | UAL   | UAL2W     | 11.74   | 96.15           | 58.03            | 50.38        | 7.93           |   |   |  |  |   | <del></del>   |
|          | facility reservation - Zone 4  |         | 4        | UAL   | UAL2W     | 12.69   | 96.15           | 58.03            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                   |         |          |       |           |   |                 |                  | 00.00        |                |   |   |  |  |   |   |
|          | per circuit  |         |          | UAL   | UREWO     |   | 86.04           | 40.33            |              |                |   |   |  |  |   |   |
| 2-WIRE   | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT  | IBLE LO | OOP      |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop including manual service inquiry &                                    |         | 1        | UHL   |           | 0.75  | 400.00          | 70.50            | =            | 7.00           |   |   |  |  |   |   |
| <b></b>  | facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry &     |         | 1        | UHL   | UHL2X     | 8.75  | 129.98          | 79.52            | 50.38        | 7.93           |   |   |  |  |   | <del></del>   |
|          | facility reservation - Zone 2  |         | 2        | UHL   | UHL2X     | 9.22  | 129.98          | 79.52            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop including manual service inquiry &                                    |         |          |       |           | ,,  |                 |                  |              |                |   |   |  |  |   |   |
|          | facility reservation - Zone 3  |         | 3        | UHL   | UHL2X     | 9.87  | 129.98          | 79.52            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop including manual service inquiry &                                    |         | ١.       |       |           | 40.40   | 400.00          | 70.50            | =            | 7.00           |   |   |  |  |   |   |
| <b></b>  | facility reservation - Zone 4 2 Wire Unbundled HDSL Loop without manual service inquiry and      |         | 4        | UHL   | UHL2X     | 10.46   | 129.98          | 79.52            | 50.38        | 7.93           |   |   |  |  |   | <u> </u>  |
|          | facility reservation - Zone 1  |         | 1        | UHL   | UHL2W     | 8.75  | 104.86          | 66.74            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry and                                    |         |          |       |           |   |                 |                  | 00.00        |                |   |   |  |  |   |   |
|          | facility reservation - Zone 2  |         | 2        | UHL   | UHL2W     | 9.22  | 104.86          | 66.74            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry and                                    |         | _        |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
| -        | facility reservation - Zone 3  |         | 3        | UHL   | UHL2W     | 9.87  | 104.86          | 66.74            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4      |         | 4        | UHL   | UHL2W     | 10.46   | 104.86          | 66.74            | 50.38        | 7.93           |   |   |  |  |   |   |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                   |         | _        | OTIL  | OTILEVV   | 10.40   | 104.00          | 00.74            | 50.50        | 7.50           |   |   |  |  |   |   |
|          | per circuit  |         |          | UHL   | UREWO     |   | 85.98           | 40.33            |              |                |   |   |  |  |   |   |
| 4-WIRE   | HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT  | IBLE LO | OOP      |       | 1         | 1   |                 |                  | 1            |                | 1   |   |  | 1  |   |   |
|          | 4 Wire Unbundled HDSL Loop including manual service inquiry and<br>facility reservation - Zone 1 |         |          | UHL   | UHL4X     | 13.78   | 158.74          | 108.28           | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop including manual service inquiry and                                  |         |          | UNL   | UHL4X     | 13.76   | 156.74          | 100.20           | 50.72        | 10.00          |   |   |  |  |   |   |
|          | facility reservation - Zone 2  |         | 2        | UHL   | UHL4X     | 13.43   | 158.74          | 108.28           | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop including manual service inquiry and                                  |         |          |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
|          | facility reservation - Zone 3  |         | 3        | UHL   | UHL4X     | 15.59   | 158.74          | 108.28           | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop including manual service inquiry and                                  |         | ١.       |       |           |   | 450 74          | 400.00           | = a = a      | 40.00          |   |   |  |  |   |   |
| -        | facility reservation - Zone 4  |         | 4        | UHL   | UHL4X     | 14.46   | 158.74          | 108.28           | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1      |         | 1        | UHL   | UHL4W     | 13.78   | 133.62          | 95.50            | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry and                                    |         | <u> </u> |       | J / * *   | 10.70   | 100.02          | 55.50            | 55.72        | 10.00          |   |   |  |  |   |   |
|          | facility reservation - Zone 2  |         | 2        | UHL   | UHL4W     | 13.43   | 133.62          | 95.50            | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry and                                    |         | _        |       |           |   |                 |                  |              |                |   |   |  |  |   |   |
| $\vdash$ | facility reservation - Zone 3  |         | 3        | UHL   | UHL4W     | 15.59   | 133.62          | 95.50            | 56.72        | 10.68          |   |   |  |  |   |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4      |         | 4        | UHL   | UHL4W     | 14.46   | 133.62          | 95.50            | 56.72        | 10.68          |   |   |  |  |   |   |
|          | Unbundled Loop Service Rearrangement, change in loop facility,                                   |         |          | OI IL | Of IL-TVV | 14.40   | 155.02          | 33.30            | 30.72        | 10.00          |   |   |  |  |   |   |
|          | per circuit  |         | L        | UHL   | UREWO     | <u>                                      </u> | 85.98           | 40.33            |              |                | <u> </u>                                  |   |  | <u> </u>   |   | <u></u>   |
| 4-WIRE   | DS1 DIGITAL LOOP   |         |          |       |           |   |                 |                  |              |                |   |   |  | _  |   |   |
|          | 4-Wire DS1 Digital Loop - Zone 1   |         | 1        | USL   | USLXX     | 79.08   | 253.93          | 158.45           | 46.10        | 12.07          |   |   |  |  |   |   |

| UNBL  | JNDLE     | D NETWORK ELEMENTS - Mississippi  |          |          |            |                |  |                  |                |                |                |   |   | Att: 2 Exh: A  |   |   |   |
|-------|-----------|---|----------|----------|------------|----------------|--|------------------|----------------|----------------|----------------|---|---|--|---|---|---|
| CATEG |           | RATE ELEMENTS   | Interim  | Zone     | BCS        | USOC           |  | N                | RATES(\$)      |                | Diameter       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|       |           |   | ļ        |          |            |                | Rec  | Nonrec           |                | Nonrecurring   |                | 001450                                    | 001111  |  | Rates(\$)   | 001141  | 001111  |
|       |           | A Wiss DOA District Land Town   | -        | _        | 1101       | HOLVY          | 400.00   | First            | Add'I          | First          | Add'l          | SOMEC                                     | SOMAN   | SOMAN  | SOMAN   | SOMAN   | SOMAN   |
|       |           | 4-Wire DS1 Digital Loop - Zone 2  | -        | 2        | USL        | USLXX          | 129.38   | 253.93           | 158.45         | 46.10          | 12.07          |   |   |  |   |   | <del> </del>  |
|       |           | 4-Wire DS1 Digital Loop - Zone 3  | ļ        |          | USL        | USLXX          | 206.74   | 253.93           | 158.45         | 46.10          | 12.07          |   |   |  |   |   | <del>                                     </del>                                |
|       |           | 4-Wire DS1 Digital Loop - Zone 4  |          | 4        | USL        | USLXX          | 458.46   | 253.93           | 158.45         | 46.10          | 12.07          |   |   |  |   |   | <del> </del>  |
|       |           | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)  |          |          | USL        | URESL          |  | 25.01            | 3.53           |                |                |   |   |  |   |   |   |
|       |           | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)   |          |          | USL        | URESP          |  | 26.50            | 5.02           |                |                |   |   |  |   |   |   |
|       |           | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                                |          |          | USL        | UREWO          |  | 100.90           | 42.96          |                |                |   |   |  |   |   |   |
|       | 4-WIRE    | 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  |          | •        |            | •              |  | •                |                |                | •              |   |   |  | •   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1   |          | 1        | UDL        | UDL2X          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2   |          |          | UDL        | UDL2X          | 34.55  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3   |          |          | UDL        | UDL2X          | 40.76  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4   |          |          | UDL        | UDL2X          | 32.25  | 126.53           | 88.85          | 60.68          | 14.64          |   |   | ·  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1   |          | 1        | UDL        | UDL4X          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2   |          | 2        | UDL        | UDL4X          | 34.55  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | ļ   |
|       |           | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3   |          |          | UDL        | UDL4X          | 40.76  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4   |          |          | UDL        | UDL4X          | 32.25  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1   |          |          | UDL        | UDL9X          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2   |          |          | UDL        | UDL9X          | 34.55  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | ļ   |
|       |           | 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3   |          |          | UDL        | UDL9X          | 40.76  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4   |          |          | UDL        | UDL9X          | 32.25  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital 19.2 Kbps - Zone 1   |          |          | UDL        | UDL19          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital 19.2 Kbps - Zone 2   |          |          | UDL        | UDL19          | 34.55  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital 19.2 Kbps - Zone 3   | ļ        |          | UDL        | UDL19          | 40.76  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | <del> </del>  |
|       |           | 4 Wire Unbundled Digital 19.2 Kbps - Zone 4   |          |          | UDL        | UDL19          | 32.25  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | <b>_</b>  |
|       |           | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1  |          |          | UDL        | UDL56          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | <del>                                     </del>                                |
|       |           | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2  |          | 3        | UDL<br>UDL | UDL56<br>UDL56 | 34.55<br>40.76                                   | 126.53           | 88.85<br>88.85 | 60.68<br>60.68 | 14.64<br>14.64 |   |   |  |   |   | <del>                                     </del>                                |
|       |           | 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3<br>4 Wire Unbundled Digital Loop 56 Kbps - Zone 4          |          | 4        | UDL        | UDL56          | 32.25  | 126.53<br>126.53 | 88.85          | 60.68          | 14.64          |   |   |  |   |   | <del>                                     </del>                                |
|       |           | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1  |          | 1        | UDL        | UDL64          | 27.44  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | <del>                                     </del>                                |
|       |           | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2  |          | 2        | UDL        | UDL64          | 34.55  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | †   |
|       |           | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3  |          | 3        | UDL        | UDL64          | 40.76  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   |   |
|       |           | 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4  |          | 4        | UDL        | UDL64          | 32.25  | 126.53           | 88.85          | 60.68          | 14.64          |   |   |  |   |   | 1   |
|       |           | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)  |          |          | UDL        | URESL          | 3=1=3  | 25.01            | 3.53           |                |                |   |   |  |   |   |   |
|       |           | Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per  |          |          | UDL        | URESP          |  |                  |                |                |                |   |   |  |   |   |   |
|       |           | DS0) Unbundled Loop Service Rearrangement, change in loop facility,                                       |          |          |            |                | 1  | 26.50            | 5.02           |                |                |   |   |  |   |   |   |
|       |           | per circuit   |          |          | UDL        | UREWO          |  | 101.94           | 49.66          |                |                |   |   |  |   |   | <u> </u>  |
|       | 2-WIRE    | Unbundled COPPER LOOP   |          |          |            | 1              |  |                  |                |                |                | 1   | 1   |  | 1   |   | т   |
|       |           | 2-Wire Unbundled Copper Loop-Designed including manual  |          | ١.       |            |                |  | 400.04           |                | ====           | 7.00           |   |   |  |   |   |   |
|       |           | service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual    |          | 1        | UCL        | UCLPB          | 11.11  | 120.34           | 69.87          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | service inquiry & facility reservation - Zone 2   |          | 2        | UCL        | UCLPB          | 11.47  | 120.34           | 69.87          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | 2 Wire Unbundled Copper Loop-Designed including manual service<br>inquiry & facility reservation - Zone 3 | 9        | 3        | UCL        | UCLPB          | 11.74  | 120.34           | 69.87          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4    | Э        | 4        | UCL        | UCLPB          | 12.69  | 120.34           | 69.87          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | 2-Wire Unbundled Copper Loop-Designed without manual service  |          |          |            |                |  |                  |                |                |                |   |   |  |   |   |   |
|       |           | inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service    |          | 1        | UCL        | UCLPW          | 11.11  | 95.21            | 57.09          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service    |          | 2        | UCL        | UCLPW          | 11.47  | 95.21            | 57.09          | 50.38          | 7.93           |   |   |  |   |   |   |
|       |           | inquiry and facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service    |          | 3        | UCL        | UCLPW          | 11.74  | 95.21            | 57.09          | 50.38          | 7.93           |   |   |  |   |   | 1   |
|       |           | inquiry and facility reservation - Zone 4   | <u> </u> | 4        | UCL        | UCLPW          | 12.69  | 95.21            | 57.09          | 50.38          | 7.93           |   |   |  |   |   |   |
|       | -         | Order Coordination for Unbundled Copper Loops (per loop)  | 1        |          | UCL        | UCLMC          | <del>                                     </del> | 8.20             | 8.20           |                | -              |   |   |  |   | -   | <del>                                     </del>                                |
|       |           | Unbundled Loop Service Rearrangement, change in loop facility,  |          | 1        | UCL        | UREWO          |  | 95.21            | 42.40          |                | I              |   |   |  | l   |   |   |
|       | 4-WIDE    | per circuit COPPER LOOP   | 1        | <u> </u> | UUL        | OKEWU          | 1 1  | 95.21            | 42.40          | l .            | ı              |   |   |  | 1   | l .   | <u> </u>  |
|       | -4-44IL/E | 4-Wire Copper Loop-Designed including manual service inquiry  |          | <u> </u> |            |                | 1  | 1                |                | I              | 1              |   |   |  | 1   | I   |   |
|       | 1         | and facility reservation - Zone 1   |          | 1        | UCL        | UCL4S          | 17.30  | 144.68           | 94.22          | 56.72          | 10.68          |   |   |  |   |   |   |

| UNBUNDLE  | D NETWORK ELEMENTS - Mississippi   |         |  |                |                |  |                |                |              |          |   |           | Att: 2 Exh: A  |  |   |   |
|---|--|---------|--|----------------|----------------|--|----------------|----------------|--------------|----------|---|-----------|--|--|---|---|
| CATEGORY  | RATE ELEMENTS  | Interim | Zone   | BCS            | USOC           |  |                | RATES(\$)      |              |          | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
| igwdot  |  |         |  |                |                | Rec  | Nonrec         |                | Nonrecurring |          |   |           |  | Rates(\$)  |   |   |
| $\longmapsto$   | 4-Wire Copper Loop-Designed including manual service inquiry   |         |  |                | +              | <del>                                     </del> | First          | Add'l          | First        | Add'l    | SOMEC                                     | SOMAN     | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| 1   | and facility reservation - Zone 2  |         | 2  | UCL            | UCL4S          | 18.84  | 144.68         | 94.22          | 56.72        | 10.68    |   |           |  |  |   |   |
|   | 4-Wire Copper Loop-Designed including manual service inquiry   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
|   | and facility reservation - Zone 3  4-Wire Copper Loop-Designed including manual service inquiry              |         | 3  | UCL            | UCL4S          | 21.33  | 144.68         | 94.22          | 56.72        | 10.68    |   |           |  |  |   |   |
| 1   | and facility reservation - Zone 4  |         | 4  | UCL            | UCL4S          | 21.33  | 144.68         | 94.22          | 56.72        | 10.68    |   |           |  |  |   |   |
|   | 4-Wire Copper Loop-Designed without manual service inquiry and   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
| <del></del>   | facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry and                |         | 1  | UCL            | UCL4W          | 17.30  | 119.56         | 81.44          | 56.72        | 10.68    |   |           |  |  |   |   |
|   | facility reservation - Zone 2  |         | 2  | UCL            | UCL4W          | 18.84  | 119.56         | 81.44          | 56.72        | 10.68    |   |           |  |  |   |   |
|   | 4-Wire Copper Loop-Designed without manual service inquiry and   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
| $\vdash$  | facility reservation - Zone 3  4-Wire Copper Loop-Designed without manual service inquiry and                |         | 3  | UCL            | UCL4W          | 21.33  | 119.56         | 81.44          | 56.72        | 10.68    |   |           |  |  |   |   |
| 1   | facility reservation - Zone 4  |         | 4  | UCL            | UCL4W          | 21.33  | 119.56         | 81.44          | 56.72        | 10.68    |   |           |  |  |   |   |
|   | Order Coordination for Unbundled Copper Loops (per loop)   |         |  | UCL            | UCLMC          |  | 8.20           | 8.20           |              |          |   |           |  |  |   |   |
| 1   | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                                   |         |  | UCL            | UREWO          |  | 95.21          | 42.40          |              |          |   |           |  |  |   |   |
|   | per circuit  |         |  | UEA, UDN, UAL, | UKLWO          |  | 95.21          | 42.40          |              |          |   |           |  |  |   |   |
|   | Order Coordination for Specified Conversion Time (per LSR)   |         |  | UHL, UDL, USL  | OCOSL          |  | 18.19          |                |              |          |   |           |  |  |   |   |
| Rearra  | ngements  EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-                                       |         | 1  | 1              |                |  |                |                | 1            |          | 1   |           |  |  | 1   |   |
| 1   | SL2  |         |  | UEA            | UREEL          |  | 87.56          | 36.29          |              |          |   |           |  |  |   |   |
|   |  |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
| $\vdash \!$ | EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop EEL to UNE-L Retermination, per 2 Wire ISDN Loop |         |  | UEA<br>UDN     | UREEL<br>UREEL | <del>                                     </del> | 87.56<br>91.46 | 36.29<br>44.07 |              | 1        |   |           |  |  |   |   |
|   | EEL to ONE-L Reteinmation, per 2 Wire 13DN Loop  |         |  | ODN            | UNEEL          |  | 91.40          | 44.07          |              |          |   |           |  |  |   |   |
|   | EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop  |         |  | UDL            | UREEL          |  | 101.94         | 49.66          |              |          |   |           |  |  |   |   |
| UNE LOOP CO   | EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop  |         |  | USL            | UREEL          | -  | 100.90         | 42.96          |              | -        |   |           |  |  |   |   |
|   | E ANALOG VOICE GRADE LOOP - COMMINGLING  | I       | 1  | l              | 1              |  |                |                | 1            | 1        | I   |           |  |  |   |   |
|   | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
| <del></del>   | Ground Start Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or                  |         | 1  | NTCVG          | UEAL2          | 13.89  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | Ground Start Signaling - Zone 2  |         | 2  | NTCVG          | UEAL2          | 18.75  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
| <b></b>   | Ground Start Signaling - Zone 3  2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or                  |         | 3  | NTCVG          | UEAL2          | 27.55  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | Ground Start Signaling - Zone 4  |         | 4  | NTCVG          | UEAL2          | 45.72  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |         |  |                |                |  |                |                |              |          |   |           |  |  |   |   |
|   | Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse                       |         | 1  | NTCVG          | UEAR2          | 13.89  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | Battery Signaling - Zone 2   |         | 2  | NTCVG          | UEAR2          | 18.75  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse<br>Battery Signaling - Zone 3                     |         | 3  | NTCVG          | UEAR2          | 27.55  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
| <del>                                     </del>                                  | 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse   |         | 3  | NICVG          | UEARZ          | 21.55  | 105.96         | 00.20          | 52.62        | 10.37    |   |           |  |  |   |   |
|   | Battery Signaling - Zone 4   |         | 4  | NTCVG          | UEAR2          | 45.72  | 105.96         | 68.28          | 52.82        | 10.37    |   |           |  |  |   |   |
|   | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |         |  | NTCVG          | URESL          |  | 25.01          | 3.53           |              |          |   |           |  |  |   |   |
| $\vdash$  | DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per  |         | <b>!</b>   | INTOVG         | UKESL          | <del>                                     </del> | ∠5.∪1          | 3.53           |              | <b> </b> |   |           |  |  |   | <b> </b>  |
|   | DS0)   |         |  | NTCVG          | URESP          |  | 26.50          | 5.02           |              |          |   |           |  |  |   |   |
|   | Unbundled Loop Service Rearrangement, change in loop facility, per circuit                                   |         |  | NTCVG          | UREWO          |  | 87.56          | 36.29          |              |          |   |           |  |  |   |   |
|   | Loop Tagging - Service Level 2 (SL2)   |         | 1  | NTCVG          | URETL          | <del>                                     </del> | 11.19          | 1.10           |              |          |   |           |  |  |   | -   |
|   |  |         |  | NTCVG          |                |  |                |                |              |          |   |           |  |  |   |   |
| 4-WIRE  | ANALOG VOICE GRADE LOOP - COMMINGLING  4-Wire Analog Voice Grade Loop - Zone 1                               |         | T 4  | NTCVG          | UEAL4          | 27.47  | 132.27         | 94.59          | 60.68        | 14.64    | ı   | 1         |  |  | ı   |   |
| <del>                                     </del>                                  | 4-Wire Analog Voice Grade Loop - Zone 1  4-Wire Analog Voice Grade Loop - Zone 2                             |         |  | NTCVG          | UEAL4          | 38.26  | 132.27         | 94.59          | 60.68        | 14.64    |   |           |  |  |   |   |
|   | 4-Wire Analog Voice Grade Loop - Zone 2  |         |  | NTCVG          | UEAL4          | 50.03  | 132.27         | 94.59          | 60.68        | 14.64    |   |           |  |  |   |   |
|   | 4-Wire Analog Voice Grade Loop - Zone 4  |         |  | NTCVG          | UEAL4          | 50.03  | 132.27         | 94.59          | 60.68        | 14.64    |   |           |  |  |   |   |
|   | Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per  |         |  | NTCVC          | LIDECT         |  | 05.04          | 0.50           |              |          |   |           |  |  |   |   |
|   | DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per  |         | <del>                                     </del> | NTCVG          | URESL          | <del>                                     </del> | 25.01          | 3.53           |              | <u> </u> |   |           |  |  |   | <del> </del>  |
|   |  |         |  | NTCVG          |                |  |                |                |              |          |   |           |  |  |   |   |

| ONBONDLED N    | ETWORK ELEMENTS - Mississippi  |         |      |  |        |        |                  |           |              |       |   |   | Att: 2 Exh: A  |  |   |   |
|----------------|--|---------|------|--|--------|--------|------------------|-----------|--------------|-------|---|---|--|--|---|---|
| ATEGORY        | RATE ELEMENTS  | Interim | Zone | BCS  | USOC   |        |                  | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|                |  |         |      |  |        | Rec    | Nonrec           |           | Nonrecurring |       | 001150                                    | SOMAN   |  | Rates(\$)  | SOMAN   | SOMAN   |
| Linhu          | undled Loop Service Rearrangement, change in loop facility             |         |      |  |        |        | First            | Add'l     | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|                | undled Loop Service Rearrangement, change in loop facility,<br>circuit |         |      | NTCVG  | UREWO  |        | 87.56            | 36.29     |              |       |   |   |  |  |   |   |
|                | DIGITAL LOOP   | 1       | l    | NIOVO  | OKEWO  |        | 07.00            | 00.20     | 1            |       |   |   |  | 1  | 1   |   |
|                | ire DS1 Digital Loop - Zone 1  |         | 1    | NTCD1  | USLXX  | 79.08  | 253.93           | 158.45    | 46.10        | 12.07 |   |   |  |  |   |   |
| 4-Wii          | ire DS1 Digital Loop - Zone 2  |         | 2    | NTCD1  | USLXX  | 129.38 | 253.93           | 158.45    | 46.10        | 12.07 |   |   |  |  |   |   |
| 4-Wii          | ire DS1 Digital Loop - Zone 3  |         | 3    | NTCD1  | USLXX  | 206.74 | 253.93           | 158.45    | 46.10        | 12.07 |   |   |  |  |   |   |
|                | ire DS1 Digital Loop - Zone 4  |         | 4    | NTCD1  | USLXX  | 458.46 | 253.93           | 158.45    | 46.10        | 12.07 |   |   |  |  |   |   |
|                | ch-As-Is Conversion rate per UNE Loop, Single LSR, (per                |         |      |  |        |        |                  |           |              |       |   |   |  |  |   |   |
| DS1)           |  |         |      | NTCD1  | URESL  |        | 25.01            | 3.53      |              |       |   |   |  |  |   |   |
|                | ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per               |         |      |  |        |        |                  |           |              |       |   |   |  |  |   |   |
| DS1)           |  |         |      | NTCD1  | URESP  |        | 26.50            | 5.02      |              |       |   |   |  |  |   |   |
|                | undled Loop Service Rearrangement, change in loop facility, circuit    |         |      | NTCD4  | LIDEWO |        | 100.00           | 42.96     |              |       |   |   |  |  |   |   |
|                | t, 56 OR 64 KBPS DIGITAL GRADE LOOP                                    | 1       | l    | NTCD1  | UREWO  |        | 100.90           | 42.96     | 1            |       |   |   |  | l  | l   | ı   |
|                | ire Unbundled Digital Loop 2.4 Kbps-Zone 1                             |         | 1    | NTCUD  | UDL2X  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  | 1  | 1   |   |
|                | ire Unbundled Digital Loop 2.4 Kbps - Zone 2                           |         | 2    | NTCUD  | UDL2X  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 2.4 Kbps - Zone 3                           |         | 3    | NTCUD  | UDL2X  | 40.76  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 2.4 Kbps - Zone 4                           |         | 4    | NTCUD  | UDL2X  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 4.8 Kbps - Zone 1                           |         | 1    | NTCUD  | UDL4X  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 4.8 Kbps - Zone 2                           |         | 2    | NTCUD  | UDL4X  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 4.8 Kbps - Zone 3                           |         | 3    | NTCUD  | UDL4X  | 40.76  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 4.8 Kbps - Zone 4                           |         | 4    | NTCUD  | UDL4X  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 9.6 Kbps - Zone 1                           |         | 1    | NTCUD  | UDL9X  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 9.6 Kbps - Zone 2                           |         | 2    | NTCUD  | UDL9X  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| 6 Wii          | ire Unbundled Digital Loop 9.6 Kbps - Zone 3                           |         | 3    | NTCUD  | UDL9X  | 40.76  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 9.6 Kbps - Zone 4                           |         | 4    | NTCUD  | UDL9X  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| 4 Wii          | ire Unbundled Digital 19.2 Kbps - Zone 1                               |         | 1    | NTCUD  | UDL19  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| 4 Wir          | ire Unbundled Digital 19.2 Kbps - Zone 2                               |         | 2    | NTCUD  | UDL19  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| 4 Wii          | ire Unbundled Digital 19.2 Kbps - Zone 3                               |         | 3    | NTCUD  | UDL19  | 40.76  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| 4 Wii          | ire Unbundled Digital 19.2 Kbps - Zone 4                               |         | 4    | NTCUD  | UDL19  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 56 Kbps - Zone 1                            |         | 1    | NTCUD  | UDL56  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 56 Kbps - Zone 2                            |         | 2    | NTCUD  | UDL56  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 56 Kbps - Zone 3                            |         | 3    | NTCUD  | UDL56  | 40.76  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 56 Kbps - Zone 4                            |         | 4    | NTCUD  | UDL56  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 64 Kbps - Zone 1                            |         | 1    | NTCUD  | UDL64  | 27.44  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 64 Kbps - Zone 2                            |         | 2    | NTCUD  | UDL64  | 34.55  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 64 Kbps - Zone 3                            |         | 3    | NTCUD  | UDL64  | 40.76  | 126.53<br>126.53 | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
|                | ire Unbundled Digital Loop 64 Kbps - Zone 4                            |         | 4    | NTCUD  | UDL64  | 32.25  | 126.53           | 88.85     | 60.68        | 14.64 |   |   |  |  |   |   |
| DS0)           | ch-As-Is Conversion rate per UNE Loop, Single LSR, (per                | 1       |      | NTCUD  | URESL  |        | 25.01            | 3.53      |              |       |   |   |  |  |   |   |
|                | ch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per               |         |      | NTCOD  | UNESL  |        | 25.01            | 3.33      |              |       |   |   |  |  |   |   |
| DS0)           |  |         |      | NTCUD  | URESP  |        | 26.50            | 5.02      |              |       |   |   |  |  |   |   |
|                | undled Loop Service Rearrangement, change in loop facility,            |         |      |  |        |        |                  |           |              |       |   |   |  |  |   |   |
|                | circuit  |         |      | NTCUD  | UREWO  |        | 101.94           | 49.66     |              |       |   |   |  |  |   |   |
|                |  |         |      | NTCVG, NTCUD,  |        |        |                  |           |              |       |   |   |  |  |   |   |
|                | er Coordination for Specified Conversion Time (per LSR)                |         |      | NTCD1  | OCOSL  |        | 18.19            |           |              |       |   |   |  |  |   |   |
| IAINTENANCE OF | SERVICE  |         |      |  |        |        |                  |           |              |       |   |   |  |  |   |   |
|                |  |         |      | UDC, UEA, UDL, UDN, USL, UAL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD1, U1TD1, U1TD1, U1TD1, UDFCX, UDLSX, UE3, ULDD1, ULDS1, ULDS1, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNC2X, UNCS1, ULDSY, UNC1X, UNC2X, UNC1X, UNC2X, UNC1X |        |        |                  |           |              |       |   |   |  |  |   |   |
| 1 1            | ntenance of Service Charge, Basic Time, per half hour                  | 1       | l    | UNCDX, UNCSX,<br>UNCVX, ULS  | MVVBT  |        | 80.00            | 55.00     | 1            |       |   |   |  | l  | 1   | 1   |

| UNBUNDLE   | D NETWORK ELEMENTS - Mississippi   |         |      |   |                |               |                 |                 |                       |                     |   |   | Att: 2 Exh: A  |  |   |   |
|--|--|---------|------|---|----------------|---------------|-----------------|-----------------|-----------------------|---------------------|---|---|--|--|---|---|
| CATEGORY   | RATE ELEMENTS  | Interim | Zone | BCS   | usoc           |               |                 | RATES(\$)       |                       |                     | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|  |  |         |      |   |                | Rec           | Nonrec<br>First | urring<br>Add'l | Nonrecurring<br>First | Disconnect<br>Add'l | SOMEC                                     | SOMAN   | OSS<br>SOMAN   | Rates(\$)  | SOMAN   | SOMAN   |
|  |  |         |      | UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,                        |                |               | 11131           | Audi            | Tillat                | Audi                | SOMEC                                     | JOHIAN  | SOME   | SUMM   | SOMAN   | SOME  |
|  | Maintenance of Service Charge, Overtime, per half hour   |         |      | UNCDX, UNCSX,<br>UNCVX, ULS   | MVVOT          |               | 90.00           | 65.00           |                       |                     |   |   |  |  |   |   |
| LOOP MODIFY                                      | Maintenance of Service Charge, Premium, per half hour  |         |      | UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, UTS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDD1, ULDVX, UNC1X, UNC3X, UNCX, UNCSX, UNCVX, ULS | MVVPT          |               | 100.00          | 75.00           |                       |                     |   |   |  |  |   |   |
| LOOP MODIFIC                                     | Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop                  |         |      | UAL, UHL, UCL,<br>UEQ, ULS, UEA,<br>UEANL, UEPSR,<br>UEPSB  | ULM2L          |               | 32.57           | 32.57           |                       |                     |   |   |  |  |   |   |
|  | Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop                        |         |      | UHL, UCL, UEA   | ULM4L          |               | 32.57           | 32.57           |                       |                     |   |   |  |  |   |   |
|  | Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop   |         |      | UAL, UHL, UCL,<br>UEQ, ULS, UEA,<br>UEANL, UEPSR,<br>UEPSB  | ULMBT          |               | 32.59           | 32.59           |                       |                     |   |   |  |  |   |   |
| SUB-LOOPS<br>Sub-Lo                              | pop Distribution   |         |      |   |                |               |                 |                 | ll                    |                     |   |   |  |  |   |   |
|  | Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-<br>Up  | ı       |      | UEANL, UEF  | USBSA          |               | 259.69          |                 |                       |                     |   |   |  |  |   |   |
|  | Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up   | _       |      | UEANL, UEF  | USBSB          |               | 22.77           |                 |                       |                     |   |   |  |  |   |   |
|  | Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility<br>Set-Up  | ı       |      | UEANL   | USBSC          |               | 178.47          |                 |                       |                     |   |   |  |  |   |   |
| $\vdash \vdash$                                  | Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-<br>Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -   | ı       |      | UEANL   | USBSD          |               | 56.39           |                 |                       |                     |   |   |  |  |   |   |
| $oxed{oldsymbol{eta}}$                           | Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -<br>Zone 1<br>Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - |         | 1    | UEANL   | USBN2          | 7.15          | 66.18           | 31.14           | 45.36                 | 6.71                |   |   |  |  |   |   |
| <del>                                     </del> | Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -  |         | 2    | UEANL   | USBN2          | 9.51          | 66.18           | 31.14           | 45.36                 | 6.71                |   |   |  |  |   |   |
|  | Zone 3 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -  |         | 3    | UEANL   | USBN2          | 12.45         | 66.18           | 31.14           | 45.36                 | 6.71                |   |   |  |  |   |   |
|  | Zone 4   |         | 4    | UEANL   | USBN2          | 18.26         | 66.18           | 31.14           | 45.36                 | 6.71                |   |   |  |  |   |   |
| $\overline{}$                                    | Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop             |         |      | UEANL   | USBMC          | 7.5-          | 8.20            | 8.20            | 51 O=                 |                     |   |   |  |  |   |   |
|  | Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2   |         | 2    | UEANL<br>UEANL  | USBN4<br>USBN4 | 7.30<br>13.92 | 79.49<br>79.49  | 44.45<br>44.45  | 51.27<br>51.27        | 9.35                |   |   |  |  |   |   |

| UNBUNDLE          | D NETWORK ELEMENTS - Mississippi  |          |            |  |                |              |                |                |              |              |  |       | Att: 2 Exh: A  |   | -   |   |
|-------------------|---|----------|------------|--|----------------|--------------|----------------|----------------|--------------|--------------|--|-------|--|---|---|---|
| CATEGORY          | RATE ELEMENTS   | Interim  | Zone       | BCS  | usoc           |              |                | RATES(\$)      |              |              | Svc Order<br>Submitted<br>Elec<br>per LSR        |       | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                   |   |          |            |  |                | Rec          | Nonred         |                | Nonrecurring |              |  |       |  | Rates(\$)   |   |   |
|                   | land Birth & B. AME A. L. W. L. O. L.   |          |            |  |                |              | First          | Add'l          | First        | Add'l        | SOMEC  | SOMAN | SOMAN  | SOMAN   | SOMAN   | SOMAN   |
| 1                 | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -<br>Zone 3  |          | 3          | LIEANII  | USBN4          | 40.70        | 79.49          | 44.45          | 54.07        | 9.35         |  |       |  |   |   |   |
|                   | Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -  | <u> </u> | 3          | UEANL  | USBN4          | 16.73        | 79.49          | 44.45          | 51.27        | 9.35         |  |       |  |   |   |   |
| 1                 | Zone 4  |          | 4          | UEANL  | USBN4          | 16.73        | 79.49          | 44.45          | 51.27        | 9.35         |  |       |  |   |   |   |
|                   | Z016 4  |          | 4          | UEANL  | USBIN4         | 10.73        | 79.49          | 44.40          | 31.27        | 9.33         |  |       |  |   |   |   |
| 1                 | Order Coordination for Unbundled Sub-Loops, per sub-loop pair   |          |            | UEANL  | USBMC          |              | 8.20           | 8.20           |              |              |  |       |  |   |   |   |
|                   | Sub-Loop 2-Wire Intrabuilding Network Cable (INC)   |          |            | UEANL  | USBR2          | 2.29         | 53.32          | 18.28          | 45.36        | 6.71         |  |       |  |   |   |   |
|                   | , ,   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | Order Coordination for Unbundled Sub-Loops, per sub-loop pair   |          |            | UEANL  | USBMC          |              | 8.20           | 8.20           |              |              |  |       |  |   |   |   |
|                   | Sub-Loop 4-Wire Intrabuilding Network Cable (INC)   |          |            | UEANL  | USBR4          | 4.40         | 59.60          | 24.55          | 51.27        | 9.35         |  |       |  |   |   |   |
|                   |   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | Order Coordination for Unbundled Sub-Loops, per sub-loop pair   | <u> </u> | <u> </u>   | UEANL  | USBMC          |              | 8.20           | 8.20           |              |              |  |       |  |   |   |   |
| $\longrightarrow$ | Loop Testing - Basic 1st Half Hour  | <b> </b> |            | UEANL  | URET1          |              | 34.36          | 0.00           |              |              |  |       |  |   |   |   |
|                   | Loop Testing - Basic Additional Half Hour   | <u> </u> | <b>L</b> . | UEANL  | URETA          | 0.77         | 19.97          | 19.97          | 45.5         |              |  |       |  |   |   |   |
| <del></del>       | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1  | 1        | 1          | UEF  | UCS2X          | 6.06         | 66.18          | 31.14          |              | 6.71         | <b>!</b>   |       |  |   |   | ļ   |
|                   | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3   | -        | 3          | UEF<br>UEF   | UCS2X<br>UCS2X | 7.09<br>8.16 | 66.18<br>66.18 | 31.14<br>31.14 |              | 6.71<br>6.71 | -  |       |  | 1   |   |   |
| -+-               | 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3  2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4  | 1        |            | UEF  | UCS2X          | 9.90         | 66.18          | 31.14          |              | 6.71         | <del>                                     </del> | 1     |  | 1   |   |   |
|                   | 2 TYTIC COPPET OTIDURIDIES OUD-LOOP DISTRIBUTION - 20116 4  | l        | +          | OL1  | 000ZA          | 3.90         | 00.10          | 31.14          | 40.30        | 0.71         |  |       |  |   |   |   |
| ı                 | Order Coordination for Unbundled Sub-Loops, per sub-loop pair   |          |            | UEF  | USBMC          |              | 8.20           | 8.20           |              |              |  |       |  |   |   |   |
|                   | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1  |          | 1          | UEF  | UCS4X          | 5.10         | 79.49          | 44.45          | 51.27        | 9.35         |  |       |  |   |   |   |
|                   | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2  |          | 2          | UEF  | UCS4X          | 9.11         | 79.49          | 44.45          |              | 9.35         |  |       |  |   |   |   |
|                   | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3  |          | 3          | UEF  | UCS4X          | 14.00        | 79.49          | 44.45          | 51.27        | 9.35         |  |       |  |   |   |   |
|                   | 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4  |          | 4          | UEF  | UCS4X          | 14.00        | 79.49          | 44.45          | 51.27        | 9.35         |  |       |  |   |   |   |
|                   |   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | Order Coordination for Unbundled Sub-Loops, per sub-loop pair   |          |            | UEF  | USBMC          |              | 8.20           | 8.20           |              |              |  |       |  |   |   |   |
| 1                 | Loop Tagging Service Level 1, Unbundled Copper Loop, Non-   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | Designed and Distribution Subloops  | <u> </u> |            | UEF, UEANL   | URETL          |              | 8.92           | 0.88           |              |              |  |       |  |   |   |   |
|                   | Loop Testing - Basic 1st Half Hour  |          |            | UEF  | URET1          |              | 34.36<br>19.97 | 0.00<br>19.97  |              |              |  |       |  |   |   |   |
| Unbun             | Loop Testing - Basic Additional Half Hour dled Sub-Loop Modification  | <u> </u> |            | UEF  | URETA          |              | 19.97          | 19.97          |              |              |  |       |  |   |   | l .   |
| Official          | Unbundled Sub-Loop Modification - 2-W Copper Dist Load  | 1        |            | ı  |                |              |                |                |              |              |  |       |  | ı   |   | ı   |
|                   | Coil/Equip Removal per 2-W PR   |          |            | UEF  | ULM2X          |              | 176.80         | 5.13           |              |              |  |       |  |   |   |   |
|                   | Unbundled Sub-loop Modification - 4-W Copper Dist Load  |          |            | 02.  | O LIVIL X      |              | 170.00         | 0.10           |              |              |  |       |  |   |   |   |
| ı                 | Coil/Equip Removal per 4-W PR   |          |            | UEF  | ULM4X          |              | 176.80         | 5.13           |              |              |  |       |  |   |   |   |
|                   | Unbundled Loop Modification, Removal of Bridge Tap, per   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
| <u> </u>          | unbundled loop  |          |            | UEF  | ULMBT          |              | 279.81         | 6.15           |              |              |  |       |  |   |   |   |
|                   | dled Network Terminating Wire (UNTW)  |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | Unbundled Network Terminating Wire (UNTW) per Pair  |          |            | UENTW  | UENPP          | 0.3366       | 30.55          |                |              |              |  |       |  |   |   |   |
| Networ            | k Interface Device (NID)  | ,        |            | 1  | I              | 1            |                |                | 1            |              |  |       | 1  |   |   |   |
|                   | Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines   |          | 1          | UENTW<br>UENTW   | UND12<br>UND16 |              | 43.84<br>65.30 | 28.90<br>50.36 |              |              |  |       |  |   |   |   |
|                   | Network Interface Device (NID) - 1-0 lines  Network Interface Device Cross Connect - 2 W  |          |            | UENTW  | UNDC2          |              | 5.94           | 5.94           |              |              |  |       |  |   |   |   |
|                   | Network Interface Device Cross Connect - 4W   |          |            | UENTW  | UNDC4          |              | 5.94           | 5.94           |              |              |  |       |  |   |   |   |
|                   | PROVISIONING ONLY - NO RATE   |          |            | 02.11.11   | 0.150          |              | 0.01           | 0.01           |              |              |  |       |  |   |   |   |
|                   |   |          |            | UAL, UCL, UDC,<br>UDL, UDN, UEA,<br>UHL, UEANL, UEF,<br>UEQ, UENTW,<br>NTCVG, NTCUD, |                |              |                |                |              |              |  |       |  |   |   |   |
| ı                 | Unbundled Contact Name, Provisioning Only - no rate   | 1        |            | NTCD1, USL   | UNECN          | 0.00         | 0.00           |                |              |              |  | 1     |  |   |   | 1   |
|                   | Unbundled DS1 Loop - Superframe Format Option - no rate   |          |            | USL, NTCD1   | CCOSF          |              | 0.00           |                |              |              |  |       |  |   |   |   |
|                   | Unbundled DS1 Loop - Expanded Superframe Format option - no   |          |            |  |                |              |                |                |              |              |  |       |  |   |   |   |
|                   | rate  |          |            | USL, NTCD1   | CCOEF          |              | 0.00           |                |              |              |  |       |  |   |   |   |
|                   |   | 1        | 1          | UENTW<br>UENTW   | UNDBX          | 0.00         | 0.00           |                |              |              | ļ  |       |  |   |   |   |
|                   | NID - Dispatch and Service Order for NID installation   |          |            | H IENTM  | UENCE          | 0.00         | 0.00           |                |              |              |  |       |  |   |   |   |
| LOOP MAKE:        | UNTW Circuit Establishment, Provisioning Only - No Rate   |          |            | OCIVIVV  |                |              |                |                |              |              |  |       |  |   |   |   |
| LOOP MAKE-U       | UNTW Circuit Establishment, Provisioning Only - No Rate P Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).  |          |            | UMK  | UMKLW          |              | 24.12          | 24.12          |              |              |  |       |  |   |   |   |
| LOOP MAKE-U       | UNTW Circuit Establishment, Provisioning Only - No Rate P Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility queried (Manual). |          |            |  |                |              | 24.12<br>25.58 | 24.12<br>25.58 |              |              |  |       |  |   |   |   |
| LOOP MAKE-U       | UNTW Circuit Establishment, Provisioning Only - No Rate P Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility                   |          |            | UMK  | UMKLW          |              |                |                |              |              |  |       |  |   |   |   |

| UNBUNDI     | ED NETWORK ELEMENTS - Mississippi  |         |          |                            |                |                 |                |                |                |              |   |       | Att: 2 Exh: A   |  |   |   |
|-------------|--|---------|----------|----------------------------|----------------|-----------------|----------------|----------------|----------------|--------------|---|-------|---|--|---|---|
| CATEGORY    | RATE ELEMENTS  | Interim | Zone     | BCS                        | usoc           |                 |                | RATES(\$)      |                |              | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Att: 2 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|             |  |         |          |                            |                |                 | Nonrec         | urring         | Nonrecurring   | Disconnect   |   |       | OSS   | Rates(\$)  |   | <u> </u>  |
|             |  |         |          |                            |                | Rec             | First          | Add'l          | First          | Add'l        | SOMEC                                     | SOMAN |   | SOMAN  | SOMAN   | SOMAN   |
| END (       | JSER ORDERING-CENTRAL OFFICE BASED   |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Line Splitting - per line activation DLEC owned splitter   |         |          | UEPSR UEPSB                | UREOS          | 0.61            | 40.00          | 40.00          | 40.04          | 4.00         |   |       |   |  |   | <b>├</b>  |
| <del></del> | Line Splitting - per line activation AT&T owned - physical Line Splitting - per line activation AT&T owned - virtual |         |          | UEPSR UEPSB<br>UEPSR UEPSB | UREBP<br>UREBV | 0.61<br>0.61    | 18.62<br>18.62 | 10.66<br>10.66 | 10.04<br>10.04 | 4.93<br>4.93 |   |       |   |  |   | <del>                                     </del>                                |
| END I       | JSER ORDERING - REMOTE SITE LINE SPLITTING   |         |          | OLI OR OLI OD              | OKEDV          | 0.01            | 10.02          | 10.00          | 10.04          | 4.55         | l   | l     |   |  |   |   |
|             | Remote Site Shared Loop Line Activation for End Users - CLEC   |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Owned Splitter   |         |          | UEPSR UEPSB                | URERS          | 0.61            | 56.96          | 23.05          | 7.19           | 7.19         |   |       |   |  |   | <b></b>   |
|             | Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter  |         |          | UEPSR UEPSB                | URERA          |                 | 53.94          | 21.40          |                |              |   |       |   |  |   | 1   |
| UNBL        | NDLED EXCHANGE ACCESS LOOP   |         |          | UEFSK UEFSB                | UNEKA          | !I              | 55.54          | 21.40          |                | l            | l   | l     | l   | l  | l   |   |
|             | E ANALOG VOICE GRADE LOOP  |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |         | 1 .      |                            |                |                 |                |                |                |              | ]   | 1     |   |  |   | 1   |
|             | Zone 1   |         | 1        | UEPSR UEPSB                | UEALS          | 12.03           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | <del></del>   |
|             | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-<br>Zone 1   |         | 1        | UEPSR UEPSB                | UEABS          | 12.03           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | i   |
|             | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-  |         | Ė        |                            |                | 12.00           |                |                |                | 0.20         |   |       |   |  |   |   |
|             | Zone 2   |         | 2        | UEPSR UEPSB                | UEALS          | 16.87           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | <u> </u>  |
| 1 1         | 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-  |         | 2        | HEDED HEDED                | UEABS          | 16.87           | 37.92          | 17.55          | 23.48          | F 05         |   |       |   |  |   | i   |
|             | Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |         |          | UEPSR UEPSB                | UEABS          | 16.87           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | <del>                                     </del>                                |
|             | Zone 3   |         | 3        | UEPSR UEPSB                | UEALS          | 25.68           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | 1   |
|             | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |         | Ť        |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Zone 3   |         | 3        | UEPSR UEPSB                | UEABS          | 25.68           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | <u> </u>  |
|             | 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |         | ١.       |                            |                | 40.05           | 07.00          |                | 00.40          |              |   |       |   |  |   | 1   |
| $\vdash$    | Zone 4  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-   |         | 4        | UEPSR UEPSB                | UEALS          | 43.85           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | <del></del>   |
|             | Zone 4   |         | 4        | UEPSR UEPSB                | UEABS          | 43.85           | 37.92          | 17.55          | 23.48          | 5.25         |   |       |   |  |   | 1   |
|             | Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-   |         |          | 021 011 021 02             | 02/120         | 10.00           | 07.02          | 17.00          | 20.10          | 0.20         |   |       |   |  |   |   |
|             | Line Splitting - CLEC Owned Splitter - Zone 1  |         | 1        | UEPSR UEPSB                | UEARS          | 7.15            | 66.18          | 31.14          | 45.36          | 6.71         |   |       |   |  |   |   |
|             | Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-   |         | 2        | LIEDOD LIEDOD              | LIEADO         | 0.51            | 66.10          | 24.44          | 45.00          | 6.74         |   |       |   |  |   | 1   |
| $\vdash$    | Line Splitting - CLEC Owned Splitter - Zone 2  Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-          |         |          | UEPSR UEPSB                | UEARS          | 9.51            | 66.18          | 31.14          | 45.36          | 6.71         |   |       |   |  |   | <del>                                     </del>                                |
|             | Line Splitting - CLEC Owned Splitter - Zone 3  |         | 3        | UEPSR UEPSB                | UEARS          | 12.45           | 66.18          | 31.14          | 45.36          | 6.71         |   |       |   |  |   | 1   |
|             | Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-   |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Line Splitting - CLEC Owned Splitter - Zone 4  |         | 4        | UEPSR UEPSB                | UEARS          | 18.26           | 66.18          | 31.14          | 45.36          | 6.71         |   |       |   |  |   | <u> </u>  |
| PHYS        | ICAL COLLOCATION   |         | 1        |                            | 1              |                 | 1              |                | 1              | ı            |   |       | 1   | 1  | 1   | 1   |
|             | Physical Collocation-2 Wire Cross Connects (Loop) for Line<br>Splitting  |         |          | UEPSR UEPSB                | PE1LS          | 0.0288          | 12.37          | 11.87          | 6.04           | 5.45         |   |       |   |  |   | 1   |
| VIRTU       | IAL COLLOCATION  |         |          | OLI OR OLI OB              | 1 2 120        | 0.0200          | 12.07          | 11.07          | 0.04           | 0.40         | I   | I     |   | 1  |   |   |
|             |  |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting  |         |          | UEPSR UEPSB                | VE1LS          | 0.0268          | 12.37          | 11.87          | 6.04           | 5.45         |   |       |   |  |   |   |
|             | DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT   |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   | <u> </u>  |
|             | Interoffice Channel - 2-Wire Voice Grade - per mile  |         |          | U1TVX                      | 1L5XX          | 0.0098          |                |                |                |              |   |       |   |  |   |   |
|             | Interoffice Channel - 2-Wire Voice Grade - Facility Termination  |         |          | U1TVX                      | U1TV2          | 22.52           | 40.77          | 27.57          | 17.26          | 7.11         |   |       |   |  |   |   |
|             | Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile  |         |          | U1TVX                      | 1L5XX          | 0.0098          |                |                |                |              |   |       |   |  |   |   |
|             | latera #6 - Observal O Miss VO Des Det Feeille Terreinster   |         |          | LIATA OV                   | LIATEO         | 00.50           | 40.77          | 07.57          | 47.00          | 7.44         |   |       |   |  |   | 1   |
| $\vdash$    | Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile     |         | 1        | U1TVX<br>U1TVX             | U1TR2<br>1L5XX | 22.52<br>0.0098 | 40.77          | 27.57          | 17.26          | 7.11         | -   | -     | -   | -  | -   | <del>                                     </del>                                |
| $\vdash$    | Interesting Charling - 4-14the Voice Grade - per finite  |         |          | OTTVA                      | ILUAA          | 0.0096          | <u> </u>       |                |                |              |   |       |   |  |   |   |
|             | Interoffice Channel - 4- Wire Voice Grade - Facility Termination   |         | <u> </u> | U1TVX                      | U1TV4          | 19.79           | 40.77          | 27.57          | 17.26          | 7.11         |   |       |   |  |   | <u> </u>  |
|             | Interoffice Channel - 56 kbps - per mile   |         |          | U1TDX                      | 1L5XX          | 0.0098          |                |                |                |              |   |       |   |  |   |   |
| $\vdash$    | Interoffice Channel - 56 kbps - Facility Termination   |         | <u> </u> | U1TDX                      | U1TD5          | 15.68           | 40.77          | 27.57          | 17.26          | 7.11         | -   | -     |   |  |   | <b>—</b>  |
| $\vdash$    | Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination                        |         | 1        | U1TDX<br>U1TDX             | 1L5XX<br>U1TD6 | 0.0098<br>15.68 | 40.77          | 27.57          | 17.26          | 7.11         |   |       |   |  |   | <b>—</b>  |
|             | Interoffice Channel - DS1 - per mile   |         |          | U1TD1                      | 1L5XX          | 0.201           | 40.17          | 21.01          | 17.20          | ····         |   |       |   |  |   |   |
|             | Interoffice Channel - DS1 - Facility Termination   |         |          | U1TD1                      | U1TF1          | 57.33           | 89.79          | 82.28          | 16.86          | 14.90        |   |       |   |  |   |   |
|             | Interoffice Channel - DS3 - per mile   |         |          | U1TD3                      | 1L5XX          | 4.76            |                |                |                |              |   |       |   |  |   | L   |
| $\vdash$    | Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile                              |         | -        | U1TD3<br>U1TS1             | U1TF3<br>1L5XX | 641.90<br>4.76  | 280.37         | 163.70         | 62.08          | 60.29        |   |       |   |  |   | <del></del>   |
| $\vdash$    | Interoffice Channel - STS-1 - per mile  Interoffice Channel - STS-1 - Facility Termination                           |         |          | U1TS1<br>U1TS1             | U1TFS          | 4.76<br>644.21  | 280.37         | 163.70         | 62.08          | 60.29        | -   | -     |   |  |   |   |
| UNBL        | NDLED DARK FIBER   |         |          |                            | 101110         | 044.21          | 200.01         | 100.70         | 02.00          | 00.23        |   |       |   |  |   |   |
|             | Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per  |         |          |                            |                |                 |                |                |                |              |   |       |   |  |   |   |
|             | Route Mile Or Fraction Thereof   |         |          | UDF, UDFCX                 | 1L5DF          | 28.27           |                |                | l              |              |   |       | ]   | ]  | ]   | 1   |

| UNBUNI   | DLFD   | NETWORK ELEMENTS - Mississippi  |          |  |                       |                |                  |                  |                  |                |                |  |   | Att: 2 Exh: A   |  |   |  |
|----------|--------|---|----------|--|-----------------------|----------------|------------------|------------------|------------------|----------------|----------------|--|---|---|--|---|--|
| CATEGOR  |        | RATE ELEMENTS   | Interim  | Zone   | BCS                   | USOC           |                  |                  | RATES(\$)        |                |                | Svc Order<br>Submitted<br>Elec<br>per LSR        | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'I |
|          |        |   |          |  |                       |                | Rec              | Nonred           |                  | Nonrecurring   |                |  |   |   | Rates(\$)  |   |  |
|          |        |   |          |  |                       |                | Nec              | First            | Add'l            | First          | Add'l          | SOMEC  | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN  |
|          |        | Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per   |          |  | UDE UDEOV             |                |                  | 0.40 70          | 400.07           | 222.27         |                |  |   |   |  |   |  |
| HIGH CAB |        | Route Mile Or Fraction Thereof  ' UNBUNDLED LOCAL LOOP  |          |  | UDF, UDFCX            | UDF14          |                  | 642.79           | 138.67           | 326.97         | 203.85         |  |   |   |  |   | -  |
|          |        | S-1 UNBUNDLED LOCAL LOOP - Stand Alone  | <u> </u> |  | <u>I</u>              |                |                  |                  |                  |                |                |  |   |   |  |   |  |
|          |        | DS3 Unbundled Local Loop - per mile   |          |  | UE3                   | 1L5ND          | 11.20            |                  |                  |                |                |  |   |   |  |   |  |
|          | [      | DS3 Unbundled Local Loop - Facility Termination   |          |  | UE3                   | UE3PX          | 326.15           | 454.13           | 265.47           | 123.23         | 86.19          |  |   |   |  |   |  |
|          |        | STS-1Unbundled Local Loop - per mile  |          |  | UDLSX                 | 1L5ND          | 11.20            |                  |                  |                |                |  |   |   |  |   |  |
|          |        | STS-1 Unbundled Local Loop - Facility Termination   |          |  | UDLSX                 | UDLS1          | 338.55           | 454.13           | 265.47           | 123.23         | 86.19          |  |   |   |  |   |  |
|          |        | FENDED LINK (EELs)  |          |  |                       |                |                  |                  |                  |                |                | J.   |   |   |  |   |  |
| Ne       |        | Elements Used in Combinations 2-Wire VG Loop (SL2) in Combination - Zone 1  |          | 1  | UNCVX                 | UEAL2          | 13.89            | 105.96           | 68.28            | 52.82          | 10.37          | 1  |   |   | 1  |   |  |
|          |        | 2-Wire VG Loop (SL2) in Combination - Zone 1  | <u> </u> | 2  | UNCVX                 | UEAL2          | 18.75            | 105.96           | 68.28            | 52.82          | 10.37          | 1  |   |   | <b> </b>   |   | <u> </u>   |
|          |        | 2-Wire VG Loop (SL2) in Combination - Zone 3  |          | 3  | UNCVX                 | UEAL2          | 27.55            | 105.96           | 68.28            |                | 10.37          |  |   |   |  |   |  |
|          | 2      | 2-Wire VG Loop (SL2) in Combination - Zone 4  |          | 4  | UNCVX                 | UEAL2          | 45.72            | 105.96           | 68.28            | 52.82          | 10.37          |  |   |   |  |   |  |
|          |        | 4-Wire Analog Voice Grade Loop in Combination - Zone 1  |          | 1  | UNCVX                 | UEAL4          | 27.47            | 132.27           | 94.59            | 60.68          | 14.64          |  |   |   | ļ  |   |  |
|          |        | 4-Wire Analog Voice Grade Loop in Combination - Zone 2  | <u> </u> | 2  | UNCVX                 | UEAL4          | 38.26            | 132.27           | 94.59            | 60.68          | 14.64          | 1  |   |   |  |   |  |
|          |        | 4-Wire Analog Voice Grade Loop in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 4       |          | 3  | UNCVX<br>UNCVX        | UEAL4<br>UEAL4 | 50.03<br>50.03   | 132.27<br>132.27 | 94.59<br>94.59   | 60.68<br>60.68 | 14.64<br>14.64 | 1  |   |   |  |   |  |
|          |        | 2-Wire ISDN Loop in Combination - Zone 1  |          | 1  | UNCNX                 | U1L2X          | 21.01            | 117.61           | 79.92            | 52.82          | 10.37          |  |   |   |  |   |  |
|          |        | 2-Wire ISDN Loop in Combination - Zone 2  |          | 2  | UNCNX                 | U1L2X          | 27.59            | 117.61           | 79.92            | 52.82          | 10.37          | İ  |   |   |  |   |  |
|          |        | 2-Wire ISDN Loop in Combination - Zone 3  |          | 3  | UNCNX                 | U1L2X          | 37.34            | 117.61           | 79.92            | 52.82          | 10.37          |  |   |   |  |   |  |
|          |        | 2-Wire ISDN Loop in Combination - Zone 4  |          | 4  | UNCNX                 | U1L2X          | 59.18            | 117.61           | 79.92            | 52.82          | 10.37          |  |   |   |  |   |  |
|          |        | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1  |          | 1  | UNCDX                 | UDL56          | 27.44            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          |        | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2  |          | 2  | UNCDX                 | UDL56          | 34.55            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          |        | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3  |          |  | UNCDX<br>UNCDX        | UDL56<br>UDL56 | 40.76<br>32.25   | 126.53<br>126.53 | 88.85<br>88.85   | 60.68<br>60.68 | 14.64<br>14.64 |  |   |   |  |   | -  |
|          |        | 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1   |          | 1  | UNCDX                 | UDL64          | 27.44            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          |        | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2  |          |  | UNCDX                 | UDL64          | 34.55            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          |        | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3  |          | 3  | UNCDX                 | UDL64          | 40.76            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          | 4      | 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4  |          | 4  | UNCDX                 | UDL64          | 32.25            | 126.53           | 88.85            | 60.68          | 14.64          |  |   |   |  |   |  |
|          |        | 4-Wire DS1 Digital Loop in Combination - Zone 1   |          | 1  | UNC1X                 | USLXX          | 79.08            | 253.93           | 158.45           | 46.10          | 12.07          |  |   |   |  |   |  |
|          |        | 4-Wire DS1 Digital Loop in Combination - Zone 2   |          | 3  | UNC1X<br>UNC1X        | USLXX          | 129.38<br>206.74 | 253.93<br>253.93 | 158.45<br>158.45 | 46.10<br>46.10 | 12.07<br>12.07 |  |   |   |  |   |  |
|          |        | 4-Wire DS1 Digital Loop in Combination - Zone 3 4-Wire DS1 Digital Loop in Combination - Zone 4                     |          | 4  | UNC1X<br>UNC1X        | USLXX          | 458.46           | 253.93           | 158.45           | 46.10          | 12.07          |  |   |   |  |   | -  |
|          |        | DS3 Local Loop in combination - per mile  |          | -  | UNC3X                 | 1L5ND          | 11.20            | 200.90           | 130.43           | 40.10          | 12.07          |  |   |   |  |   |  |
|          |        | DS3 Local Loop in combination - Facility Termination  |          |  | UNC3X                 | UE3PX          | 326.15           | 454.13           | 265.47           | 123.23         | 86.19          |  |   |   |  |   |  |
|          | 9      | STS-1 Local Loop in combination - per mile  |          |  | UNCSX                 | 1L5ND          | 11.20            |                  |                  |                |                |  |   |   |  |   |  |
|          |        | STS-1 Local Loop in combination - Facility Termination  |          |  | UNCSX                 | UDLS1          | 338.55           | 454.13           | 265.47           | 123.23         | 86.19          |  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - 2-wire VG - per mile  | <u> </u> | <u> </u>   | UNCVX                 | 1L5XX          | 0.0088           |                  |                  |                |                | 1  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - 2-wire VG - Facility Termination  |          |  | UNCVX                 | U1TV2          | 20.32            | 40.77            | 27.57            | 17.26          | 7.11           |  |   |   | 1  |   |  |
|          |        | nteroffice Channel in combination - 4-wire VG - per mile  |          |  | UNCVX                 | 1L5XX          | 0.0088           | 40.77            | 21.31            | 17.20          | 7.11           | 1  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - 4-wire VG - Facility  |          |  |                       |                |                  |                  |                  |                |                |  |   |   |  |   |  |
|          | 1      | Termination   |          |  | UNCVX                 | U1TV4          | 17.86            | 40.77            | 27.57            | 17.26          | 7.11           |  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - 4-wire 56 kbps - per mile   |          |  | UNCDX                 | 1L5XX          | 0.0088           |                  |                  |                |                | 1  |   |   | ļ  |   |  |
|          |        | Interoffice Channel in combination - 4-wire 56 kbps - Facility  |          |  | LINCDY                | LIATES         |                  | 40.77            | 07.57            | 47.00          |                |  |   |   |  |   |  |
|          |        | Termination nteroffice Channel in combination - 4-wire 64 kbps - per mile   |          | <del>                                     </del> | UNCDX<br>UNCDX        | U1TD5<br>1L5XX | 14.14<br>0.0088  | 40.77            | 27.57            | 17.26          | 7.11           | 1  |   |   |  |   | -  |
|          |        | nteroffice Channel in combination - 4-wire 64 kbps - per fille  |          | <b>†</b>   | CHODA                 | ILUAA          | 0.0086           |                  |                  |                |                | <del>                                     </del> |   |   | <del> </del>   |   |  |
|          |        | Termination   |          |  | UNCDX                 | U1TD6          | 14.14            | 40.77            | 27.57            | 17.26          | 7.11           |  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - DS1 - per mile  |          |  | UNC1X                 | 1L5XX          | 0.1813           |                  |                  |                |                |  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - DS1 Facility Termination  |          |  | UNC1X                 | U1TF1          | 51.72            | 89.79            | 82.28            | 16.86          | 14.90          |  |   |   |  |   |  |
|          |        | nteroffice Channel in combination - DS3 - per mile  |          | <u> </u>   | UNC3X                 | 1L5XX          | 4.29             |                  |                  |                |                | <u> </u>   |   |   |  |   |  |
|          |        | nteroffice Channel in combination - DS3 - Facility Termination  |          | <u> </u>   | UNC3X<br>UNCSX        | U1TF3<br>1L5XX | 579.12<br>4.29   | 280.37           | 163.70           | 62.08          | 60.29          | <b> </b>   |   |   |  |   |  |
|          |        | nteroffice Channel in combination - STS-1 - per mile nteroffice Channel in combination - STS-1 Facility Termination |          | <b>-</b>   | UNCSX                 | U1TFS          | 581.21           | 280.37           | 163.70           | 62.08          | 60.29          | <b> </b>   |   |   |  |   |  |
| ADDITION |        | TWORK ELEMENTS  |          |  | 2.100/1               | 50             | 301.21           | 200.07           | 100.10           | 02.00          | 55.25          |  |   |   |  |   |  |
|          |        | Features & Functions:   |          |  |                       | •              |                  |                  |                  |                |                |  |   |   | •  |   |  |
|          | $\Box$ |   |          |  | U1TD1,                |                |                  |                  |                  |                |                |  |   |   |  |   |  |
|          | (      | Clear Channel Capability Extended Frame Option - per DS1  |          | <u> </u>   | ULDD1,UNC1X           | CCOEF          |                  | 0.00             | 0.00             | 0.00           | 0.00           | <u> </u>   |   |   |  |   |  |
|          | ,      | Clear Channel Canability Super FramcOntion per DS1  |          |  | U1TD1,<br>ULDD1,UNC1X | CCOSF          |                  | 0.00             | 0.00             | 0.00           | 0.00           |  |   |   |  |   |  |
| 1        | 10     | Clear Channel Capability Super FrameOption - per DS1  |          | 1  |                       | UUUSF          |                  | 0.00             | 0.00             | 0.00           | 0.00           | 1  |   |   |  |   | <b> </b>   |
|          | r      | Clear Channel Capability (SF/ESF) Option - Subsequent Activity -  |          |  | ULDD1, U1TD1,         |                |                  |                  |                  |                |                |  |   |   |  |   |  |

| NBUNDLE | D NETWORK ELEMENTS - Mississippi  |  |          |   |                |                |              |              |              |       |   |   | Att: 2 Exh: A  |  |   |   |
|---------|---|--|----------|---|----------------|----------------|--------------|--------------|--------------|-------|---|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS   | Interim  | Zone     | BCS   | USOC           |                |              | RATES(\$)    |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|         |   |  |          |   |                | Rec            | Nonrec       |              | Nonrecurring |       |   |   |  | Rates(\$)  |   |   |
|         |   |  |          | LIATED LILEDO   |                |                | First        | Add'l        | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|         | C-bit Parity Option - Subsequent Activity - per DS3   |  |          | U1TD3, ULDD3,<br>UE3, UNC3X   | NRCC3          |                | 218.72       | 7.66         | 0.7201       | 0.00  |   |   |  |  |   |   |
| _       | DS1/DS0 Channel System  | -  |          | UNC1X   | MQ1            | 102.85         | 91.57        | 62.94        | 10.87        | 10.10 |   |   |  |  |   |   |
|         | DS3/DS1Channel System   |  |          | UNC3X, UNCSX  | MQ3            | 170.63         | 179.17       | 94.52        | 34.30        | 32.82 |   |   |  |  |   |   |
|         | Voice Grade COCI in combination   |  |          | UNCVX   | 1D1VG          | 0.5737         | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         |   |  |          |   |                |                |              |              |              |       |   |   |  |  |   |   |
|         | Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop   |  |          | UEA   | 1D1VG          | 0.5737         | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | Voice Grade COCI - for connection to a channelized DS1 Local  |  |          |   |                | 0.5707         |              |              |              |       |   |   |  |  |   |   |
|         | Channel in the same SWC as collocation  OCU-DP COCI (2.4-64kbs) in combination  |  | 1        | U1TUC<br>UNCDX  | 1D1VG<br>1D1DD | 0.5737         | 6.62         | 4.74<br>4.74 |              |       |   |   |  |  |   | ļ   |
| -       | OCU-DP COCI (2.4-64kbs) in combination OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop                                       | 1  | 1        | UDL   | 1D1DD<br>1D1DD | 1.22<br>1.22   | 6.62<br>6.62 | 4.74         |              |       |   |   |  | <del> </del>   | -   | 1   |
| _       | OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1   | <del>                                     </del> | <u> </u> | UDL   | טטוטו          | 1.22           | 0.02         | 4.14         |              |       |   |   |  | t  | <b>-</b>  | <del>                                     </del>                              |
|         | Local Channel in the same SWC as collocation  |  |          | U1TUD   | 1D1DD          | 1.22           | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | 2-wire ISDN COCI (BRITE) in combination   |  |          | UNCNX   | UC1CA          | 2.62           | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | 2-wire ISDN COCI (BRITE) - for a Local Loop   |  |          | UDN   | UC1CA          | 2.62           | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | 2-wire ISDN COCI (BRITE) - for connection to a channelized DS1  |  |          |   |                |                |              |              |              |       |   |   |  |  |   |   |
|         | Local Channel in the same SWC as collocation  |  |          | U1TUB   | UC1CA          | 2.62           | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | DS1 COCI in combination   | ļ  |          | UNC1X   | UC1D1          | 12.96          | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | DS1 COCI - for Stand Alone Local Channel  |  |          | ULDD1<br>U1TD1  | UC1D1<br>UC1D1 | 12.96          | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | DS1 COCI - for Stand Alone Interoffice Channel DS1 COCI - for DS1 Local Loop  |  |          | USL. NTCD1  | UC1D1          | 12.96<br>12.96 | 6.62<br>6.62 | 4.74<br>4.74 |              |       |   |   |  |  |   |   |
|         | DS1 COCI - for connection to a channelized DS1 Local Channel in   |  |          | USL, NTCDT  | OCIDI          | 12.90          | 0.02         | 4.74         |              |       |   |   |  |  |   |   |
|         | the same SWC as collocation   |  |          | U1TUA   | UC1D1          | 12.96          | 6.62         | 4.74         |              |       |   |   |  |  |   |   |
|         | Wholesale - UNE, Switch-As-Is Conversion Charge   |  |          | UNC1X, UNC3X,<br>UNCSX, UDFCX,<br>XDH1X, HFQC6,<br>XDD2X, XDV6X,<br>XDDFX, XDD4X,<br>HFRST, UNCNX | UNCCC          |                | 5.63         | 5.63         |              |       |   |   |  |  |   |   |
|         | Unbundled Misc Rate Element, SNE SAI, Single Network Element<br>Switch As Is Non-recurring Charge, per circuit (LSR)              | 1  |          | U1TD1, U1TD3,<br>U1TS1, UDF, UE3  | URESL          |                | 36.87        | 16.14        |              |       |   |   |  |  |   |   |
|         | Unbundled Misc Rate Element, SNE SAI, Single Network Element<br>Switch As Is Non-recurring Charge, incremental charge per circuit |  |          | U1TVX, U1TDX,<br>U1TD1, U1TD3,  |                |                |              |              |              |       |   |   |  |  |   |   |
|         | on a spreadsheet  |  |          | U1TS1, UDF, UE3   | URESP          |                | 1.49         | 1.49         |              |       |   |   |  |  |   |   |
| Access  | s to DCS - Customer Reconfiguration (FlexServ)  |  | 1        | 01101, 021, 020   | OKLOI          | 1              | 1.45         | 1.45         |              |       | l .                                       |   |  |  |   |   |
|         | Customer Reconfiguration Establishment  |  |          |   |                |                | 1.49         |              | 1.90         |       |   |   |  |  |   |   |
|         | DS1 DCS Termination with DS0 Switching  |  |          |   |                | 20.81          | 25.69        | 19.77        | 17.15        | 13.79 |   |   |  |  |   |   |
|         | DS1 DCS Termination with DS1 Switching  |  |          |   |                | 10.73          | 18.57        | 12.65        | 12.60        | 9.24  |   |   |  |  |   |   |
|         | DS3 DCS Termination with DS1 Switching  |  |          |   |                | 145.05         | 25.69        | 19.77        | 17.15        | 13.79 |   |   |  |  |   |   |
| Node (  | SynchroNet)   |  | 1        | UNCDX   | UNCNT          | 1              | -            | -            |              |       |   |   |  |  |   | 1   |
| Service | Node per month<br>e Rearrangements  | 1  | 1        | UNCDX   | UNCINT         | 1              |              |              |              |       |   |   |  |  |   |   |
| 36, 410 | NRC - Change in Facility Assignment per circuit Service Rearrangement   | 1  |          | U1TVX, U1TDX,<br>UEA, UDL, U1TUC,<br>U1TUD, U1TUB,<br>ULDVX, ULDDX,<br>UNCVX, UNCDX,<br>UNC1X     | URETD          |                | 100.90       | 42.96        |              |       |   |   |  |  |   |   |
|         | NRC - Change in Facility Assignment per circuit Project   |  |          | U1TVX, U1TDX,<br>UEA, UDL, U1TUC,<br>U1TUD, U1TUB,<br>ULDVX, ULDDX,<br>UNCVX, UNCDX,<br>UNCIX     |                |                |              |              |              |       |   |   |  |  |   |   |
|         |   |  |          | H INIC'1Y   | URETB          |                | 3.68         | 3.68         |              |       | 1   |   |  | 1  | I   | 1   |
|         | Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport             | +  | <u> </u> | UNC1X, UNC3X  | OCOSR          |                | 18.87        | 18.87        |              |       |   |   |  |  |   |   |

| IINBIII  | NDI E  | D NETWORK ELEMENTS - Mississippi   |          |          |                              |                |                |        |           |              |            |           |           | Att: 2 Exh: A |  |             |              |
|----------|--------|--|----------|----------|------------------------------|----------------|----------------|--------|-----------|--------------|------------|-----------|-----------|---------------|--|-------------|--------------|
| OI4DOI   | IDEL   |  |          |          |                              |                | 1              |        |           |              |            | Svc Order | Svc Order | Incremental   | Incremental                                      | Incremental | Incremental  |
|          |        |  |          |          |                              |                |                |        |           |              |            | Submitted | Submitted | Charge -      | Charge -   | Charge -    | Charge -     |
|          |        |  |          |          |                              |                |                |        |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc                                       | Manual Svc  | Manual Svc   |
| CATEGO   | DRY    | RATE ELEMENTS  | Interim  | Zone     | BCS                          | usoc           |                |        | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.  | Order vs.   | Order vs.    |
|          |        |  |          |          |                              |                |                |        |           |              |            | per LOIX  | per Lor   | Electronic-   | Electronic-                                      | Electronic- | Electronic-  |
|          |        |  |          |          |                              |                |                |        |           |              |            |           |           | 1st           | Add'I  | Disc 1st    | Disc Add'l   |
|          |        |  |          |          |                              |                |                |        |           |              |            |           |           | 151           | Add I  | DISC 1St    | DISC AUU I   |
|          |        |  | 1        |          |                              |                |                | Nonrec | urring    | Nonrecurring | Disconnect |           |           | oss           | Rates(\$)  |             |              |
|          |        |  | 1        |          |                              |                | Rec            | First  | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN  | SOMAN       | SOMAN        |
|          |        |  | 1        |          | UNCVX, UNCDX,                |                |                |        | 71441     |              | 71441      | 0020      | 00        | 00.12.11      |  | 00          | 00           |
|          |        |  |          |          | UNC1X, UNC3X,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | UNCSX, U1TD1,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | U1TD3, U1TS1,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | UE3, UDLSX,                  |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | U1TVX, U1TDX,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | U1TUB, ULDVX,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        |  |          |          | ULDD1, ULDD3,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        | Commingling Authorization  |          |          | ULDS1                        | CMGAU          | 0.00           | 0.00   | 0.00      | 0.00         | 0.00       |           |           |               |  |             |              |
|          | Commi  | ngled (UNE part of single bandwidth circuit)   | •        |          |                              | 10             |                |        |           |              |            |           |           |               |  |             |              |
|          |        | Commingled VG COCI   |          |          | XDV2X, NTCVG                 | 1D1VG          | 0.5737         | 6.62   | 4.74      |              |            |           |           |               |  |             |              |
|          |        | Commingled Digital COCI  | 1        |          | XDV6X, NTCUD                 | 1D1DD          | 1.22           | 6.62   | 4.74      |              |            |           |           |               |  |             | İ            |
|          |        | Commingled ISDN COCI   | 1        |          | XDD4X                        | UC1CA          | 2.62           | 6.62   | 4.74      |              |            |           |           |               |  |             |              |
|          |        | Commingled 2-wire VG Interoffice Channel   | 1        |          | XDV2X                        | U1TV2          | 22.52          | 40.77  | 27.57     | 17.26        | 7.11       |           |           |               |  |             |              |
|          |        | Commingled 4-wire VG Interoffice Channel   | 1        |          | XDV6X                        | U1TV4          | 19.79          | 40.77  | 27.57     | 17.26        | 7.11       |           |           |               |  |             | İ            |
|          |        | Commingled 56kbps Interoffice Channel  |          |          | XDD4X                        | U1TD5          | 15.68          | 40.77  | 27.57     | 17.26        | 7.11       |           |           |               |  |             | Ì            |
|          |        | Commingled 64kbps Interoffice Channel  |          |          | XDD4X                        | U1TD6          | 15.68          | 40.77  | 27.57     | 17.26        | 7.11       |           |           |               |  |             |              |
|          |        |  |          |          | XDV2X, XDV6X,                |                |                |        |           |              |            |           |           |               |  |             |              |
|          |        | Commingled VG/DS0 Interoffice Channel Mileage  | 1        |          | XDD4X                        | 1L5XX          | 0.0088         |        |           | 1            |            |           |           |               | İ  |             | 1            |
|          |        | Commingled 2-wire Local Loop Zone 1  |          | 1        | XDV2X                        | UEAL2          | 13.89          | 105.96 | 68.28     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled 2-wire Local Loop Zone 2  |          | 2        | XDV2X                        | UEAL2          | 18.75          | 105.96 | 68.28     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled 2-wire Local Loop Zone 3  |          | 3        | XDV2X                        | UEAL2          | 27.55          | 105.96 | 68.28     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled 2-wire Local Loop Zone 4  |          | 4        | XDV2X                        | UEAL2          | 45.72          | 105.96 | 68.28     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled 4-wire Local Loop Zone 1  |          | 1        | XDV6X                        | UEAL4          | 27.47          | 132.27 | 94.59     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 4-wire Local Loop Zone 2  |          | 2        | XDV6X                        | UEAL4          | 38.26          | 132.27 | 94.59     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 4-wire Local Loop Zone 3  |          | 3        | XDV6X                        | UEAL4          | 50.03          | 132.27 | 94.59     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 4-wire Local Loop Zone 4  |          | 4        | XDV6X                        | UEAL4          | 50.03          | 132.27 | 94.59     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 56kbps Local Loop Zone 1  |          | 1        | XDD4X                        | UDL56          | 27.44          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 56kbps Local Loop Zone 2  |          | 2        | XDD4X                        | UDL56          | 34.55          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 56kbps Local Loop Zone 3  |          | 3        | XDD4X                        | UDL56          | 40.76          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 56kbps Local Loop Zone 4  |          | 4        | XDD4X                        | UDL56          | 32.25          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 64kbps Local Loop Zone 1  |          | 1        | XDD4X                        | UDL64          | 27.44          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 64kbps Local Loop Zone 2  |          | 2        | XDD4X                        | UDL64          | 34.55          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 64kbps Local Loop Zone 3  |          | 3        | XDD4X                        | UDL64          | 40.76          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled 64kbps Local Loop Zone 4  |          | 4        | XDD4X                        | UDL64          | 32.25          | 126.53 | 88.85     | 60.68        | 14.64      |           |           |               |  |             |              |
|          |        | Commingled ISDN Local Loop Zone 1  |          | 1        | XDD4X                        | U1L2X          | 21.01          | 117.61 | 79.92     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled ISDN Local Loop Zone 2  |          | 2        | XDD4X                        | U1L2X          | 27.59          | 117.61 | 79.92     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled ISDN Local Loop Zone 3  |          | 3        | XDD4X                        | U1L2X          | 37.34          | 117.61 | 79.92     | 52.82        | 10.37      |           |           |               |  |             |              |
|          |        | Commingled ISDN Local Loop Zone 4  |          | 4        | XDD4X                        | U1L2X          | 59.18          | 117.61 | 79.92     | 52.82        | 10.37      |           |           |               |  |             |              |
| igsquare |        | Commingled DS1 COCI  | 1        |          | XDH1X, NTCD1                 | UC1D1          | 12.96          | 6.62   | 4.74      |              |            |           |           |               |  |             |              |
| $\sqcup$ |        | Commingled DS1 Interoffice Channel   | <u> </u> |          | XDH1X                        | U1TF1          | 57.33          | 89.79  | 82.28     | 16.86        | 14.90      |           |           |               |  |             |              |
|          |        | Commingled DS1 Interoffice Channel Mileage   | 1        |          | XDH1X                        | 1L5XX          | 0.1813         |        |           |              |            |           |           |               |  |             |              |
| $\vdash$ |        | Commingled DS1/DS0 Channel System  | ļ        |          | XDH1X                        | MQ1            | 102.85         | 91.57  | 62.94     | 10.87        | 10.10      |           |           |               |  |             |              |
| $\vdash$ |        | Commingled DS1 Local Loop Zone 1   | 1        | 1        | XDH1X                        | USLXX          | 79.08          | 253.93 | 158.45    | 46.10        | 12.07      |           |           |               |  |             | ļ            |
| $\vdash$ |        | Commingled DS1 Local Loop Zone 2   | 1        | 2        | XDH1X                        | USLXX          | 129.38         | 253.93 | 158.45    | 46.10        | 12.07      |           |           |               |  |             | ļ            |
| $\vdash$ |        | Commingled DS1 Local Loop Zone 3   | 1        | 3        | XDH1X                        | USLXX          | 206.74         | 253.93 | 158.45    | 46.10        | 12.07      |           |           |               | ļ  |             | ļ            |
| $\vdash$ |        | Commingled DS1 Local Loop Zone 4   | 1        | 4        | XDH1X                        | USLXX          | 458.46         | 253.93 | 158.45    | 46.10        | 12.07      |           |           |               | ļ  |             | ļ            |
| $\vdash$ |        | Commingled DS3 Local Loop  | -        | -        | HFQC6                        | UE3PX          | 326.15         | 454.13 | 265.47    | 123.23       | 86.19      |           |           |               |  |             | ļ            |
| $\vdash$ |        | Commingled DS3/STS-1 Local Loop Mileage  | 1        |          | HFQC6, HFRST                 | 1L5ND          | 11.20          | ,=     | cc= /-    | 100 5-       | 00 / -     |           |           |               |  |             |              |
| $\vdash$ |        | Commingled STS-1 Local Loop  | -        | -        | HFRST                        | UDLS1          | 338.55         | 454.13 | 265.47    | 123.23       | 86.19      |           |           |               |  |             | ļ            |
| $\vdash$ |        | Commingled DS3/DS1 Channel System  | -        | -        | HFQC6                        | MQ3            | 170.63         | 179.17 | 94.52     | 34.30        | 32.82      |           |           |               |  |             | ļ            |
| $\vdash$ |        | Commingled DS3 Interoffice Channel   | +        | -        | HFQC6                        | U1TF3          | 641.90         | 280.37 | 163.70    | 62.08        | 60.29      |           |           |               | <del>                                     </del> |             | <b> </b>     |
| $\vdash$ |        | Commingled DS3 Interoffice Channel Mileage   | +        |          | HFQC6                        | 1L5XX<br>U1TFS | 4.29<br>644.21 | 280.37 | 163.70    | 62.08        | 60.29      |           |           |               |  |             | -            |
| $\vdash$ |        | Commingled STS-1Interoffice Channel  | 1        |          | HFRST<br>HERST               | 1L5XX          | 644.21<br>4.29 | ∠80.37 | 163.70    | 6∠.08        | 60.29      |           |           |               | <del> </del>                                     |             | <b> </b>     |
| $\vdash$ |        | Commingled STS-1Interoffice Channel Mileage  | 1        |          | HFRST                        | ILOAA          | 4.29           | -      |           | 1            |            |           |           |               | <del> </del>                                     |             | <b> </b>     |
|          |        | Commingled Dark Fiber - Interoffice Transport, Per Four Fiber  |          |          | HEQDL                        | 1L5DF          | 28.27          |        |           |              |            |           |           |               |  |             |              |
| $\vdash$ |        | Strands, Per Route Mile Or Fraction Thereof  Commingled Dark Fiber - Interoffice Transport, Per Four Fiber | 1        |          | IILUDL                       | ILOUF          | 20.27          |        |           | 1            |            |           |           |               | <del> </del>                                     |             | 1            |
|          |        |  | 1        |          | HEQDL                        | UDF14          |                | 642.79 | 138.67    | 326.97       | 203.85     |           |           |               | İ  |             | 1            |
| $\vdash$ |        | Strands, Per Route Mile Or Fraction Thereof  | 1        |          |                              | CMGUN          | 0.00           | 0.00   | 0.00      | 0.00         | 0.00       |           |           |               | <del> </del>                                     |             | <b> </b>     |
| $\vdash$ |        | UNE to Commingled Conversion Tracking  | 1        |          | XDH1X, HFQC6<br>XDH1X, HFQC6 | CMGSP          | 0.00           | 0.00   | 0.00      | 0.00         | 0.00       |           |           |               | <del> </del>                                     |             | <b> </b>     |
| LNP Que  | ry Sa- | SPA to Commingled Conversion Tracking  | 1        |          | ADDIA, HFQUO                 | CIVIGOP        | 0.00           | 0.00   | 0.00      | 0.00         | 0.00       |           |           |               | <del> </del>                                     |             | <del> </del> |
| LINE QUE | y ser  | LNP Charge Per query   | 1        | -        |                              | 1              | 0.0008477      |        |           |              |            |           |           |               | 1  |             | <b> </b>     |
| $\vdash$ |        | LNP Service Establishment Manual   | 1        | -        |                              | 1              | 0.0000477      | 12.59  | 12.59     | 11.58        | 11.58      |           |           |               | 1  |             |              |
|          |        | LIVI GENICE ESTADIISTILIETI MANUAL   |          | <u> </u> |                              | 1              |                | 12.59  | 12.59     | 11.58        | 11.38      | ı         |           |               |  |             | l            |

| UNBUNDL     | ED NETWORK ELEMENTS - Mississippi                                 |         |        |       |       |        |          |           |              |            |       |                       | Att: 2 Exh: A |           |          |          |
|-------------|---|---------|--------|-------|-------|--------|----------|-----------|--------------|------------|-------|-----------------------|---------------|-----------|----------|----------|
| CATEGORY    | RATE ELEMENTS   | Interim | Zone   | BCS   | usoc  |        |          | RATES(\$) |              |            |       | Submitted<br>Manually |               | Charge -  | Charge - | Charge - |
|             |   |         |        |       |       | Rec    | Nonred   | curring   | Nonrecurring | Disconnect |       |                       | oss           | Rates(\$) |          |          |
|             |   |         |        |       |       | Rec    | First    | Add'l     | First        | Add'l      | SOMEC | SOMAN                 | SOMAN         | SOMAN     | SOMAN    | SOMAN    |
|             | LNP Service Provisioning with Point Code Establishment            |         |        |       |       |        | 596.94   | 304.96    | 270.49       | 198.89     |       |                       |               |           |          |          |
| 911 PBX LOC | ATE   |         |        |       |       |        |          |           |              |            |       |                       |               |           |          |          |
| 911 P       | BX LOCATE DATABASE CAPABILITY                                     |         |        |       |       |        |          |           |              |            |       |                       |               |           |          |          |
|             | Service Establishment per CLEC per End User Account               |         |        | 9PBDC | 9PBEU |        | 1,822.00 |           |              |            |       |                       |               |           |          |          |
|             | Changes to TN Range or Customer Profile                           |         |        | 9PBDC | 9PBTN |        | 182.29   |           |              |            |       |                       |               |           |          |          |
|             | Per Telephone Number (Monthly)                                    |         |        | 9PBDC | 9PBMM | 0.07   |          |           |              |            |       |                       |               |           |          |          |
|             | Change Company (Service Provider) ID                              |         |        | 9PBDC | 9PBPC |        | 535.11   |           |              |            |       |                       |               |           |          |          |
|             | PBX Locate Service Support per CLEC (Monthlt)                     |         |        | 9PBDC | 9PBMR | 178.43 |          |           |              |            |       |                       |               |           |          |          |
|             | Service Order Charge  |         |        | 9PBDC | 9PBSC |        | 15.75    |           |              |            |       |                       |               |           |          |          |
| 911 P       | BX LOCATE TRANSPORT COMPONENT                                     |         | •      |       |       | •      | •        |           |              |            |       |                       |               |           |          |          |
| See A       | tt 3  |         | ,      | •     | •     |        |          | •         | •            |            |       |                       |               |           |          |          |
|             |   |         |        |       |       |        |          |           |              |            |       |                       |               |           |          |          |
| Note:       | Rates displaying an "I" in Interim column are interim as a result | nission | order. |       |       |        |          | _         |              |            |       |                       |               |           |          |          |

| UNBUNDL  | ED NETWORK ELEMENTS - South Carolina |         |      |     |      |       |        |           |              |       |           |           | Att: 2 Exh: A |             |             |             |
|----------|--------------------------------------|---------|------|-----|------|-------|--------|-----------|--------------|-------|-----------|-----------|---------------|-------------|-------------|-------------|
|          |                                      |         |      |     |      |       |        |           |              |       | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|          |                                      |         |      |     |      |       |        |           |              |       | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|          |                                      |         |      |     |      |       |        |           |              |       | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY | RATE ELEMENTS                        | Interim | Zone | BCS | USOC |       |        | RATES(\$) |              |       | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|          |                                      |         |      |     |      |       |        |           |              |       |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|          |                                      |         |      |     |      |       |        |           |              |       |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|          |                                      |         |      |     |      |       | N      |           | N            | D'    |           |           | 000           | D-1(ft)     |             |             |
|          |                                      |         |      |     |      | Rec   | Nonred |           | Nonrecurring |       |           |           |               | Rates(\$)   |             |             |
|          |                                      |         |      |     | Rec  | First | Add'l  | First     | Add'l        | SOMEC | SOMAN     | SOMAN     | SOMAN         | SOMAN       | SOMAN       |             |
|          |                                      |         |      |     |      |       |        |           |              |       |           |           |               |             |             |             |
| This     | page left blank intentionally        | •       | •    |     | •    |       | •      | •         |              | •     |           |           |               |             | •           |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 38 of 149]

| UNBUNDLE | D NETWORK ELEMENTS - Tennessee |         |      |     |      |     |              |           |              |            |           |           | Att: 2 Exh: A |             |             |             |
|----------|--------------------------------|---------|------|-----|------|-----|--------------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|          |                                |         |      |     |      |     |              |           |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|          |                                |         |      |     |      |     |              |           |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|          |                                |         |      |     |      |     |              |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY | RATE ELEMENTS                  | Interim | Zone | BCS | USOC |     |              | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|          |                                |         |      |     |      |     |              |           |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|          |                                |         |      |     |      |     |              |           |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|          |                                |         |      |     |      | _   | Nonrecurring |           | Nonrecurring | Disconnect |           |           | oss           | Rates(\$)   |             |             |
|          |                                |         |      |     |      | Rec | First        | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|          |                                |         |      |     |      |     |              |           |              |            |           |           |               |             |             |             |
| This p   | age left blank intentionally   |         |      |     |      |     |              |           |              |            |           |           |               |             |             |             |

| UNBUNDLE       | D NETWORK ELEMENTS - Alabama |        |      |     |      |     |            |            |              |              |           |           | Attachmen   | t: 2 Exh. B |                   |             |
|----------------|------------------------------|--------|------|-----|------|-----|------------|------------|--------------|--------------|-----------|-----------|-------------|-------------|-------------------|-------------|
|                |                              |        |      |     |      |     |            |            |              |              | Svc Order | Svc Order | Incremental | Incremental | Incremental       | Incremental |
|                |                              |        |      |     |      |     |            |            |              |              | Submitted | Submitted | Charge -    | Charge -    | Charge -          | Charge -    |
|                |                              | Interi |      |     |      |     | RATES (\$) |            |              |              |           |           | Manual Svc  | Manual Svc  | <b>Manual Svc</b> | Manual Svc  |
| CATEGORY       | RATE ELEMENTS                | m      | Zone | BCS | USOC |     |            | RATES (\$) |              |              | per LSR   | per LSR   | Order vs.   | Order vs.   | Order vs.         | Order vs.   |
|                |                              | •••    |      |     |      |     |            |            |              |              |           |           | Electronic- | Electronic- | Electronic-       | Electronic- |
|                |                              |        |      |     |      |     |            |            |              |              |           |           | 1st         | Add'l       | Disc 1st          | Disc Add'l  |
|                |                              |        |      |     |      | Boo | Nonre      | curring    | Nonrecurring | g Disconnect |           |           | oss         | Rates (\$)  |                   | l.          |
|                |                              |        |      |     |      | Rec | First      | Add'l      | First        | Add'l        | SOMEC     | SOMAN     | SOMAN       | SOMAN       | SOMAN             | SOMAN       |
|                |                              |        |      |     |      |     |            |            |              |              |           |           |             |             |                   |             |
| This page left | blank intentionally          |        |      |     |      |     |            |            |              |              |           |           |             |             |                   |             |

| UNBUNDLE       | D NETWORK ELEMENTS - Florida |        |      |     |      |     |            |            |              |            |           |           | Attachmen   | t: 2 Exh. B |                   |             |
|----------------|------------------------------|--------|------|-----|------|-----|------------|------------|--------------|------------|-----------|-----------|-------------|-------------|-------------------|-------------|
|                |                              |        |      |     |      |     |            |            |              |            | Svc Order | Svc Order | Incremental | Incremental | Incremental       | Incremental |
|                |                              |        |      |     |      |     |            |            |              |            | Submitted | Submitted | Charge -    | Charge -    | Charge -          | Charge -    |
|                |                              | Interi |      |     |      |     | RATES (\$) |            |              |            |           |           | Manual Svc  | Manual Svc  | <b>Manual Svc</b> | Manual Svc  |
| CATEGORY       | RATE ELEMENTS                | m      | Zone | BCS | USOC |     |            | RATES (\$) |              |            | per LSR   | per LSR   | Order vs.   | Order vs.   | Order vs.         | Order vs.   |
|                |                              |        |      |     |      |     |            |            |              |            |           |           | Electronic- | Electronic- | Electronic-       | Electronic- |
|                |                              |        |      |     |      |     |            |            |              |            |           |           | 1st         | Add'l       | Disc 1st          | Disc Add'l  |
|                |                              |        |      |     |      | Boo | Nonre      | curring    | Nonrecurring | Disconnect |           |           | oss         | Rates (\$)  |                   |             |
|                |                              |        |      |     |      | Rec | First      | Add'l      | First        | Add'l      | SOMEC     | SOMAN     | SOMAN       | SOMAN       | SOMAN             | SOMAN       |
|                |                              |        |      |     |      |     |            |            |              |            |           |           |             |             |                   |             |
| This page left | blank intentionally          |        |      |     |      |     |            |            |              |            |           |           |             |             |                   |             |

| UNBUNDLE         | D NETWORK ELEMENTS - Georgia |        |      |     |      |     |            |         |              |            |           |           | Attachmen   | t: 2 Exh. B |                   |             |
|------------------|------------------------------|--------|------|-----|------|-----|------------|---------|--------------|------------|-----------|-----------|-------------|-------------|-------------------|-------------|
|                  |                              |        |      |     |      |     |            |         |              |            | Svc Order | Svc Order | Incremental | Incremental | Incremental       | Incremental |
|                  |                              |        |      |     |      |     |            |         |              |            | Submitted | Submitted | Charge -    | Charge -    | Charge -          | Charge -    |
|                  |                              | Interi |      |     |      |     | RATES (\$) |         |              |            |           |           | Manual Svc  | Manual Svc  | <b>Manual Svc</b> | Manual Svc  |
| CATEGORY         | RATE ELEMENTS                | m      | Zone | BCS | USOC |     | RATES (\$) |         |              |            |           |           | Order vs.   | Order vs.   | Order vs.         | Order vs.   |
|                  |                              | •••    |      |     |      |     | - (//      |         |              |            |           |           | Electronic- | Electronic- | Electronic-       | Electronic- |
|                  |                              |        |      |     |      |     |            |         |              |            |           |           | 1st         | Add'l       | Disc 1st          | Disc Add'l  |
|                  |                              |        |      |     |      | Poo | Nonre      | curring | Nonrecurring | Disconnect |           |           | oss         | Rates (\$)  |                   |             |
|                  |                              |        |      |     |      | Rec | First      | Add'l   | First        | Add'l      | SOMEC     | SOMAN     | SOMAN       | SOMAN       | SOMAN             | SOMAN       |
|                  |                              |        |      |     |      |     |            |         |              |            |           |           |             |             |                   |             |
| This page left I | blank intentionally          |        |      |     |      |     |            |         |              |            |           |           |             |             |                   |             |

| UNBUND   | LED NETWORK ELEMENTS - Louisiana  |             |          |            |           |        |       |            |              |              |   |           | Attachmen   | t: 2 Exh. B             |          |   |
|----------|---|-------------|----------|------------|-----------|--------|-------|------------|--------------|--------------|---|-----------|-------------|-------------------------|----------|---|
| CATEGOR  |   | Interi<br>m | Zone     | BCS        | usoc      |        |       | RATES (\$) |              |              | Svc Order<br>Submitted<br>Elec<br>per LSR | Submitted | Incremental | Incremental<br>Charge - | Charge - | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic- |
|          |   |             |          |            |           |        |       |            |              |              |   |           | 1st         | Add'l                   | Disc 1st | Disc Add'l  |
|          |   |             |          |            |           | Rec    | Nonre | curring    | Nonrecurrin  | g Disconnect |   | Į         | OSS         | Rates (\$)              |          |   |
|          |   |             |          |            |           | Rec    | First | Add'l      | First        | Add'l        | SOMEC                                     | SOMAN     | SOMAN       | SOMAN                   | SOMAN    | SOMAN   |
|          |   |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | ED EXCHANGE ACCESS LOOP<br>VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMP             | ATIDLE      | LOOP     |            | -         |        |       |            | ļ            |              |   |           |             |                         |          |   |
| Z-V      | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   |             | LOOP     |            |           |        |       |            | 1            |              |   |           |             |                         |          |   |
|          | & facility reservation - Zone 1   |             | 1        | UHL        | UHL2X     | 11.26  |       |            |              |              |   |           |             |                         |          |   |
|          | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   |             |          | 01.12      | UTILLY    | 20     |       |            |              |              |   |           |             |                         |          |   |
|          | & facility reservation - Zone 2   |             | 2        | UHL        | UHL2X     | 13.25  |       |            |              |              |   |           |             |                         |          |   |
|          | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | & facility reservation - Zone 3   |             | 3        | UHL        | UHL2X     | 14.65  |       |            |              |              |   |           |             |                         |          |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1   |             | 1        | UHL        | UHL2W     | 11.26  |       |            |              |              |   |           |             |                         |          |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry                                     |             | -        | OTIL       | UTILZVV   | 11.20  |       |            |              |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 2   |             | 2        | UHL        | UHL2W     | 13.25  |       |            |              |              |   |           |             |                         |          |   |
|          | 2 Wire Unbundled HDSL Loop without manual service inquiry                                     |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 3   |             | 3        | UHL        | UHL2W     | 14.65  |       |            |              |              |   |           |             |                         |          |   |
| 4-V      | VIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA                                       | ATIBLE I    | LOOP     |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | 4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1 |             | 1        | UHL        | UHL4X     | 18.68  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire Unbundled HDSL Loop including manual service inquiry                                   |             | -        | OTIL       | UTIL4X    | 10.00  |       |            |              |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 2   |             | 2        | UHL        | UHL4X     | 19.15  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire Unbundled HDSL Loop including manual service inquiry                                   |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 3   |             | 3        | UHL        | UHL4X     | 19.94  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry                                     |             | ١.       |            |           | 40.00  |       |            |              |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 1   | ļ           | 1        | UHL        | UHL4W     | 18.68  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   |             | 2        | UHL        | UHL4W     | 19.15  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire Unbundled HDSL Loop without manual service inquiry                                     |             |          | OTIL       | OTILAVV   | 13.13  |       |            | 1            |              |   |           |             |                         |          |   |
|          | and facility reservation - Zone 3   |             | 3        | UHL        | UHL4W     | 19.94  |       |            |              |              |   |           |             |                         |          |   |
| 4-V      | VIRE DS1 DIGITAL LOOP   |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire DS1 Digital Loop - Zone 1  |             |          | USL        | USLXX     | 98.56  |       |            |              |              |   |           |             |                         |          |   |
|          | 4-Wire DS1 Digital Loop - Zone 2  |             |          | USL        | USLXX     | 224.20 |       |            |              |              |   |           |             |                         |          |   |
| HIGH CAB | 4-Wire DS1 Digital Loop - Zone 3 ACITY UNBUNDLED LOCAL LOOP                                   |             | 3        | USL        | USLXX     | 565.73 |       |            |              |              |   |           |             |                         |          |   |
| HIGH CAP | High Capacity Unbundled Local Loop - DS3 - Per Mile per                                       |             |          |            | -         |        |       |            |              |              |   |           |             |                         |          |   |
|          | month   |             |          | UE3        | 1L5ND     | 11.55  |       |            |              |              |   |           |             |                         |          |   |
|          | High Capacity Unbundled Local Loop - DS3 - Facility   |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | Termination per month   |             |          | UE3        | UE3PX     | 416.69 |       |            |              |              |   |           |             |                         |          |   |
|          | High Capacity Unbundled Local Loop - STS-1 - Per Mile per month                               |             |          | UDLSX      | 1L5ND     | 44.55  |       |            |              |              |   |           |             |                         |          |   |
| -        | High Capacity Unbundled Local Loop - STS-1 - Facility   |             |          | UDLSX      | ILSIND    | 11.55  |       |            | 1            | <b> </b>     |   |           |             |                         |          |   |
|          | Termination per month   |             |          | UDLSX      | UDLS1     | 430.74 |       |            |              |              |   |           |             |                         |          |   |
| UNBUNDLI | ED DEDICATED TRANSPORT  |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
| INT      | EROFFICE CHANNEL - DEDICATED TRANSPORT  |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per                                  |             | 1        |            | 41 => 0 : |        |       |            |              |              |   |           |             |                         |          |   |
|          | month   |             |          | U1TD1      | 1L5XX     | 0.30   |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination                         |             |          | U1TD1      | U1TF1     | 81.04  |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per                                | 1           |          | OTIDI      | 01111     | 01.04  |       |            |              | 1            |   |           |             |                         |          |   |
|          | month   |             |          | U1TD3      | 1L5XX     | 6.95   |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Transport - DS3 - Facility<br>Termination per month           |             |          | U1TD3      | U1TF3     | 978.02 |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month                        |             |          | U1TS1      | 1L5XX     | 6.95   |       |            |              |              |   |           |             |                         |          |   |
|          | Interoffice Channel - Dedicated Transport - STS-1 - Facility                                  |             | 1        |            | LUTES     |        |       |            |              |              |   |           |             |                         |          |   |
| 1161     | Termination BUNDLED DARK FIBER  | 1           | <b>!</b> | U1TS1      | U1TFS     | 954.72 |       |            | <del> </del> | <b>+</b>     |   |           |             |                         |          |   |
| UN       | Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per                               | 1           | 1        |            |           |        |       |            |              | <b>†</b>     |   |           |             |                         |          |   |
|          | Route Mile Or Fraction Thereof  |             | 1        | UDF, UDFCX | 1L5DF     | 29.07  |       |            |              |              |   |           |             |                         |          | 1   |
| ENHANCE  | D EXTENDED LINK (EELs)  |             |          |            |           |        |       |            |              |              |   |           |             |                         |          |   |

| UNBL | INDLE | D NETWORK ELEMENTS - Louisiana                                   |         |       |               |       |                 |               |                 |              |               |           |           | Attachmen   | t: 2 Exh. B |             |             |
|------|-------|--|---------|-------|---------------|-------|-----------------|---------------|-----------------|--------------|---------------|-----------|-----------|-------------|-------------|-------------|-------------|
|      |       |  |         |       |               |       |                 |               |                 |              |               | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
|      |       |  |         |       |               |       |                 |               |                 |              |               |           | Submitted |             | Charge -    | Charge -    | Charge -    |
|      |       |  | l       |       |               |       |                 |               |                 |              |               | Elec      |           |             |             |             | Manual Svc  |
| CATE | ORY   | RATE ELEMENTS  | Interi  | Zone  | BCS           | USOC  |                 |               | RATES (\$)      |              |               | per LSR   |           | Order vs.   | Order vs.   | Order vs.   | Order vs.   |
|      |       |  | m       |       |               |       |                 |               | - (17           |              |               | per LSK   | per LON   | Electronic- | Electronic- |             | Electronic- |
|      |       |  |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       |  |         |       |               |       |                 |               |                 |              |               |           |           | 1st         | Add'l       | Disc 1st    | Disc Add'l  |
|      |       |  |         |       |               |       | Rec             |               | curring         | Nonrecurrin  | g Disconnect  |           |           |             | Rates (\$)  | •           |             |
|      |       |  |         |       |               |       |                 | First         | Add'l           | First        | Add'l         | SOMEC     | SOMAN     | SOMAN       | SOMAN       | SOMAN       | SOMAN       |
|      |       | The monthly recurring and non-recurring charges below will       |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | The monthly recurring and the Switch-As-Is Charge and not t      |         |       |               |       | UNE combination | ons provision | ed as ' Current | ly Combined' | Network Eleme | nts.      |           |             |             |             |             |
|      | EXTEN | IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT               | ED DS1  | INTER |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | 4-Wire DS1 Digital Loop in Combination - Zone 1                  |         | 1     | UNC1X         | USLXX | 98.56           |               |                 |              |               |           |           |             |             |             |             |
|      |       | 4-Wire DS1 Digital Loop in Combination - Zone 2                  |         | 2     | UNC1X         | USLXX | 224.20          |               |                 |              |               |           |           |             |             |             |             |
|      |       | 4-Wire DS1 Digital Loop in Combination - Zone 3                  |         | 3     | UNC1X         | USLXX | 565.73          |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - DS1 combination - Per Mile   |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | per month  |         |       | UNC1X         | 1L5XX | 0.30            |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - DS1 combination - Facility   |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | Termination per month  |         |       | UNC1X         | U1TF1 | 81.04           |               |                 |              |               |           |           |             |             |             |             |
|      | EXTEN | IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3                | INTERC  | FFICE | TRANSPORT     |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | DS3 Local Loop in combination - per mile per month               |         |       | UNC3X         | 1L5ND | 11.55           |               |                 |              |               |           |           |             |             |             |             |
|      |       |  |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | DS3 Local Loop in combination - Facility Termination per month   |         |       | UNC3X         | UE3PX | 416.69          |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - DS3 - Per Mile per month     |         |       | UNC3X         | 1L5XX | 6.95            |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - DS3 combination - Facility   |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             | İ           |
|      |       | Termination per month  |         |       | UNC3X         | U1TF3 | 978.02          |               |                 |              |               |           |           |             |             |             |             |
|      | EXTEN | DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST                | S-1 INT | EROFF | ICE TRANSPORT |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | STS-1 Local Loop in combination - per mile per month             |         |       | UNCSX         | 1L5ND | 11.55           |               |                 |              |               |           |           |             |             |             |             |
|      |       | STS-1 Local Loop in combination - Facility Termination per       |         | 1     |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | month  | l       |       | UNCSX         | UDLS1 | 430.74          |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - STS-1 combination - per mile |         |       |               |       |                 |               |                 |              |               |           |           |             |             |             |             |
|      |       | per month  | l       |       | UNCSX         | 1L5XX | 6.95            |               |                 |              |               |           |           |             |             |             |             |
|      |       | Interoffice Transport - Dedicated - STS-1 combination - Facility |         | i –   | -             |       |                 |               |                 |              |               |           |           |             |             |             | İ           |
|      |       | Termination per month  | l       |       | UNCSX         | U1TFS | 954.72          |               |                 |              |               |           |           |             |             |             |             |
|      | L     | romandor por mona.   | L       |       | 0.100/1       | 0     | 304.7Z          |               | L               | L            | ·             | ·         | ·         |             |             | 1           | I           |

| UNBUNDL   | ED NETWORK ELEMENTS - Mississippi   |  |      |       |            |        |       |  |  |              |           |           | Attachmen   | t: 2 Exh. B |             |  |
|---|---|--|------|-------|------------|--------|-------|--|--|--------------|-----------|-----------|-------------|-------------|-------------|--|
| CINDONDE  |   |  |      |       |            |        |       |  |  |              | Svc Order | Svc Order | Incremental |             | Incremental | Incremental                                      |
|   |   |  |      |       |            |        |       |  |  |              | Submitted | Submitted | Charge -    | Charge -    | Charge -    | Charge -   |
|   |   | Intori   |      |       |            |        |       |  |  |              | Elec      |           | Manual Svc  | Manual Svc  |             | Manual Svc                                       |
| CATEGORY  | RATE ELEMENTS   | Interi<br>m                                      | Zone | BCS   | USOC       |        |       | RATES (\$)                                       |  |              | per LSR   | per LSR   | Order vs.   | Order vs.   | Order vs.   | Order vs.  |
|   |   | m  |      |       |            |        |       |  |  |              | <b>,</b>  | F         | Electronic- | Electronic- | Electronic- | Electronic-                                      |
|   |   |  |      |       |            |        |       |  |  |              |           |           | 1st         | Add'l       | Disc 1st    | Disc Add'l                                       |
|   |   |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   |   |  |      |       |            | Rec    | Nonre | curring  | Nonrecurrin                                      | g Disconnect |           |           |             | Rates (\$)  |             |  |
|   |   |  |      |       |            |        |       | Add'l  |  | Add'l        | SOMEC     | SOMAN     | SOMAN       | SOMAN       | SOMAN       | SOMAN  |
| LINDUNDI ED                                       | EXCHANGE ACCESS LOOP  |  |      |       | -          |        |       |  |  |              |           |           |             |             |             |  |
|   | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA   | TIRI F   | OOP  |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   | T T  | 1    |       | -          |        |       |  |  |              |           |           |             |             |             |  |
|   | & facility reservation - Zone 1   |  | 1    | UHL   | UHL2X      | 10.06  |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | & facility reservation - Zone 2   |  | 2    | UHL   | UHL2X      | 10.60  |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | & facility reservation - Zone 3   |  | 3    | UHL   | UHL2X      | 11.35  |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop including manual service inquiry                                   | 1  |      |       |            |        |       | 1  | 1  |              |           | 1         |             |             |             |  |
| $\vdash$  | & facility reservation - Zone 4   | 1  | 4    | UHL   | UHL2X      | 12.03  |       | <del>                                     </del> | <del>                                     </del> | ļ            |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1   | 1  | 1    | UHL   | UHL2W      | 10.06  |       | 1  | 1  |              |           | 1         |             |             |             |  |
| <del>                                      </del> | 2 Wire Unbundled HDSL Loop without manual service inquiry                                     | <del>                                     </del> | -    | OI IL | OI ILZVV   | 10.06  |       | <del>                                     </del> | <del>                                     </del> | <b>†</b>     |           |           |             | -           |             | -  |
|   | and facility reservation - Zone 2   |  | 2    | UHL   | UHL2W      | 10.60  |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop without manual service inquiry                                     |  | _    | 0.12  | 0          | 10.00  |       | İ  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 3   |  | 3    | UHL   | UHL2W      | 11.35  |       |  |  |              |           |           |             |             |             |  |
|   | 2 Wire Unbundled HDSL Loop without manual service inquiry                                     |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 4   |  | 4    | UHL   | UHL2W      | 12.03  |       |  |  |              |           |           |             |             |             |  |
| 4-WIF   | RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA   | TIBLE  | LOOP |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | 4 Wire Unbundled HDSL Loop including manual service inquiry                                   |  |      |       | 111111 437 | 45.05  |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 1   |  | 1    | UHL   | UHL4X      | 15.85  |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 |  | 2    | UHL   | UHL4X      | 15.44  |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire Unbundled HDSL Loop including manual service inquiry                                   |  |      | OTIL  | OTILAX     | 10.44  |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 3   |  | 3    | UHL   | UHL4X      | 17.93  |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire Unbundled HDSL Loop including manual service inquiry                                   |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 4   |  | 4    | UHL   | UHL4X      | 16.63  |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire Unbundled HDSL Loop without manual service inquiry                                     |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 1   |  | 1    | UHL   | UHL4W      | 15.85  |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire Unbundled HDSL Loop without manual service inquiry                                     |  | 2    | UHL   | UHL4W      | 45.44  |       |  |  |              |           |           |             |             |             |  |
| -   | and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop without manual service inquiry  | <u> </u>   |      | UHL   | UHL4VV     | 15.44  |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 3   |  | 3    | UHL   | UHL4W      | 17.93  |       |  |  |              |           |           |             |             |             |  |
| <b>—</b>  | 4-Wire Unbundled HDSL Loop without manual service inquiry                                     |  |      | OTIL  | OFFE       | 17.00  |       |  |  |              |           |           |             |             |             |  |
|   | and facility reservation - Zone 4   | 1  | 4    | UHL   | UHL4W      | 16.63  |       | 1  | 1  |              |           | 1         |             |             |             |  |
| 4-WIF   | RE DS1 DIGITAL LOOP   | <u></u>  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | 4-Wire DS1 Digital Loop - Zone 1  |  | 1    |       | USLXX      | 118.62 | -     |  |  |              |           |           |             |             |             |  |
|   | 4-Wire DS1 Digital Loop - Zone 2  | ļ  | 2    |       | USLXX      | 148.79 |       | ļ  | ļ  |              |           |           |             |             |             |  |
|   | 4-Wire DS1 Digital Loop - Zone 3  | <b> </b>   |      | USL   | USLXX      | 237.75 |       | -  | -  | 1            |           |           |             |             |             |  |
| HIGH CABAC  | 4-Wire DS1 Digital Loop - Zone 4  | <del>                                     </del> | 4    | U9F   | USLXX      | 527.23 |       | <del>                                     </del> | <del>                                     </del> | <b> </b>     |           |           |             |             |             |  |
| HIGH CAPAC  | High Capacity Unbundled Local Loop - DS3 - Per Mile per                                       | 1  |      |       | +          |        |       | <del> </del>                                     | +  | 1            |           | -         |             |             |             |  |
|   | month   | 1  |      | UE3   | 1L5ND      | 12.88  |       | I  | 1  |              |           | 1         |             |             |             |  |
|   | High Capacity Unbundled Local Loop - DS3 - Facility   | 1  |      | -     |            | :=:30  |       | 1  | 1  | Ì            |           |           |             |             |             |  |
|   | Termination per month   | <u> </u>   |      | UE3   | UE3PX      | 375.07 |       | <u> </u>   | <u> </u>   |              | <u></u>   | <u> </u>  |             | <u> </u>    |             | <u></u>  |
|   | High Capacity Unbundled Local Loop - STS-1 - Per Mile per                                     |  |      |       |            |        |       |  |  |              |           |           |             |             |             |  |
|   | month   | <u> </u>   |      | UDLSX | 1L5ND      | 12.88  |       | ļ  |  |              |           |           |             |             |             |  |
|   | High Capacity Unbundled Local Loop - STS-1 - Facility   | 1  |      |       |            |        |       | I  | 1  |              |           | 1         |             |             |             |  |
| LINDUND: 55                                       | Termination per month  DEDICATED TRANSPORT  | 1  |      | UDLSX | UDLS1      | 389.33 |       | <del>                                     </del> | <del>                                     </del> | ļ            |           |           |             |             |             |  |
|   | ROFFICE CHANNEL - DEDICATED TRANSPORT   | <del>                                     </del> |      |       | +          |        |       | <del>                                     </del> | <del>                                     </del> | +            |           | -         |             | 1           |             | 1  |
| list Et   | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per                                  | <del>                                     </del> |      |       | +          |        |       | <del>                                     </del> | <del> </del>                                     | <u> </u>     |           |           |             |             |             | <del>                                     </del> |
|   | month   |  |      | U1TD1 | 1L5XX      | 0.23   |       |  |  |              |           |           |             |             |             |  |
|   | Interoffice Channel - Dedicated Tranport - DS1 - Facility                                     | 1  |      |       |            |        |       |  |  | 1            |           |           |             | 1           |             | 1  |
|   | Termination   | <u> </u>   |      | U1TD1 | U1TF1      | 65.93  |       |  |  |              |           |           |             | <u> </u>    |             | <u> </u>   |
|   | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per                                | 1  |      |       |            |        |       |  |  |              |           | 1         |             |             |             |  |
|   | month   | l  |      | U1TD3 | 1L5XX      | 5.47   |       | l .  | l .  |              | İ         | l         |             |             |             |  |

| HINDHINDI | .ED NETWORK ELEMENTS - Mississippi                               |         |        |                    |               |                  |                |                 |                 |                 |           |              | Attachman   | t: 2 Exh. B |             |              |
|-----------|--|---------|--------|--------------------|---------------|------------------|----------------|-----------------|-----------------|-----------------|-----------|--------------|-------------|-------------|-------------|--------------|
| CINDUIADE | ED NET WORK ELEMENTS - MISSISSIPPI                               |         | 1      | ı                  | 1             | 1                |                |                 |                 |                 | Com Onder | Com Onder    |             |             | lu          | In anomant - |
|           |  |         |        |                    | 1             |                  |                |                 |                 |                 |           |              |             |             | Incremental |              |
|           |  | 1       |        |                    | 1             |                  |                |                 |                 |                 |           | Submitted    |             | Charge -    | Charge -    | Charge -     |
| CATEGORY  | RATE ELEMENTS  | Interi  | 7      | BCS                | usoc          |                  |                | DATES (6)       |                 |                 | Elec      |              |             |             | Manual Svc  |              |
| CATEGORY  | RATE ELEMENTS  | m       | Zone   | ВСЗ                | USUC          |                  |                | RATES (\$)      |                 |                 | per LSR   | per LSR      | Order vs.   | Order vs.   | Order vs.   | Order vs.    |
|           |  |         |        |                    |               |                  |                |                 |                 |                 |           |              | Electronic- | Electronic- | Electronic- | Electronic-  |
|           |  |         |        |                    |               |                  |                |                 |                 |                 |           |              | 1st         | Add'l       | Disc 1st    | Disc Add'l   |
| -         |  | 1       |        |                    | -             |                  | Nonre          | urring          | Nonrecurring    | Disconnect      | -         |              | 088         | Rates (\$)  |             |              |
|           |  |         |        |                    | +             | Rec              | None           | Add'l           | Nomecuming      | Add'l           | SOMEC     | SOMAN        | SOMAN       | SOMAN       | SOMAN       | SOMAN        |
|           | Interoffice Channel - Dedicated Transport - DS3 - Facility       |         |        |                    |               |                  |                | Auu i           |                 | Auu             | SOMEC     | JOWAN        | JOWAN       | JOWAN       | SOWAN       | JOWAN        |
|           | Termination per month  |         |        | U1TD3              | U1TF3         | 738.18           |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per |         |        | 01103              | 01113         | 730.10           |                |                 |                 |                 | 1         |              |             |             |             |              |
|           | month  |         |        | U1TS1              | 1L5XX         | 5.47             |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Channel - Dedicated Transport - STS-1 - Facility     |         |        | 01131              | ILJAX         | 5.47             |                |                 |                 |                 | 1         |              |             |             |             |              |
|           | Termination  |         |        | U1TS1              | U1TFS         | 740.84           |                |                 |                 |                 |           |              |             |             |             |              |
| LIND      | UNDLED DARK FIBER  |         |        | 01131              | 01113         | 740.04           |                |                 |                 |                 |           |              |             |             |             |              |
| UND       | Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per  | 1       | 1      |                    | +             | +                |                |                 | +               |                 | 1         | 1            |             |             |             |              |
|           | Route Mile Or Fraction Thereof                                   |         |        | UDF. UDFCX         | 1L5DF         | 32.51            |                |                 |                 |                 |           |              |             |             |             |              |
| ENHANCED  | EXTENDED LINK (EELs)   |         |        | ODI, ODI CA        | ILJUI         | 32.31            |                |                 | -               |                 | -         |              |             |             |             |              |
|           | E: The monthly recurring and non-recurring charges below will    | annly a | nd the | Switch-Ac-Ic Chara | o will not an | nly for LINE cor | nhinations pro | visioned as ' ( | Ordinarily Comb | ninad' Natworl  | Flomente  |              |             |             |             |              |
|           | E: The monthly recurring and horsecurring charges below win      |         |        |                    |               |                  |                |                 |                 |                 |           |              |             |             |             |              |
| EYT       | ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT              | ED DS1  | INTER  | OFFICE TRANSPO     | T apply loi   | I COMBINAL       | ons provision  | das Curren      | I Combined      | VELWOIK LIEITIE | 1115.     |              |             |             |             |              |
| LATI      | 4-Wire DS1 Digital Loop in Combination - Zone 1                  | LD DOI  |        | UNC1X              | IUSLXX        | 90.94            |                |                 |                 |                 |           |              |             |             |             |              |
|           | 4-Wire DS1 Digital Loop in Combination - Zone 2                  |         |        | UNC1X              | USLXX         | 148.79           |                |                 |                 |                 |           |              |             |             |             |              |
|           | 4-Wire DS1 Digital Loop in Combination - Zone 3                  |         |        | UNC1X              | USLXX         | 237.75           |                |                 |                 |                 |           |              |             |             |             |              |
|           | 4-wire DS1 Digital Loop in Combination - Zone 4                  |         |        | UNC1X              | USLXX         | 527.23           |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Transport - Dedicated - DS1 combination - Per Mile   |         | 7      | ONOTA              | OOLAX         | 321.23           |                |                 |                 |                 |           |              |             |             |             |              |
|           | per month  |         |        | UNC1X              | 1L5XX         | 0.23             |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Transport - Dedicated - DS1 combination - Facility   |         |        |                    |               |                  |                |                 |                 |                 |           |              |             |             |             |              |
|           | Termination per month  |         |        | UNC1X              | U1TF1         | 59.48            |                |                 |                 |                 |           |              |             |             |             |              |
| FXT       | ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3               | INTERC  | FFICE  |                    | 0             | 00.10            |                |                 |                 |                 |           |              |             |             |             |              |
|           | DS3 Local Loop in combination - per mile per month               |         |        | UNC3X              | 1L5ND         | 12.88            |                |                 |                 |                 |           |              |             |             |             |              |
|           |  |         |        |                    |               |                  |                |                 |                 |                 |           |              |             |             |             |              |
|           | DS3 Local Loop in combination - Facility Termination per month   |         |        | UNC3X              | UE3PX         | 375.07           |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Transport - Dedicated - DS3 - Per Mile per month     |         |        | UNC3X              | 1L5XX         | 5.47             |                |                 |                 |                 |           |              |             |             |             |              |
|           | Interoffice Transport - Dedicated - DS3 combination - Facility   | 1       |        | 22071              | . 20, 51      | 3.47             |                |                 | 1               |                 |           | 1            |             |             |             |              |
|           | Termination per month  | 1       |        | UNC3X              | U1TF3         | 738.18           |                |                 |                 |                 |           | 1            |             |             |             |              |
| EXT       | ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST              | S-1 INT | EROFF  |                    |               | . 33.10          |                |                 | <u> </u>        |                 |           |              |             |             |             |              |
|           | STS-1 Local Loop in combination - per mile per month             | T       |        | UNCSX              | 1L5ND         | 12.88            |                |                 |                 |                 |           |              |             |             |             |              |
|           | STS-1 Local Loop in combination - Facility Termination per       | 1       |        | 220,1              | 1.201.12      | .2.00            |                |                 | 1               |                 |           | 1            |             |             |             |              |
|           | month  | 1       |        | UNCSX              | UDLS1         | 389.33           |                |                 |                 |                 |           | 1            |             |             |             |              |
|           | Interoffice Transport - Dedicated - STS-1 combination - per mile |         |        | 0.100/1            | 02201         | 000.00           |                |                 |                 |                 | <b></b>   |              |             |             |             |              |
|           | per month  | 1       |        | UNCSX              | 1L5XX         | 5.47             |                |                 |                 |                 |           | 1            |             |             |             |              |
|           | Interoffice Transport - Dedicated - STS-1 combination - Facility | 1       |        | 22011              | 1.20,01       | 3.47             |                |                 |                 |                 | <u> </u>  | <del> </del> |             |             |             |              |
|           | Termination per month  |         |        | UNCSX              | U1TFS         | 740.84           |                |                 |                 |                 |           |              |             |             |             |              |
|           | Trommation per month   | 1       | 1      | 011007             | 01110         | 7 70.04          |                |                 |                 |                 | 1         |              |             |             |             |              |

| UNBUNDLE         | D NETWORK ELEMENTS - South Carolina |        |       |       |       |            |       |         |              |            |           |           | Attachmen   | t: 2 Exh. B |                   |             |
|------------------|-------------------------------------|--------|-------|-------|-------|------------|-------|---------|--------------|------------|-----------|-----------|-------------|-------------|-------------------|-------------|
|                  |                                     |        |       |       |       |            |       |         |              |            | Svc Order | Svc Order | Incremental | Incremental | Incremental       | Incremental |
|                  |                                     |        |       |       |       |            |       |         |              |            | Submitted | Submitted | Charge -    | Charge -    | Charge -          | Charge -    |
|                  |                                     | Interi |       |       |       | RATES (\$) |       |         |              |            |           | Manually  | Manual Svc  | Manual Svc  | <b>Manual Svc</b> | Manual Svc  |
| CATEGORY         | RATE ELEMENTS                       | Interi | Zone  | BCS   | USOC  | RATES (\$) |       |         |              |            |           | per LSR   | Order vs.   | Order vs.   | Order vs.         | Order vs.   |
|                  |                                     |        |       |       |       |            |       |         |              |            |           |           | Electronic- | Electronic- | Electronic-       | Electronic- |
|                  |                                     |        |       |       |       |            |       |         |              |            |           |           | 1st         | Add'l       | Disc 1st          | Disc Add'l  |
|                  |                                     |        |       |       |       | Dee        | Nonre | curring | Nonrecurring | Disconnect |           |           | oss         | Rates (\$)  |                   |             |
|                  |                                     | Rec    | First | Add'l | First | Add'l      | SOMEC | SOMAN   | SOMAN        | SOMAN      | SOMAN     | SOMAN     |             |             |                   |             |
|                  |                                     |        |       |       |       |            | •     |         |              |            |           |           |             |             |                   |             |
| This page left I | blank intentionally                 |        |       |       |       |            |       |         |              |            |           |           |             |             |                   |             |

| UNBUNDLE         | D NETWORK ELEMENTS - Tennessee |        |  |     |            |       |              |         |              |            |           |           | Attachmen   | t: 2 Exh. B |             |             |
|------------------|--------------------------------|--------|--|-----|------------|-------|--------------|---------|--------------|------------|-----------|-----------|-------------|-------------|-------------|-------------|
|                  |                                |        |  |     |            |       |              |         |              |            | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
|                  |                                |        |  |     |            |       |              |         |              |            | Submitted | Submitted | Charge -    | Charge -    | Charge -    | Charge -    |
|                  |                                | Interi |  | BCS |            |       |              |         |              |            | Elec      | Manually  | Manual Svc  | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY         | RATE ELEMENTS                  | USOC   |  |     | RATES (\$) |       |              | per LSR | per LSR      | Order vs.  | Order vs. | Order vs. | Order vs.   |             |             |             |
|                  |                                |        |  |     |            |       | o(v)         |         |              |            |           |           | Electronic- | Electronic- | Electronic- | Electronic- |
|                  |                                |        |  |     |            |       |              |         |              |            |           |           | 1st         | Add'l       | Disc 1st    | Disc Add'l  |
|                  |                                |        |  |     |            | Rec   | Nonrecurring |         | Nonrecurring | Disconnect |           |           | oss         | Rates (\$)  |             |             |
|                  |                                |        |  | Rec | First      | Add'l | First        | Add'l   | SOMEC        | SOMAN      | SOMAN     | SOMAN     | SOMAN       | SOMAN       |             |             |
|                  |                                |        |  |     |            |       |              |         |              |            |           |           |             |             |             |             |
| This page left I | blank intentionally            |        |  |     |            |       |              |         |              |            |           |           |             |             |             |             |

| LOCA    | L INTE     | RCONNECTION - Alabama |         |      |     |      |     |                |                  |                       |                     |       |           | Att: 3 Exh: A |           |   |          |
|---------|------------|-----------------------|---------|------|-----|------|-----|----------------|------------------|-----------------------|---------------------|-------|-----------|---------------|-----------|---|----------|
| CATEG   | ORY        | RATE ELEMENTS         | Interim | Zone | BCS | USOC |     |                | RATES(\$)        |                       |                     |       | Submitted | Charge -      | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|         |            |                       |         |      |     |      | Rec | Nonre<br>First | curring<br>Add'l | Nonrecurring<br>First | Disconnect<br>Add'l | SOMEC | SOMAN     | OSS<br>SOMAN  | Rates(\$) | SOMAN   | SOMAN    |
|         |            |                       |         |      |     |      |     | 11130          | Auu              | 1 11 31               | Addi                | COMEC | COMPAR    | COMPAR        | COMPAR    | COMPAR  | COMPAR   |
| This pa | ge left bl | ank intentionally     |         |      |     |      |     |                |                  |                       |                     |       |           |               |           |   |          |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 49 of 149]

| LOCAL INT        | ERCONNECTION - Florida |  |      |     |      |           |       |           |       |         |                        |                          | Att: 3 Exh: A            |                          |                          |                         |
|------------------|------------------------|--|------|-----|------|-----------|-------|-----------|-------|---------|------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|
|                  |                        |  |      |     |      |           |       |           |       |         | Svc Order<br>Submitted |                          |                          | Incremental<br>Charge -  | Incremental<br>Charge -  | Incremental<br>Charge - |
| CATEGORY         | RATE ELEMENTS          | Interim                                  | Zono | BCS | USOC |           |       | RATES(\$) |       |         | Elec                   | Manually                 | Manual Svc               | Manual Svc               | Manual Svc               | Manual Svc              |
| CATEGORT         | RATE ELEMENTS          | interim                                  | Zone | всэ | 0300 | KATES(\$) |       |           |       | per LSR | per LSR                | Order vs.<br>Electronic- | Order vs.<br>Electronic- | Order vs.<br>Electronic- | Order vs.<br>Electronic- |                         |
|                  |                        |  |      |     |      |           |       |           |       |         |                        |                          | 1st                      | Add'l                    | Disc 1st                 | Disc Add'l              |
|                  |                        | Rec Nonrecurring Nonrecurring Disconnect |      |     |      |           |       |           |       |         |                        |                          | oss                      | Rates(\$)                |                          |                         |
|                  |                        |  |      |     |      | Rec       | First | Add'l     | First | Add'l   | SOMEC                  | SOMAN                    | SOMAN                    | SOMAN                    | SOMAN                    | SOMAN                   |
|                  |                        |  |      |     |      |           |       |           |       |         |                        |                          |                          |                          |                          |                         |
| This page left b | lank intentionally     |  |      |     |      |           |       |           |       |         |                        |                          |                          |                          |                          |                         |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 50 of 149]

| LOCAL INT        | ERCONNECTION - Georgia |         |      |     |      |     |        |           |              |            |           |           | Att: 3 Exh: A |             |             |             |
|------------------|------------------------|---------|------|-----|------|-----|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
|                  |                        |         |      |     |      |     |        |           |              |            | Svc Order | Svc Order | Incremental   | Incremental | Incremental | Incremental |
|                  |                        |         |      |     |      |     |        |           |              |            | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|                  |                        |         |      |     |      |     |        |           |              |            | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svc  |
| CATEGORY         | RATE ELEMENTS          | Interim | Zone | BCS | USOC |     |        | RATES(\$) |              |            | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|                  |                        |         |      |     |      |     |        |           |              |            |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|                  |                        |         |      |     |      |     |        |           |              |            |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|                  |                        |         |      |     |      |     |        |           |              | <b>.</b>   |           |           |               | D ( (A)     |             | l           |
|                  |                        |         |      |     |      | Rec | Nonred | urring    | Nonrecurring | Disconnect |           |           | OSS           | Rates(\$)   |             |             |
|                  |                        |         |      |     |      | Rec | First  | Add'l     | First        | Add'l      | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
|                  |                        |         |      |     | -    |     |        |           |              |            | 1         |           |               |             |             |             |
| This page left b | plank intentionally    |         |      |     |      |     |        |           |              |            |           |           |               |             |             |             |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 51 of 149]

| LOCAL    | L INTE  | ERCONNECTION - Louisiana  |             |           |                           |                   |  |                 |              |  |            |   |       | Att: 3 Exh: A  |  |   |  |
|----------|---------|---|-------------|-----------|---------------------------|-------------------|--|-----------------|--------------|--|------------|---|-------|--|--|---|--|
| ATEG     |         | RATE ELEMENTS   | Interim     | Zone      | BCS                       | usoc              |  |                 | RATES(\$)    |  |            | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -   |
| - 1      |         |   |             |           |                           |                   |  | Nonred          | urring       | Nonrecurring                                     | Disconnect |   |       | oss  | Rates(\$)  |   |  |
|          |         |   |             |           |                           |                   | Rec                                    | First           | Add'l        | First  | Add'l      | SOMEC                                     | SOMAN | SOMAN  | SOMAN  | SOMAN   | SOMAN  |
| I OCAL I | INITED  | CONNECTION (CALL TRANSPORT AND TERMINATION)   |             |           |                           |                   | -                                      |                 |              |  |            |   |       |  |  |   | <del>                                     </del> |
|          |         | "bk" beside a rate indicates that the Parties have agreed to bill a   | and keer    | o for th  | l<br>at element nursuant: | to the terms a    | nd conditions in                       | Attachment 3    |              |  |            |   |       |  | l  |   | <u> </u>   |
|          |         | M SWITCHING   |             | J . G. L. | at olollolle paroualle    | 10 1110 1011110 0 | ina comaniono in                       | 7               |              |  |            |   |       |  |  |   | -  |
|          |         | Tandem Switching Function Per MOU   |             |           |                           |                   | 0.0005507bk                            |                 |              |  |            |   |       |  |  |   |  |
|          |         | Multiple Tandem Switching, per MOU (applies to intial tandem only)  |             |           |                           |                   | 0.0005507                              |                 |              |  |            |   |       |  |  |   |  |
|          |         | Tandem Intermediary Charge, per MOU*  |             |           |                           |                   | 0.0000007                              |                 |              |  |            |   |       |  |  |   |  |
|          |         | Tandem Intermediary Charge, per MOU* (E:6/30/2010)  |             |           |                           |                   | 0.0025                                 |                 |              |  |            |   |       |  |  |   |  |
| ,        |         | harge is applicable only to transit traffic and is applied in additio   | n to app    | licable   | switching and/or int      | erconnection      | charges.                               |                 |              |  |            |   |       |  |  |   |  |
|          | TRUNK   | CHARGE  |             |           | loup                      | ITDD01/           |  | 24.24           | 0.15         |  |            |   |       |  | 1  | 1   |  |
|          |         | Installation Trunk Side Service - per DS0   |             | -         | OHD<br>OHD                | TPP6X<br>TPP9X    | -                                      | 21.64<br>21.64  | 8.15<br>8.15 |  |            |   |       |  |  |   |  |
|          |         | Installation Trunk Side Service - per DS0 Dedicated End Office Trunk Port Service-per DS0**                       |             |           | OHD                       | TDEOP             | 0.00                                   | 21.04           | 0.15         | 1  |            |   |       |  |  |   |  |
|          |         | Dedicated End Office Trunk Port Service-per DS1**   |             |           | OH1 OH1MS                 | TDE1P             | 0.00                                   |                 |              |  |            |   |       |  |  |   |  |
|          |         | Dedicated Tandem Trunk Port Service-per DS0**   |             |           | OHD                       | TDWOP             | 0.00                                   |                 |              |  |            |   |       |  |  |   |  |
|          |         | Dedicated Tandem Trunk Port Service-per DS1**   |             |           | OH1 OH1MS                 | TDW1P             | 0.00                                   |                 |              |  |            |   |       |  |  |   |  |
| ,        |         | rate element is recovered on a per MOU basis and is included in   | the End     | Office    | Switching and Tand        | dem Switchin      | g, per MOU rate                        | elements        |              |  |            |   |       |  |  |   |  |
|          | COMMO   | ON TRANSPORT (Shared)   |             |           | 1                         | 1                 |  |                 |              |  |            |   |       |  |  | 1   | т  |
|          |         | Common Transport - Per Mile, Per MOU  |             |           |                           | -                 | 0.0000032bk<br>0.0003748bk             |                 |              | -  |            |   |       |  |  |   |  |
| I OCAL I | INTED   | Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)                                |             |           |                           | 1                 | U.UUU3746DK                            |                 |              |  |            | 1   |       |  |  |   | -  |
|          |         | OFFICE CHANNEL - DEDICATED TRANSPORT  |             |           |                           | 1                 | l                                      |                 |              | L  |            |   |       |  | l  |   | <u> </u>   |
|          |         | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -  |             |           |                           |                   |  |                 |              |  |            |   |       |  |  |   |  |
|          |         | Per Mile per month  |             |           | ОНМ                       | 1L5NF             | 0.013                                  |                 |              |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month                   |             |           | ОНМ                       | 1L5NF             | 22.60                                  | 39.36           | 26.62        |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Transport - 56 kbps - per mile per  |             |           | Onivi                     | ILDINF            | 22.60                                  | 39.30           | 20.02        |  |            |   |       |  |  |   | -  |
|          |         | month   |             |           | ОНМ                       | 1L5NK             | 0.013                                  |                 |              |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month                              |             |           | ОНМ                       | 1L5NK             | 15.61                                  | 39.37           | 26.62        |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  |             |           | ОНМ                       | 1L5NK             | 0.013                                  |                 |              |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Transport - 64 kbps - Facility<br>Termination per month                           |             |           | ОНМ                       | 1L5NK             | 15.61                                  | 39.37           | 26.62        |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month  |             |           | OH1, OH1MS                | 1L5NL             | 0.2652                                 |                 |              |  |            |   |       |  |  |   |  |
|          |         | Interoffice Channel - Dedicated Tranport - DS1 - Facility   |             |           | OH1, OH1MS                | 1L5NL             |  | 86.69           | 79.44        |  |            |   |       |  |  |   |  |
|          |         | Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per                              |             |           |                           |                   | 70.47                                  | 00.09           | 79.44        |  |            |   |       |  |  |   |  |
|          |         | month Interoffice Channel - Dedicated Transport - DS3 - Facility  |             |           | OH3, OH3MS                | 1L5NM             | 6.04                                   |                 |              |  |            |   |       |  |  |   | -  |
|          |         | Termination per month   |             |           | OH3, OH3MS                | 1L5NM             | 850.45                                 | 270.69          | 158.05       |  |            |   |       |  |  |   |  |
|          | LOCAL   | CHANNEL - DEDICATED TRANSPORT   |             | 1         | OHM                       | TEFV2             | 18.32                                  | 187.51          | 32.21        |  |            | 1   |       |  |  | 1   |  |
|          |         | Local Channel - Dedicated - 2-Wire Voice Grade per month Local Channel - Dedicated - 4-Wire Voice Grade per month |             |           | OHM                       | TEFV4             | 19.41                                  | 187.94          | 32.63        | <del>                                     </del> |            |   |       |  |  |   | +  |
|          |         | Local Channel - Dedicated - DS1 per month   |             |           | OH1                       | TEFHG             | 39.18                                  | 172.34          | 149.27       |  |            |   |       |  |  |   |  |
|          |         | Local Channel - Dedicated - DS3 Facility Termination per month  |             |           | OH3                       | TEFHJ             | 469.44                                 | 438.46          | 256.30       |  |            |   |       |  |  |   |  |
|          | LOCAL   | INTERCONNECTION MID-SPAN MEET   |             |           | lauria                    | leee              |  |                 |              | , ,  |            |   |       |  | 1  |   |  |
|          |         | Local Channel - Dedicated - DS1 per month   | -           | 1         | OH1MS<br>OH3MS            | TEFHG<br>TEFHJ    | 0.00                                   | 0.00            |              | <del>                                     </del> |            | 1   |       |  |  |   | <del>                                     </del> |
| -        | MUI TIE | Local Channel - Dedicated - DS3 per month   | 1           | 1         | OTONIO                    | ILELUA            | 0.00                                   | 0.00            |              | ı  |            | 1   |       |  | l  | l   |  |
|          |         | Channelization - DS1 to DS0 Channel System  |             |           | OH1, OH1MS                | SATN1             | 105.09                                 | 88.41           | 60.76        | [  |            |   |       |  |  |   |  |
|          |         | DS3 to DS1 Channel System per month   |             | L         | OH3, OH3MS                | SATNS             | 201.48                                 | 172.99          | 91.25        |  |            |   |       |  |  |   |  |
|          |         | DS3 Interface Unit (DS1 COCI) per month   |             |           | OH1, OH1MS                | SATCO             | 11.78                                  | 6.39            | 4.58         |  |            |   |       |  |  |   |  |
|          |         | If no rate is identified in the contract, the rates, terms, and cond  | itions fo   | r the s   | oecific service or fun    | ction will be a   | s set forth in ap                      | plicable BellSo | uth tariff.  |  |            |   |       |  |  |   |  |
| SIGNALI  |         |   | L           |           |                           |                   | اـــــــــــــــــــــــــــــــــــــ |                 |              |  |            |   |       |  |  |   |  |
|          | NOTE:   | 'bk" beside a rate indicates that the parties have agreed to bill at  | nd keep     | for tha   |                           |                   |  | Attachment 3.   |              |  |            |   |       |  |  |   | т  |
|          |         | CCS7 Signaling Termination, Per STP Port  | -           | 1         | UDB                       | PT8SX             | 147.60<br>0.000064                     |                 |              | <del>                                     </del> |            | 1   |       |  |  |   | <del>                                     </del> |
|          |         | CCS7 Signaling Usage, Per TCAP Message CCS7 Signaling Connection, Per DS1 level link (A link)                     |             | <u> </u>  | UDB                       | TPP6A             | 15.77                                  | 34.50           | 34.50        | <del>                                     </del> |            |   |       |  |  |   |  |
|          |         | CCS7 Signaling Connection, Per DS3 level link (A link)  | <del></del> | ├         | LIDB                      | TPP9A             | 15.77                                  | 34.50           | 34.50        | 1  |            | 1   |       |  | l  | 1   | <del></del>                                      |

| LOCAL INT | ERCONNECTION - Louisiana  |         |      |     |       |            |        |           |              |            |       |   | Att: 3 Exh: A |           |   |          |
|-----------|---|---------|------|-----|-------|------------|--------|-----------|--------------|------------|-------|---|---------------|-----------|---|----------|
| CATEGORY  | RATE ELEMENTS   | Interim | Zone | BCS | usoc  |            |        | RATES(\$) |              |            |       | Svc Order<br>Submitted<br>Manually<br>per LSR |               | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|           |   |         |      |     |       | _          | Nonrec | urrina    | Nonrecurring | Disconnect |       |   | oss           | Rates(\$) | ·   |          |
|           |   |         |      |     |       | Rec        | First  | Add'l     | First        | Add'l      | SOMEC | SOMAN   | SOMAN         | SOMAN     | SOMAN   | SOMAN    |
|           | CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)   |         |      | UDB | TPP6B | 15.77      | 34.50  | 34.50     |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)   |         |      | UDB | TPP9B | 15.77      | 34.50  | 34.50     |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Usage, Per ISUP Message  |         |      |     |       | 0.000016bk |        |           |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Usage Surrogate, per link per LATA   |         |      | UDB | STU56 | 732.1bk    |        |           |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Point Code, per Originating Point Code<br>Establishment or Change, per STP affected                                  |         |      | UDB | CCAPO |            | 28.17  | 28.17     |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Point Code, per Destination Point Code<br>Establishment or Change, Per Stp Affected                                  |         |      | UDB | CCAPD |            | 28.17  | 28.17     |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling |         |      | UDB | TPP6X | 15.77      | 34.50  | 34.50     |              |            |       |   |               |           |   |          |
|           | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling |         |      | UDB | TPP9X | 15.77      | 34.50  | 34.50     |              |            |       |   |               |           |   |          |

| LOCAL IN   | ITERCONNECTION - Mississippi  |            |  |  |                |                            |                |                |                |                |   |   | Att: 3 Exh: A  |  |   |   |
|------------|---|------------|--|--|----------------|----------------------------|----------------|----------------|----------------|----------------|---|---|--|--|---|---|
| CATEGORY   | RATE ELEMENTS   | Interim    | Zone   | BCS  | usoc           |                            |                | RATES(\$)      |                |                | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|            |   |            |  |  |                | Rec                        | Nonrec         |                | Nonrecurring   |                |   |   |  | Rates(\$)  |   |   |
|            |   | 1          |  |  |                |                            | First          | Add'l          | First          | Add'l          | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| LOCAL INTE | ERCONNECTION (CALL TRANSPORT AND TERMINATION)   |            |  |  | +              |                            |                |                |                |                |   |   |  |  |   |   |
|            | E: "bk" beside a rate indicates that the Parties have agreed to bill a                              | and keep   | for the  | at element pursuant  | to the terms a | nd conditions in           | Attachment 3.  |                |                |                |   |   |  |  | L.  |   |
| TAN        | DEM SWITCHING   |            |  |  |                |                            |                |                |                |                |   |   |  |  |   |   |
|            | Tandem Switching Function Per MOU   |            | ļ  |  |                | 0.0005379bk                |                |                |                |                |   |   |  |  |   |   |
|            | Multiple Tandem Switching, per MOU (applies to intial tandem only)                                  |            |  |  |                | 0.0005379                  |                |                |                |                |   |   |  |  |   |   |
|            | Tandem Intermediary Charge, per MOU*  |            |  |  | +              | 0.0003379                  |                |                |                |                |   |   |  |  |   | -   |
|            | Tandem Intermediary Charge, per MOU* (E:6/30/2010)  |            |  |  |                | 0.0025                     |                |                |                |                |   |   |  |  |   |   |
|            | is charge is applicable only to transit traffic and is applied in addition                          | n to app   | licable  | switching and/or into  | erconnection   | charges.                   |                |                |                |                |   |   |  |  |   |   |
| TRU        | INK CHARGE  |            |  | 1  |                |                            |                |                |                | 1              |   |   | 1  | 1  |   |   |
|            | Installation Trunk Side Service - per DS0   |            |  | OHD  | TPP6X          |                            | 21.58          | 8.13           |                |                |   |   |  |  |   |   |
|            | Installation Trunk Side Service - per DS0  Dedicated End Office Trunk Port Service-per DS0**        | 1          | <del>                                     </del> | OHD<br>OHD   | TPP9X<br>TDEOP | 0.00                       | 21.58          | 8.13           | 1              |                |   |   |  |  |   | <del>                                     </del>                                |
|            | Dedicated End Office Trunk Port Service-per DS0*  Dedicated End Office Trunk Port Service-per DS1** | 1          | <u> </u>   | OH1 OH1MS  | TDE1P          | 0.00                       | -              |                |                |                |   |   |  |  |   | <u> </u>  |
|            | Dedicated Tandem Trunk Port Service-per DS0**   |            |  | OHD  | TDWOP          | 0.00                       |                |                |                |                |   |   |  |  |   |   |
|            | Dedicated Tandem Trunk Port Service-per DS1**   |            |  | OH1 OH1MS  | TDW1P          | 0.00                       |                |                |                |                |   |   |  |  |   |   |
|            | his rate element is recovered on a per MOU basis and is included in                                 | the End    | d Office   | Switching and Tand   | dem Switchin   | g, per MOU rate            | elements       |                |                |                |   |   |  |  |   |   |
| CON        | MON TRANSPORT (Shared)  |            | 1  | 1  | 1              | 0.00000000                 | 1              |                | 1              |                |   |   |  |  | ı   |   |
|            | Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU             |            |  |  | -              | 0.0000026bk<br>0.0004541bk |                |                |                |                |   |   |  |  |   |   |
| LOCAL INTE | ERCONNECTION (DEDICATED TRANSPORT)  |            |  |  |                | 0.0004341DK                |                |                |                |                |   |   |  |  |   |   |
|            | ROFFICE CHANNEL - DEDICATED TRANSPORT   | 1          | ·  |  |                |                            |                |                |                |                | l   | l   |  |  | 1   |   |
|            | Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -                                    |            |  |  |                |                            |                |                |                |                |   |   |  |  |   |   |
|            | Per Mile per month  |            |  | OHM  | 1L5NF          | 0.0098                     |                |                |                |                |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -                                    |            |  |  |                | 00.50                      | 40 ==          |                | 47.00          |                |   |   |  |  |   |   |
|            | Facility Termination per month  Interoffice Channel - Dedicated Transport - 56 kbps - per mile per  | -          |  | OHM  | 1L5NF          | 22.52                      | 40.77          | 27.57          | 17.26          | 7.11           |   |   |  |  |   | -   |
|            | month   |            |  | ОНМ  | 1L5NK          | 0.0098                     |                |                |                |                |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Transport - 56 kbps - Facility                                      |            |  | 01   | TEGITIT        | 0.0000                     |                |                |                |                |   |   |  |  |   |   |
|            | Termination per month   |            |  | OHM  | 1L5NK          | 15.68                      | 40.78          | 27.57          | 17.26          | 7.11           |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Transport - 64 kbps - per mile per                                  |            |  |  |                |                            |                |                |                |                |   |   |  |  |   |   |
|            | month  Interoffice Channel - Dedicated Transport - 64 kbps - Facility                               | -          |  | ОНМ  | 1L5NK          | 0.0098                     |                |                |                |                |   |   |  |  |   |   |
|            | Termination per month   |            |  | ОНМ  | 1L5NK          | 15.68                      | 40.78          | 27.57          | 17.26          | 7.11           |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Channel - DS1 - Per Mile per  |            |  | OT IIVI  | ILOIVIC        | 10.00                      | 40.70          | 27.07          | 17.20          | 7.11           |   |   |  |  |   |   |
|            | month   |            |  | OH1, OH1MS   | 1L5NL          | 0.201                      |                |                |                |                |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Tranport - DS1 - Facility   |            |  |  |                |                            |                |                |                |                |   |   |  |  |   |   |
|            | Termination per month   |            |  | OH1, OH1MS   | 1L5NL          | 57.33                      | 89.79          | 82.28          | 16.86          | 14.90          |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month                                |            |  | OLIO OLIOMO  | 41.55154       | 4.70                       |                |                |                |                |   |   |  |  |   |   |
|            | Interoffice Channel - Dedicated Transport - DS3 - Facility  |            |  | OH3, OH3MS   | 1L5NM          | 4.76                       |                |                |                |                |   |   |  |  |   |   |
|            | Termination per month   |            |  | OH3, OH3MS   | 1L5NM          | 641.90                     | 280.37         | 163.70         | 62.08          | 60.29          |   |   |  |  |   |   |
| LOC        | AL CHANNEL - DEDICATED TRANSPORT  |            |  |  | ,              |                            |                |                |                |                |   |   |  |  |   |   |
|            | Local Channel - Dedicated - 2-Wire Voice Grade per month  |            |  | OHM  | TEFV2          | 14.91                      | 194.22         | 33.36          | 37.79          | 3.30           |   |   |  |  |   |   |
|            | Local Channel - Dedicated - 4-Wire Voice Grade per month  |            |  | OHM  | TEFV4          | 15.99                      | 194.66         | 33.80          | 38.27          | 3.78           |   |   |  |  |   |   |
|            | Local Channel - Dedicated - DS1 per month   | -          | -  | OH1  | TEFHG          | 36.83                      | 178.50         | 154.61         | 22.89          | 15.74          |   |   |  |  |   |   |
|            | Local Channel - Dedicated - DS3 Facility Termination per month                                      |            | 1  | OH3  | TEFHJ          | 413.87                     | 454.13         | 264.47         | 123.23         | 86.19          | 1   | 1   |  |  |   |   |
| LOC        | AL INTERCONNECTION MID-SPAN MEET  | 1          | l  | 0110   | 1121110        | 410.07                     | 404.10         | 204.47         | 120.20         | 00.13          | I   | I   |  |  | ı   |   |
|            | Local Channel - Dedicated - DS1 per month   |            |  | OH1MS  | TEFHG          | 0.00                       | 0.00           |                |                |                |   |   |  |  |   |   |
|            | Local Channel - Dedicated - DS3 per month   |            |  | OH3MS  | TEFHJ          | 0.00                       | 0.00           |                |                |                |   |   |  |  |   |   |
| MUL        | TIPLEXERS   |            |  |  | 1              |                            |                |                |                |                |   |   |  |  |   |   |
|            | Channelization - DS1 to DS0 Channel System  | 1          | <u> </u>   | OH1, OH1MS   | SATN1          | 102.85                     | 91.57          | 62.94          | 10.87          | 10.10          |   |   |  |  | 1   | <b>├</b>  |
|            | DS3 to DS1 Channel System per month DS3 Interface Unit (DS1 COCI) per month                         | 1          | 1  | OH3, OH3MS<br>OH1, OH1MS   | SATNS<br>SATCO | 170.63<br>12.96            | 179.17<br>6.62 | 94.52<br>4.74  | 34.30          | 32.82          | <b> </b>                                  | <b> </b>                                      |  |  |   | <del></del>   |
| Note       | es: If no rate is identified in the contract, the rates, terms, and cond                            | litions fo |  |  |                |                            |                |                | 1              |                | L   | L   | <u> </u>   | <u> </u>   | L   | L   |
| SIGNALING  |   |            |  | The second secon | 1              |                            |                |                |                |                |   |   |  |  |   |   |
|            | E:"bk" beside a rate indicates that the parties have agreed to bill a                               | nd keep    | for tha  | t element pursuant to  | o the terms ar | nd conditions in           | Attachment 3.  |                |                |                |   |   |  |  |   |   |
|            | CCS7 Signaling Termination, Per STP Port  |            |  | UDB  | PT8SX          | 132.21                     |                |                |                |                |   |   |  |  |   |   |
|            | CCS7 Signaling Usage, Per TCAP Message  |            | <u> </u>   | LIDD   | TDDCA          | 0.0000597                  | 05.71          | 05.71          | 40.50          | 40.50          |   |   |  |  |   |   |
|            | CCS7 Signaling Connection, Per DS1 level link (A link)  | 1          | 1  | UDB<br>UDB   | TPP6A<br>TPP9A | 16.55<br>16.55             | 35.74<br>35.74 | 35.74<br>35.74 | 16.53<br>16.53 | 16.53<br>16.53 | <b> </b>                                  | <b> </b>                                      |  |  | 1   | $\vdash$  |
|            | CCS7 Signaling Connection, Per DS3 level link (A link)  |            | 1  | פטט  | IFF#A          | 10.05                      | 33.74          | ან./4          | 10.53          | 10.53          | l   | l   |  |  | 1   |   |

| LOCAL IN | TERCONNECTION - Mississippi   |         |      |     |       |             |        |           |              |            |       |                        | Att: 3 Exh: A |           |   |          |
|----------|---|---------|------|-----|-------|-------------|--------|-----------|--------------|------------|-------|------------------------|---------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS   | Interim | Zone | BCS | usoc  |             |        | RATES(\$) |              |            |       | Svc Order<br>Submitted | Incremental   | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|          |   |         |      |     |       | Rec         | Nonrec | urring    | Nonrecurring | Disconnect |       |                        | oss           | Rates(\$) |   | -        |
|          |   |         |      |     |       | Rec         | First  | Add'l     | First        | Add'l      | SOMEC | SOMAN                  | SOMAN         | SOMAN     | SOMAN   | SOMAN    |
|          | CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)   |         |      | UDB | TPP6B | 16.55       | 35.74  | 35.74     | 16.53        | 16.53      |       |                        |               |           |   |          |
|          | CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)   |         |      | UDB | TPP9B | 16.55       | 35.74  | 35.74     | 16.53        | 16.53      |       |                        |               |           |   |          |
|          | CCS7 Signaling Usage, Per ISUP Message  |         |      |     |       | 0.0000149bk |        |           |              |            |       |                        |               |           |   |          |
|          | CCS7 Signaling Usage Surrogate, per link per LATA   |         |      | UDB | STU56 | 683.55bk    |        |           |              |            |       |                        |               |           |   |          |
|          | CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected                                     |         |      | UDB | CCAPO |             | 29.18  | 29.18     | 35.78        | 35.78      |       |                        |               |           |   |          |
|          | CCS7 Signaling Point Code, per Destination Point Code<br>Establishment or Change, Per Stp Affected                                  |         |      | UDB | CCAPD |             |        |           |              |            |       |                        |               |           |   |          |
|          | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 6 DS1 level path with bit stream signaling |         |      | UDB | TPP6X | 16.55       | 35.74  | 35.74     | 16.53        | 16.53      |       |                        |               |           |   |          |
|          | CCS7 Signaling Connection, Switched access service, interface groups, transmissiom paths 9 DS3 level path with bit stream signaling |         |      | UDB | TPP9X | 16.55       | 35.74  | 35.74     | 16.53        | 16.53      |       |                        |               |           |   |          |

| LOCAL     | INTE    | RCONNECTION - South Carolina |         |      |     |      |                             |        |           |              |            |  |           | Att: 3 Exh: A   |           |          |                                     |
|-----------|---------|------------------------------|---------|------|-----|------|-----------------------------|--------|-----------|--------------|------------|--|-----------|---|-----------|----------|-------------------------------------|
| CATEGOR   | RΥ      | RATE ELEMENTS                | Interim | Zone | BCS | usoc |                             |        | RATES(\$) |              |            |  | Submitted | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic- | Charge -  | Charge - | Charge -<br>Manual Svc<br>Order vs. |
|           |         |                              |         |      |     |      |                             |        |           |              |            |  |           | 1st   | Add'I     | Disc 1st | Electronic-<br>Disc Add'l           |
|           |         |                              |         |      |     |      | Boo                         | Nonred | urring    | Nonrecurring | Disconnect |  |           | oss   | Rates(\$) |          |                                     |
|           |         |                              |         |      |     |      | Rec First Add'l First Add'l |        |           |              |            |  | SOMAN     | SOMAN   | SOMAN     | SOMAN    | SOMAN                               |
|           |         |                              |         |      |     |      |                             |        |           |              |            |  |           |   |           |          |                                     |
| This page | left bl | ank intentionally            |         |      |     |      |                             |        |           |              |            |  |           |   |           |          |                                     |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 56 of 149]

| LOCAL INT        | ERCONNECTION - Tennessee |         |      |     |      |     |              |           |              |            |   |           | Att: 3 Exh: A |           |                                     |   |
|------------------|--------------------------|---------|------|-----|------|-----|--------------|-----------|--------------|------------|---|-----------|---------------|-----------|-------------------------------------|---|
| CATEGORY         | RATE ELEMENTS            | Interim | Zone | BCS | USOC |     |              | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Submitted | Charge -      | Charge -  | Charge -<br>Manual Svc<br>Order vs. | Incremental Charge - Manual Svc Order vs. Electronic- |
|                  |                          |         |      |     |      |     |              |           |              |            |   |           | 1st           | Add'l     | Disc 1st                            | Disc Add'l  |
|                  |                          |         |      |     |      | Rec | Nonrecurring |           | Nonrecurring | Disconnect |   |           | oss           | Rates(\$) |                                     |   |
|                  |                          |         |      |     |      | Nec | First        | Add'l     | First        | Add'l      | SOMEC                                     | SOMAN     | SOMAN         | SOMAN     | SOMAN                               | SOMAN   |
|                  |                          |         |      |     |      |     |              |           |              |            |   |           |               |           |                                     |   |
| This page left b | plank intentionally      |         |      |     |      |     |              |           |              |            |   |           |               |           |                                     |   |

Version: 2Q07 Std ICA 04/26/07

[CCCS Amendment 57 of 149]

Attachment 4 – Collocation Page 1 Exhibit 2

# **Attachment 4**

**AT&T Collocation** 

# **Table of Contents**

| l.  | Scope of Attachment   | 3         |
|-----|---|-----------|
| 2   | Optional Reports  | 6         |
| 3   | Collocation Options   |           |
| 4   | Occupancy   |           |
| 5   | Use of Collocation Space                                      | 15        |
| 6   | Ordering and Preparation of Collocation Space                 | 23        |
| 7   | Construction and Provisioning                                 | 27        |
| 8   | Rates and Charges   | 34        |
| 9   | Insurance   | 46        |
| 10  | Mechanics Lien  | 48        |
| 11  | Inspections   | 48        |
| 12  | Security and Safety Requirements                              | 48        |
| 13  | Destruction of Collocation Space                              | 51        |
| 14  | Eminent Domain  | 52        |
| 15  | Nonexclusivity  | 52        |
| Env | vironmental & Safety Principles                               | Exhibit A |
| Rat | tes   | Exhibit B |
| Ten | nnessee Regulatory Authority (TRA) Offered Language and Rates | Exhibit C |

Version: 2Q07 Standard ICA

#### AT&T COLLOCATION

### 1. Scope of Attachment

### 1.1 <u>AT&T Premises</u>

- 1.1.1 The rates, terms and conditions contained within this Attachment shall only apply when Neutral Tandem is physically collocated as a sole occupant or as a Host within an AT&T Premises pursuant to this Attachment. AT&T Premises, as defined in this Attachment includes AT&T Central Offices, and Remote Terminals (hereinafter "AT&T Premises"). This Attachment is applicable to AT&T Premises owned or leased by AT&T. Where not specified, the language in this Attachment applies to both Central Office and Remote Site Collocation.
- 1.1.2 Third Party Property. If the AT&T Premises, or the property on which it is located, is leased by AT&T from a third party or otherwise controlled by a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment. Additionally, where AT&T notifies Neutral Tandem that AT&T's agreement with a third party does not grant AT&T the ability to provide access and use rights to others, upon Neutral Tandem's request, AT&T will use commercially reasonable efforts to obtain the owner's consent and to otherwise secure such rights for Neutral Tandem. Neutral Tandem agrees to reimburse AT&T for all costs incurred by AT&T in obtaining such rights for Neutral Tandem. In cases where a third party agreement does not grant AT&T the right to provide access and use rights to others as contemplated by this Attachment and AT&T, is unable to secure such access and use rights for Neutral Tandem, Neutral Tandem shall be responsible for obtaining such permission to access and use such property. AT&T shall cooperate with Neutral Tandem in obtaining such permission.

#### 1.2 Right to Occupy

- 1.2.1 AT&T shall offer to Neutral Tandem collocation on rates, terms and conditions that are just, reasonable, nondiscriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, AT&T will allow Neutral Tandem to occupy a certain area designated by AT&T within an AT&T Premises, or on AT&T property upon which the AT&T Premises is located, of a size which is specified by Neutral Tandem and agreed to by AT&T (hereinafter "Collocation Space"). Except as otherwise specified, any references to Collocation Space shall be for physical collocation. The necessary rates, terms and conditions for a premises as defined by the FCC, other than AT&T Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.2 Neither AT&T nor any of AT&T's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.

Version: 2Q07 Standard ICA

- 1.2.2.1 In all states other than Florida, the size specified by Neutral Tandem may contemplate a request for space sufficient to accommodate Neutral Tandem's growth within a twenty-four (24) month period.
- 1.2.2.2 In the state of Florida, the size specified by Neutral Tandem may contemplate a request for space sufficient to accommodate Neutral Tandem's growth within an eighteen (18) month period.
- 1.3 Space Allocation. AT&T shall assign Neutral Tandem Collocation Space that utilizes existing infrastructure (e.g., heating, ventilation, air conditioning (HVAC), lighting and available power), if such space is available for collocation. Otherwise, AT&T shall attempt to accommodate Neutral Tandem's requested space preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, AT&T shall not materially increase Neutral Tandem's cost or materially delay Neutral Tandem's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service Neutral Tandem wishes to offer, reduce unreasonably the total space available for physical collocation or preclude reasonable physical collocation within the AT&T Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by AT&T or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of the AT&T Premises. AT&T may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

### 1.4 Transfer of Collocation Space

- 1.4.1 Neutral Tandem shall be allowed to transfer Collocation Space to another CLEC under the following conditions: (1) the AT&T Premises is not at or near space exhaustion; (2) the transfer of space shall be contingent upon AT&T's approval, which will not be unreasonably withheld; (3) Neutral Tandem has no unpaid, undisputed collocation charges; and (4) the transfer of the Collocation Space is in conjunction with Neutral Tandem's sale of all or substantially all, of the in-place collocation equipment to the same CLEC.
- 1.4.2 The responsibilities of Neutral Tandem shall include: (1) submitting a letter of authorization to AT&T for the transfer; (2) entering into a transfer agreement with AT&T and the acquiring CLEC; and (3) returning all Security Access Devices to AT&T. The responsibilities of the acquiring CLEC shall include: (1) submitting an application to AT&T for the transfer of the Collocation Space; (2) satisfying all requirements of its interconnection agreement with AT&T; (3) submitting a letter to AT&T for the assumption of services; and (4) entering into a transfer agreement with AT&T and Neutral Tandem.

Version: 2Q07 Standard ICA

- 1.4.3 In conjunction with a transfer of Collocation Space, any services associated with the Collocation Space shall be transferred pursuant to separately negotiated rates, terms and conditions.
- 1.5 Space Reclamation
- 1.5.1 In the event of space exhaust within an AT&T Premises, AT&T may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the AT&T Premises. Neutral Tandem will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.5.2 AT&T may reclaim unused Collocation Space when an AT&T Premises is at, or near, space exhaustion and Neutral Tandem cannot demonstrate that Neutral Tandem will utilize the Collocation Space in the time frames set forth below in Section 1.5.3. In the event of space exhaust or near exhaust within an AT&T Premises, AT&T will provide written notice to Neutral Tandem requesting that Neutral Tandem release non-utilized Collocation Space to AT&T, when one hundred percent (100%) of the Collocation Space in Neutral Tandem's collocation arrangement is not being utilized.
- 1.5.3 Within twenty (20) days of receipt of written notification from AT&T, Neutral Tandem shall either: (1) return the non-utilized Collocation Space to AT&T in which case Neutral Tandem shall be relieved of all obligations for charges associated with that portion of the Collocation Space applicable from the date the Collocation Space is returned to AT&T; or (2) for all states, with the exception of Florida, provide AT&T with information demonstrating that the Collocation Space will be utilized within twenty-four (24) months from the date Neutral Tandem accepted the Collocation Space (Acceptance Date) from AT&T. For Florida, Neutral Tandem shall provide information to AT&T demonstrating that the Collocation Space will be utilized within eighteen (18) months from the Acceptance Date.
- 1.5.4 Disputes concerning AT&T's claim of space exhaust, or near exhaust, or Neutral Tandem's refusal to return requested Collocation Space should be resolved by AT&T and Neutral Tandem pursuant to the dispute resolution language contained in the General Terms and Conditions.
- 1.6 <u>Use of Space.</u> Neutral Tandem may only place in the Collocation Space equipment necessary for interconnection with AT&T's services/facilities or for accessing AT&T's unbundled network elements for the provision of Telecommunications Services, as specifically set forth in this Agreement. The Collocation Space assigned to Neutral Tandem may not be used for any purposes other than as specifically described herein, including, but not limited to office space or a place of reporting for Neutral Tandem's employees or certified suppliers.

Version: 2Q07 Standard ICA

- 1.7 <u>Rates and Charges.</u> Neutral Tandem agrees to pay the rates and charges identified in Exhibit B.
- 1.8 <u>Due Dates.</u> If any due date contained in this Attachment falls on a weekend or a national holiday, then the due date will be the next business day thereafter. For intervals of ten (10) days or less, national holidays will be excluded. For purposes of this Attachment, national holidays include the following: New Year's Day, Martin Luther King, Jr. Day, President's Day (Washington's Birthday), Memorial Day, Independence Day, Labor Day, Columbus Day, Veteran's Day, Thanksgiving Day and Christmas Day.
- 1.9 <u>Compliance.</u> Subject to Section 24 of the General Terms and Conditions of this Agreement, the Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

# 2 Optional Reports

- 2.1 Space Availability Report. Upon request from Neutral Tandem and at Neutral Tandem's expense, AT&T will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular AT&T Premises. This report will include the amount of Collocation Space available at the AT&T Premises requested, the number of collocators present at the AT&T Premises, any modifications in the use of the space since the last report on the AT&T Premises requested and the measures AT&T is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the AT&T Premises for which the Space Availability Report was requested by Neutral Tandem.
- 2.1.1 The request from Neutral Tandem for a Space Availability Report must be in writing and include the AT&T Premises street address, as identified in the LERG, and the CLLI code for the AT&T Premises requested. CLLI code information is located in the NECA Tariff FCC No. 4.
- 2.1.2 AT&T will respond to a request for a Space Availability Report for a particular AT&T Premises within ten (10) days of the receipt of such request.
- AT&T will use commercially reasonable efforts to respond in ten (10) days to a Space Availability Report request when the request includes from two (2) to five (5) AT&T Premises within the same state. The response time for Space Availability Report requests of more than five (5) AT&T Premises, whether the request is for the same state or for two (2) or more states within the AT&T Southeast Region 9-State, shall be negotiated between the Parties.
- 2.2 <u>Remote Terminal Information.</u> Upon request, AT&T will provide Neutral Tandem with the following information concerning AT&T's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which

Version: 2Q07 Standard ICA

remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.

2.2.1 AT&T will provide this information within thirty (30) days of a Neutral Tandem request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in AT&T's systems; and (ii) the information will only be provided for each serving wire center designated by Neutral Tandem, up to a maximum of thirty (30) wire centers per Neutral Tandem request per month per state. AT&T will bill the nonrecurring charge pursuant to the rates in Exhibit B at the time AT&T sends the CD.

# **3** Collocation Options

3.1 Cageless Collocation. AT&T shall allow Neutral Tandem to collocate Neutral Tandem's equipment and facilities without requiring the construction of a cage or similar structure. AT&T shall allow Neutral Tandem to have direct access to Neutral Tandem's equipment and facilities in accordance with Section 5.1.2 below. AT&T shall make cageless collocation available in single bay increments. Except where Neutral Tandem's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), AT&T shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Neutral Tandem must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

## 3.2 Caged Collocation

3.2.1 AT&T will make caged Collocation Space in Central Offices available in fifty (50) square foot increments. At Neutral Tandem's option and expense, Neutral Tandem will arrange with a Supplier certified by AT&T (AT&T Certified Supplier) to construct a collocation arrangement enclosure in accordance with AT&T's specifications for a wire mesh enclosure prior to starting equipment installation. Where local building codes require enclosure specifications more stringent than AT&T's wire mesh enclosure specifications, Neutral Tandem and Neutral Tandem's AT&T Certified Supplier must comply with the more stringent local building code requirements. Neutral Tandem's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. AT&T or AT&T's designated agent or contractor shall provide, at Neutral Tandem's expense, documentation, which may include existing building architectural drawings, enclosure drawings, specifications, etc., necessary for Neutral Tandem's AT&T Certified Supplier to obtain all necessary permits and/or other licenses. Neutral Tandem's AT&T Certified Supplier shall bill Neutral Tandem directly for all work performed for Neutral Tandem. AT&T shall have no liability for, nor responsibility to pay, such charges imposed by Neutral Tandem's AT&T Certified Supplier. Neutral Tandem must provide the

Version: 2Q07 Standard ICA

local AT&T Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, AT&T will not access Neutral Tandem's locked enclosure prior to notifying Neutral Tandem at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to Neutral Tandem's Collocation Space is required. Upon request, AT&T shall construct the enclosure for Neutral Tandem.

3.2.2 In the event Neutral Tandem's AT&T Certified Supplier will construct the collocation arrangement enclosure, AT&T may elect to review Neutral Tandem's plans and specifications, prior to allowing the construction to start, to ensure compliance with AT&T's wire mesh enclosure specifications. AT&T will notify Neutral Tandem of its desire to conduct this review in AT&T's Application Response, as defined herein, to Neutral Tandem's Initial Application. If Neutral Tandem's Initial Application does not indicate its desire to construct its own enclosure and Neutral Tandem subsequently decides to construct its own enclosure prior to AT&T's Application Response, then Neutral Tandem will resubmit its Initial Application, indicating its desire to construct its own enclosure. If Neutral Tandem subsequently decides construct its own enclosure after the bona fide firm order (hereinafter "BFFO") has been accepted by AT&T, Neutral Tandem will submit a Subsequent Application, as defined in Section 6.2 below. If AT&T elects to review Neutral Tandem's plans and specifications, then AT&T will provide notification to Neutral Tandem within ten (10) days after the Initial Application BFFO date or, if a Subsequent Application is submitted as set forth in the preceding sentence, then the Subsequent Application BFFO date. AT&T shall complete its review within fifteen (15) days after AT&T's receipt of Neutral Tandem's plans and specifications. Regardless of whether or not AT&T elects to review Neutral Tandem's plans and specifications, AT&T reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to Neutral Tandem's submitted plans and specifications and/or AT&T's wire mesh enclosure specifications, as applicable. If AT&T decides to inspect the constructed Collocation Space, AT&T will complete its inspection within fifteen (15) days after receipt of Neutral Tandem's written notification that the enclosure has been completed. Within seven (7) days after AT&T has completed its inspection of Neutral Tandem's caged Collocation Space, AT&T shall require Neutral Tandem, at Neutral Tandem's expense, to remove or correct any structure that does not meet Neutral Tandem's plans and specifications or AT&T's wire mesh enclosure specifications, as applicable.

#### 3.3 Shared Caged Collocation

3.3.1 Neutral Tandem may allow other telecommunications carriers to share Neutral Tandem's caged Collocation Space, pursuant to the terms and conditions agreed to by Neutral Tandem (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the AT&T Premises is located within a leased space and AT&T is prohibited by said lease from offering such an option to Neutral Tandem. AT&T shall be notified in writing by Neutral Tandem upon

Version: 2Q07 Standard ICA

the execution of any agreement between the Host and its Guest(s) prior to the submission of an application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by Neutral Tandem that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between AT&T and Neutral Tandem. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Agreement between AT&T and Neutral Tandem.

- 3.3.2 Neutral Tandem, as the Host, shall be the sole interface and responsible Party to AT&T for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. AT&T shall provide Neutral Tandem with a pro-ration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, Neutral Tandem shall be the responsible Party to AT&T for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own Initial Application and Subsequent Applications for equipment placement using the Host's ACNA. A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that AT&T provides its written Application Response to the Guest(s) Bona Fide application.
- 3.3.3 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to AT&T to request the provisioning of interconnecting facilities between AT&T and the Guest(s), the provisioning of services, and/or access to Network Elements. The bill for these interconnecting facilities, services and Network Elements will be charged to the Guest(s) pursuant to the applicable AT&T Tariff or the Guest's Interconnection Agreement with AT&T.
- 3.3.4 Neutral Tandem shall indemnify and hold harmless AT&T from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Neutral Tandem's Guest(s) in the Collocation Space, except to the extent caused by AT&T's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation
- 3.4.1 Subject to technical feasibility and space availability, AT&T will permit an adjacent collocation arrangement (Adjacent Arrangement) on AT&T Premises' property only when space within the requested AT&T Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the AT&T Premises' property. An Adjacent Arrangement shall be constructed or procured by Neutral Tandem or Neutral Tandem's AT&T Certified Supplier and must be in conformance with the

Version: 2Q07 Standard ICA

provisions of AT&T's design and construction specifications. Further, Neutral Tandem shall construct, procure, maintain and operate said Adjacent Arrangement pursuant to all of the applicable rates, terms and conditions set forth in this Attachment.

- 3.4.2 If Neutral Tandem requests Adjacent Collocation, pursuant to the conditions stated in Section 3.4 above, Neutral Tandem must arrange with an AT&T Certified Supplier to construct or procure the Adjacent Arrangement structure in accordance with AT&T's specifications. AT&T will provide the appropriate specifications upon request. Where local building codes require specifications more stringent than AT&T's own specifications, Neutral Tandem and Neutral Tandem's AT&T Certified Supplier shall comply with the more stringent local building code requirements. Neutral Tandem's AT&T Certified Supplier shall be responsible for filing and obtaining any and all necessary zoning, permits and/or licenses for such construction. Neutral Tandem's AT&T Certified Supplier shall bill Neutral Tandem directly for all work performed for Neutral Tandem to comply with this Attachment. AT&T shall have no liability for, nor responsibility to pay such charges imposed by Neutral Tandem's AT&T Certified Supplier. Neutral Tandem must provide the local AT&T contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, AT&T will not access Neutral Tandem's locked enclosure prior to notifying Neutral Tandem at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.3 Neutral Tandem must submit its Adjacent Arrangement construction plans and specifications to AT&T when it places its Firm Order. AT&T shall review Neutral Tandem's plans and specifications prior to the construction of an Adjacent Arrangement to ensure Neutral Tandem's compliance with AT&T's specifications. AT&T shall complete its review within fifteen (15) days after receipt of the plans and specifications from Neutral Tandem for the Adjacent Arrangement. AT&T may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to Neutral Tandem's submitted plans and specifications. If AT&T decides to inspect the completed Adjacent Arrangement, AT&T will complete its inspection within fifteen (15) days after receipt of Neutral Tandem's written notification that the Adjacent Arrangement has been completed. Within seven (7) days after AT&T has completed its inspection of Neutral Tandem's Adjacent Arrangement, AT&T shall require Neutral Tandem, at Neutral Tandem's expense, to remove or correct any structure that does not meet its submitted plans and specifications or AT&T's specifications, as applicable.
- 3.4.4 Neutral Tandem shall provide a concrete pad, the structure housing the Adjacent Arrangement, HVAC, lighting and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the AT&T point of demarcation. At Neutral Tandem's option and where the local authority having jurisdiction

Version: 2Q07 Standard ICA

permits, AT&T shall provide an AC power source and access to physical Collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical Collocation arrangement. In Alabama and Louisiana, at Neutral Tandem's request and expense, AT&T will provide Direct Current (DC) power to an Adjacent Collocation site where technically feasible, as that term has been defined by the FCC, and in accordance with applicable law. AT&T will provide DC power in an Adjacent Arrangement provided that such provisioning can be done in compliance with the National Electric Code (NEC), all safety and building codes and any local codes, such as, but not limited to, local zoning codes, and upon completion of negotiations between the Parties on the applicable rates and provisioning intervals. Neutral Tandem will pay for any and all DC power construction and provisioning costs to an Adjacent Arrangement through individual case basis (ICB) pricing that must be paid as follows: fifty percent (50%) before the DC installation work begins and fifty percent (50%) at completion of the DC installation work to the Adjacent Arrangement. Neutral Tandem's AT&T Certified Supplier shall be responsible, at Neutral Tandem's sole expense, for filing the required documentation to obtain any and all necessary permits and/or licenses for an Adjacent Arrangement. AT&T shall allow Shared Caged Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.

#### 3.5 Direct Connect

- 3.5.1 AT&T will permit Neutral Tandem to directly interconnect between its own physical/virtual Collocation Spaces within the same AT&T Premises (Direct Connect). Neutral Tandem shall contract with an AT&T Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by Neutral Tandem. A Direct Connect shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the actual common cable support structure used by Neutral Tandem to provision the Direct Connect between its physical/virtual Collocation Spaces. In those instances where Neutral Tandem's physical/virtual Collocation Spaces are contiguous in the central office, Neutral Tandem will have the option of using Neutral Tandem's own technicians to deploy the Direct Connect using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. Neutral Tandem will deploy such electrical or optical connections directly between its own equipment without being routed through AT&T's equipment or common cable support structure. Neutral Tandem may not self-provision a Direct Connect on any AT&T distribution frame, Point of Termination (POT) Bay, Digital System Cross-Connect (DSX) panel or Light Guide Cross-Connect (LGX) panel. Neutral Tandem is solely responsible for ensuring the integrity of the signal.
- 3.5.2 To place an order for a Direct Connect, Neutral Tandem must submit an Initial Application or Subsequent Application to AT&T. If no modification to the Collocation Space is requested other than the placement of a Direct Connect, the

Version: 2Q07 Standard ICA

Co-Carrier Cross Connect/Direct Connect Application Fee for Direct Connect, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a Direct Connect, either an Initial Application Fee or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that AT&T provides an Application Response to Neutral Tandem.

### 3.6 Co-Carrier Cross Connect (CCXC)

- 3.6.1 A CCXC is a cross connection between Neutral Tandem and another collocated telecommunications carrier, other than AT&T, in the same AT&T Premises. Where technically feasible, AT&T will permit Neutral Tandem to interconnect between its Collocation Space(s) and the physical/virtual collocation space(s) of another collocated telecommunications carrier(s) within the same AT&T Premises via a CCXC, pursuant to the FCC's Rules. The other collocated telecommunications carrier's agreement must also contain CCXC rates, terms and conditions before AT&T will permit the provisioning of a CCXC between the two (2) collocated carriers. The applicable AT&T charges will be assessed to Neutral Tandem upon Neutral Tandem's request for the CCXC. Neutral Tandem is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.2 Neutral Tandem must contract with an AT&T Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by Neutral Tandem. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. Neutral Tandem shall be responsible for providing a LOA, with the application, to AT&T from the other collocated telecommunications carrier to which it will be cross-connecting. The CCXC shall utilize AT&T common cable support structure. There will be a recurring charge per linear foot, per cable, of the common cable support structure used by Neutral Tandem to provision the CCXC to the other collocated telecommunications carrier. In those instances where Neutral Tandem's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, Neutral Tandem may use its own technicians to install the CCXC using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two (2) contiguous cages. Neutral Tandem shall deploy such electrical or optical cross-connections directly between its own equipment and the equipment of the other collocated telecommunications carrier without being routed through AT&T's equipment or, in the case of a CCXC provisioned between contiguous collocation spaces, common cable support structure. Neutral Tandem shall not provision CCXC on any AT&T distribution frame, POT Bay, DSX panel or LGX panel. Neutral Tandem is solely responsible for ensuring the integrity of the signal.
- 3.6.3 To place an order for a CCXC, Neutral Tandem must submit an application to

Version: 2Q07 Standard ICA

AT&T. If no modification to the Collocation Space is requested other than the placement of a CCXC, the Co-Carrier Cross Connect/Direct Connect Application Fee for a CCXC, as defined in Exhibit B, will apply. If other modifications are requested, in addition to the placement of a CCXC, either an Initial Application or a Subsequent Application Fee will apply, pursuant to Section 6.2 below. AT&T will bill this nonrecurring charge on the date that it provides an Application Response to Neutral Tandem.

# 4 Occupancy

- 4.1 <u>Space Ready Notification.</u> AT&T will notify Neutral Tandem in writing when the Collocation Space is ready for occupancy (Space Ready Date).
- 4.2 Acceptance Walkthrough. Neutral Tandem will schedule and complete an acceptance walkthrough of new or additional provisioned Collocation Space with AT&T within fifteen (15) days after the Space Ready Date. AT&T will correct any identified deviations from Neutral Tandem's original or jointly amended application within seven (7) days after the walkthrough, unless the Parties mutually agree upon a different time frame. AT&T will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) days after the new Space Ready Date. This followup acceptance walkthrough will be limited to only those deviations identified in the initial walkthrough. If Neutral Tandem completes its acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, billing will begin upon the date of Neutral Tandem's acceptance of the Collocation Space (Space Acceptance Date). In the event Neutral Tandem fails to complete an acceptance walkthrough within the fifteen (15) day interval associated with the applicable Space Ready Date, the Collocation Space shall be deemed accepted by Neutral Tandem on the Space Ready Date and billing will commence from that date.
- 4.3 <u>Early Space Acceptance.</u> If Neutral Tandem decides to occupy the Collocation Space prior to the Space Ready Date, the date Neutral Tandem executes the Agreement for Customer Access and Acceptance to Unfinished Collocation Space is the date that will be deemed the Space Acceptance Date and billing will begin from that date.
- 4.4 Equipment Installation. Neutral Tandem shall notify AT&T in writing that its collocation equipment installation is complete. Neutral Tandem's collocation equipment installation is complete when Neutral Tandem's equipment is connected to AT&T's network for the purpose of provisioning Telecommunication Services to Neutral Tandem's customers. AT&T may refuse to accept any orders for cross-connects until it has received such notice from Neutral Tandem.
- 4.5 Termination of Occupancy.
- 4.5.1 In addition to any other provisions addressing termination of occupancy in this

Version: 2Q07 Standard ICA

Agreement, Neutral Tandem may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy for such Collocation Space. Such termination shall be effective upon AT&T's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that Neutral Tandem and AT&T conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that Neutral Tandem signs off on the Space Relinquishment Form and sends this form to AT&T, provided no discrepancies are found during AT&T's subsequent inspection of the terminated space. If the subsequent inspection by AT&T reveals any discrepancies, billing will cease on the date that AT&T and Neutral Tandem jointly conduct an inspection, confirming that Neutral Tandem has corrected all of the noted discrepancies identified by AT&T. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to the services terminating to such Collocation Space. The particular disconnect fees that would apply in each state are contained in Exhibit B.

- 4.5.2 Upon termination of occupancy, Neutral Tandem, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by Neutral Tandem from the Collocation Space. Neutral Tandem shall have thirty (30) days from the Bona Fide Firm Order (BFFO) date (Termination Date) to complete such removal, including the removal of all equipment and facilities of Neutral Tandem's Guest(s), unless Neutral Tandem's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by AT&T to transfer the Collocation Space to the Guest(s) prior to Neutral Tandem's Termination Date.
- 4.5.3 Neutral Tandem shall continue the payment of all monthly recurring charges to AT&T until the date Neutral Tandem, and if applicable Neutral Tandem's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by AT&T. If Neutral Tandem or Neutral Tandem's Guest(s) fails to vacate the Collocation Space within thirty (30) days from the Termination Date, AT&T shall have the right to remove and dispose of the equipment and any other property of Neutral Tandem or Neutral Tandem's Guest(s), in any manner that AT&T deems fit, at Neutral Tandem's expense and with no liability whatsoever for Neutral Tandem's property or Neutral Tandem's Guest(s) property.
- 4.5.4 Upon termination of Neutral Tandem's right to occupy specific Collocation Space, the Collocation Space will revert back to AT&T's central office space inventory. Neutral Tandem shall surrender the Collocation Space to AT&T in the same condition as when it was first occupied by Neutral Tandem, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. Neutral Tandem's AT&T Certified Supplier shall be responsible for updating and making any necessary changes to AT&T's records as required by AT&T specifications including, but not limited to, AT&T's Central Office Record

Version: 2Q07 Standard ICA

Drawings and ERMA Records. Neutral Tandem shall be responsible for the cost of removing any Neutral Tandem constructed enclosure, as well as any supporting structures (e.g., racking, conduits, power cables, etc.), by the Termination Date and restoring the grounds to their original condition.

### 5 Use of Collocation Space

# 5.1 Equipment Type

- 5.1.1 AT&T shall permit the collocation and use of any equipment necessary for interconnection to AT&T's network and/or access to AT&T's unbundled network elements in the provision of Telecommunications Services, as the term "necessary" is defined by FCC 47 C.F.R. § 51.323 (b). The primary purpose and function of any equipment collocated in an AT&T Premises must be for interconnection to AT&T's network or access to AT&T's unbundled network elements in the provision of Telecommunications Services. Equipment is necessary for interconnection if an inability to deploy that equipment would, as a practical, economical, or operational matter, preclude the requesting carrier from obtaining interconnection with AT&T at a level equal in quality to that which AT&T obtains within its own network or what AT&T provides to any affiliate, subsidiary, or other party.
- 5.1.2 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, OSS equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. AT&T will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on an AT&T Premises must not place any greater relative burden on AT&T's property than comparable single-function equipment. AT&T reserves the right to allow the collocation of any equipment on a nondiscriminatory basis.
- 5.1.3 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: for Central Offices Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1 and for Remote Sites Criteria Level 3 requirements as outlined in the Telcordia Special report SR-3580, Issue 1. Except where otherwise required by a Commission, AT&T shall comply with the applicable FCC rules relating to denial of collocation equipment based on Neutral Tandem's failure to comply with this Section.
- 5.1.3.1 To the extent Neutral Tandem wishes to place equipment in its collocation that does not meet the standards set forth in 5.1.3, Neutral Tandem may request in writing, pursuant to the Notices section of the General Terms & Conditions, a waiver to such standards. AT&T may provide a waiver in its sole discretion.

Version: 2Q07 Standard ICA

- At a Remote Site, all Neutral Tandem equipment installation shall comply with AT&T TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.2 <u>Terminations.</u> Neutral Tandem shall not request more DS0, DS1, DS3 and/or optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the Collocation Space. The total capacity of the equipment collocated in the Collocation Space will include equipment contained in an application, as well as any equipment already placed in the Collocation Space. If full network termination capacity of the equipment being installed is not requested in the application submitted by Neutral Tandem, additional network terminations for the installed equipment will require the submission of a Subsequent Application. In the event Neutral Tandem submits an application for terminations that will exceed the total capacity of the collocated equipment, Neutral Tandem will be informed of the discrepancy by AT&T and required to submit a revision to the application.
- Security Interest in Equipment. Commencing with the most current calendar quarter after the Effective Date of this Agreement, and thereafter with respect to each subsequent calendar quarter during the term of this Agreement, Neutral Tandem will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34th Floor, 675 W. Peachtree Street, Atlanta, Georgia 30375, listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or to another entity that has a secured financial interest in such equipment (Secured Equipment). If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.
- No Marketing. Neutral Tandem shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the AT&T Premises.
- 5.5 <u>Equipment Identification.</u> Neutral Tandem shall place a plaque or affix other identification (e.g., stenciling or labeling) to each piece of Neutral Tandem's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for AT&T to properly identify Neutral Tandem's equipment in the case of an emergency. For caged Collocation Space, such identification must be placed on a plaque affixed to the outside of the caged enclosure.

Version: 2Q07 Standard ICA

# 5.6 Entrance Facilities.

- 5.6.1 Neutral Tandem may elect to place Neutral Tandem-owned or Neutral Tandem leased fiber entrance facilities into its Collocation Space. AT&T will designate the point of interconnection in close proximity to the AT&T Premises housing the Collocation Space, such as at an entrance manhole or a cable vault for Central Offices, which is physically accessible by both Parties. For Central Offices, Neutral Tandem will provide and place fiber cable in the entrance manhole of sufficient length to be pulled through conduit and into the splice location. Neutral Tandem will provide and install a sufficient length of fire retardant riser cable, to which AT&T will splice the entrance cable. The fire retardant riser cable will extend from the splice location to Neutral Tandem's equipment in Neutral Tandem's Collocation Space. In the event Neutral Tandem utilizes a nonmetallic, riser-type entrance facility, a splice will not be required. For Remote Terminals Neutral Tandem will provide and place copper cable through conduit from the Remote Site Collocation Space to the feeder distribution interface. Such copper cable must be of sufficient length to reach the splice location for splicing by AT&T. Neutral Tandem must contact AT&T for authorization and instruction prior to placing any entrance facility cable in an entrance manhole or cable vault. Neutral Tandem is responsible for the maintenance of the entrance facilities. Nonrecurring charges for cable installation will be assessed on a per cable basis as set forth in Exhibit B upon receipt of Neutral Tandem's BFFO. Recurring charges for the cable support structure will be billed at the rates set forth in Exhibit B.
- 5.6.2 <u>Central Office Microwave Transmission Facilities.</u> At Neutral Tandem's request, AT&T will accommodate, where technically feasible and space is available, a microwave entrance facility, pursuant to separately negotiated rates, terms and conditions.
- 5.6.3 Central Office Copper and Coaxial Cable Entrance Facilities. In Florida and Georgia, AT&T shall permit Neutral Tandem to use copper or coaxial cable entrance facilities, if approved by the Commission, but only in those rare instances where Neutral Tandem demonstrates a necessity and entrance capacity is not at or near exhaust in a particular AT&T Premises in which Neutral Tandem's Collocation Space is located. In Florida, Neutral Tandem must have approval by the Commission before it submits a request for copper entrance facilities. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point, unless AT&T determines that limited space is available for the placement of these entrance facilities.
- 5.7 <u>Dual Entrance Facilities at a Central Office.</u> AT&T will provide at least two (2) interconnection points at each Central Office where at least two (2) such interconnection points are available and capacity exists. Upon receipt of a request by Neutral Tandem for dual entrance facilities to its physical Collocation Space,

Version: 2Q07 Standard ICA

AT&T shall provide Neutral Tandem with information regarding AT&T's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, AT&T will make the requested conduit space available for the installation of a second entrance facility to Neutral Tandem's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of AT&T. Where dual entrance facilities are not available due to a lack of capacity, AT&T will provide this information to Neutral Tandem in the Application Response.

#### 5.8 Shared Use

- 5.8.1 Neutral Tandem may utilize spare capacity on an existing telecommunications carrier's entrance facility for the purpose of obtaining an entrance facility to Neutral Tandem's Collocation Space within the same AT&T Premises.
- AT&T shall allow the splice, as long as the fiber is non-working dark fiber.

  Neutral Tandem must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing AT&T to perform the splice of the Neutral Tandem-provided riser cable to the spare capacity on the other telecommunications carrier's entrance facility. If Neutral Tandem desires to allow another telecommunications carrier to use its entrance facilities, the telecommunications carrier must arrange with AT&T in accordance with AT&T's Special Construction Procedures, RL93-11-030BT, and provide a LOA from Neutral Tandem authorizing AT&T to perform the splice of the telecommunications carrier's provided riser cable to the spare capacity on Neutral Tandem's entrance facility.

#### 5.9 Demarcation Point

- In Tennessee, if Neutral Tandem elects the Tennessee Regulatory Authority (TRA) rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Demarcation Point, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- AT&T will designate the point(s) of demarcation between Neutral Tandem's equipment and/or network facilities and AT&T's network facilities. For 2-wire and 4-wire connections, the demarcation point shall be a common block on the AT&T designated conventional distribution frame. Neutral Tandem shall be responsible for providing the common block and cabling and Neutral Tandem's AT&T Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 below. For DS1, DS3, STS1, and optical terminations, AT&T shall designate, provide, and install demarcation point hardware on a per arrangement basis. Neutral Tandem shall be responsible for providing, and Neutral Tandem's AT&T Certified Supplier shall be responsible for installing any necessary cabling

Version: 2Q07 Standard ICA

- and properly labeling/stenciling the demarcation point hardware for terminations identified in Section 7 below.
- Neutral Tandem or its agent must install, maintain and operate the equipment/facilities on its side of the demarcation point, pursuant to Section 5.10 below and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.10 Equipment and Facilities. Neutral Tandem, or if required by this Attachment, Neutral Tandem's AT&T Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring and maintenance/repair of the equipment and network facilities used by Neutral Tandem, which must be performed in compliance with all applicable AT&T specifications. Such equipment and network facilities may include, but are not limited to, cable(s), equipment, and POT connections. Neutral Tandem and its designated AT&T Certified Supplier must follow and comply with all AT&T specifications outlined in the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564.

# 5.11 <u>AT&T's Access to Collocation Space</u>

- 5.11.1 From time to time, AT&T may require access to Neutral Tandem's Collocation Space. AT&T retains the right to access Neutral Tandem's Collocation Space for the purpose of making AT&T equipment and building modifications (e.g., installing, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). In such cases, AT&T will give notice to Neutral Tandem at least forty-eight (48) hours before access to Neutral Tandem's Collocation Space is required. Neutral Tandem may elect to be present whenever AT&T performs work in the Neutral Tandem's Collocation Space. The Parties agree that Neutral Tandem will not bear any of the expense associated with this type of work.
- 5.11.2 In the case of an emergency, AT&T will provide oral notice of entry as soon as reasonably practicable after such entry.
- Neutral Tandem must provide the local AT&T Central Office Building Contact with two (2) Access Devices that will allow AT&T entry into any enclosed and locked Collocation Space including, but not limited to, an Adjacent Arrangement, pursuant to the requirements contained in this Section.

## 5.12 <u>Neutral Tandem's Access</u>

5.12.1 Pursuant to Section 12 below, Neutral Tandem shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. Neutral Tandem agrees to provide the name, date of birth and either the social security number or driver's license number of each employee, supplier or agent of Neutral Tandem or Neutral Tandem's Guest(s) with Neutral Tandem's written request for access keys or cards (Access Devices) for specific AT&T Premises, prior to the issuance of said Access Devices, using Form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key

Version: 2Q07 Standard ICA

acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by Neutral Tandem and returned to AT&T Access Management within fifteen (15) days of Neutral Tandem's receipt of these forms. Failure to return these properly acknowledged forms will result in the subsequent access key or card requests being held by AT&T until the proper acknowledgement documents have been received by AT&T and reflect current information. Charges for Security Access System and for Security Access Devices will be billed at the rates set forth in Exhibit B. Access Devices may not be duplicated under any circumstances. Neutral Tandem agrees to be responsible for all Access Devices and for the return of all Access Devices in the possession of Neutral Tandem's employees, suppliers, agents or Guests after termination of the employment relationship, the contractual obligation with Neutral Tandem ends, upon the termination of this Agreement, or upon the termination of occupancy of Collocation Space in a specific AT&T Premises. Neutral Tandem shall pay all applicable charges associated with lost or stolen Access Devices.

- 5.12.2 Neutral Tandem must submit to AT&T the completed Access Control Request Form for all employees, suppliers, agents or Guests requiring access to an AT&T Premises at least thirty (30) days prior to the date Neutral Tandem desires to gain access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Neutral Tandem may submit a request for its one (1) free accompanied site visit to its designated Collocation Space at any time subsequent to AT&T's receipt of the BFFO. In the event Neutral Tandem desires access to its designated Collocation Space after the first accompanied free visit and Neutral Tandem's access request form(s) has not been approved by AT&T or Neutral Tandem has not yet submitted an access request form to AT&T, Neutral Tandem shall be permitted to access the Collocation Space accompanied by an AT&T security escort, at Neutral Tandem's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. Neutral Tandem must request that escorted access be provided by AT&T to Neutral Tandem's designated Collocation Space at least three (3) business days prior to the date such access is desired. An AT&T security escort will be required whenever Neutral Tandem or its approved agent or supplier requires access to the entrance manhole.
- 5.13 Lost or Stolen Access Devices. Neutral Tandem shall immediately notify AT&T in writing when any of its Access Devices have been lost or stolen. If it becomes necessary for AT&T to re-key buildings or deactivate an Access Device as a result of a lost or stolen Access Device(s) or for failure of Neutral Tandem's employees, suppliers, agents or Guest(s) to return an Access Device(s), Neutral Tandem shall pay for the costs of re-keying the building or deactivating the Access Device(s).
- 5.14 Interference or Impairment
- 5.14.1 Notwithstanding any other provisions of this Attachment, Neutral Tandem shall

Version: 2Q07 Standard ICA

not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that (1) significantly degrades, interferes with or impairs service provided by AT&T or any other entity or any person's use of its telecommunications services; (2) endangers or damages the equipment, facilities or any other property of AT&T or any other entity or person; (3) compromises the privacy of any communications routed through the AT&T Premises; or (4) creates an unreasonable risk of injury or death to any individual or to the public. If AT&T reasonably determines that any equipment or facilities of Neutral Tandem violates the provisions of this paragraph, AT&T shall provide written notice to Neutral Tandem, which shall direct Neutral Tandem to cure the violation within forty-eight (48) hours of Neutral Tandem's receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twentyfour (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.

- 5.14.2 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Neutral Tandem fails to cure the violation within forty-eight (48) hours or, if such cure is not possible, to commence curative action within twentyfour (24) hours and exercise reasonable diligence to complete such action as soon as possible, or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of AT&T's or another entity's service, then and only in that event, AT&T may take such action as it deems necessary to eliminate such threat including, without limitation, the interruption of electrical power to Neutral Tandem's equipment and/or facilities. AT&T will endeavor, but is not required, to provide notice to Neutral Tandem prior to the taking of such action and AT&T shall have no liability to Neutral Tandem for any damages arising from such action, except to the extent that such action by AT&T constitutes willful misconduct.
- 5.14.3 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Neutral Tandem fails to cure the violation within forty-eight (48) hours, or if such cure is not possible, to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible, AT&T will establish before the appropriate Commission that the technology deployed is causing the significant degradation. Any claims of network harm presented to Neutral Tandem or, if subsequently necessary, the Commission must be provided by AT&T with specific and verifiable information. When AT&T demonstrates that a certain technology deployed by Neutral Tandem is

Version: 2Q07 Standard ICA

significantly degrading the performance of other advanced services or traditional voice band services, Neutral Tandem shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment, pursuant to 47 C.F.R. § 51.230, the degraded service shall not prevail against the newly-deployed technology.

- 5.15 Personalty and Its Removal. Facilities and equipment placed by Neutral Tandem in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Neutral Tandem at any time. Any damage caused to the Collocation Space by Neutral Tandem's employees, suppliers, agents or Guests during the installation or removal of such property shall be promptly repaired by Neutral Tandem at its sole expense. If Neutral Tandem decides to remove equipment and/or facilities from its Collocation Space and the removal requires no physical work be performed by AT&T and Neutral Tandem's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, AT&T will bill Neutral Tandem the Administrative Only Application Fee associated with the type of removal activity performed by Neutral Tandem, as set forth in Exhibit B. This nonrecurring fee will be billed on the date that AT&T provides an Application Response to Neutral Tandem.
- Alterations. Under no condition shall Neutral Tandem or any person acting on behalf of Neutral Tandem make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the AT&T Premises, hereinafter referred to individually or collectively as "Alterations", without the express written consent of AT&T, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by Neutral Tandem. An Alteration shall require the submission of a Subsequent Application and will result in the assessment of the applicable application fee associated with the type of alteration requested, as set forth in Sections 6.2.1 and 7.1.4 below, which will be billed by AT&T on the date that AT&T provides Neutral Tandem with an Application Response.
- 5.17 <u>Central Office Janitorial Service.</u> Neutral Tandem shall be responsible for the general upkeep of its Collocation Space. Neutral Tandem shall arrange directly with an AT&T Certified Supplier for janitorial services applicable to caged Collocation Space. Upon request, AT&T shall provide a list of such suppliers on an AT&T Premises-specific basis.
- 5.18 <u>Upkeep of Remote Collocation Space.</u> Neutral Tandem shall be responsible for

Version: 2Q07 Standard ICA

the general upkeep and cleaning of the Remote Collocation Space. Neutral Tandem shall be responsible for removing any of Neutral Tandem's debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

#### 6 Ordering and Preparation of Collocation Space

- 6.1 <u>Initial Application.</u> For Neutral Tandem's or Neutral Tandem's Guest's(s') initial equipment placement, Neutral Tandem shall input a physical Expanded Interconnection Application Document (Initial Application) for physical Collocation Space directly into AT&T's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Initial Application are completed with the appropriate type of information. An Initial Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by Neutral Tandem for Central Office or Remote Site Collocation, as applicable, and will be billed by AT&T on the date AT&T provides Neutral Tandem with an Application Response.
- 6.1.1 For Remote Site Collocation, a request for additional space at a later date will require the submission of an Initial Application. The installation of additional shelves/equipment within an existing bay does not require an Initial Application.
- Guest(s) desires to modify its use of the Collocation Space in a Central Office after a BFFO, Neutral Tandem shall complete an application that contains all of the detailed information associated with a requested Alteration of the Collocation Space, as defined in Section 5.15 above (Subsequent Application). The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application have been completed with the appropriate type of information associated with the requested Alteration. AT&T shall determine what modifications, if any, to the AT&T Premises are required to accommodate the change(s) requested by Neutral Tandem in the Subsequent Application. Such modifications to the AT&T Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.2.1 <u>Subsequent Application Fees.</u> The application fee paid by Neutral Tandem for an Alteration in a Central Office shall be dependent upon the level of assessment needed to provide a complete Application Response for the Alteration requested. Where the Subsequent Application does not require provisioning or construction work, but requires AT&T to perform an administrative activity, an Administrative Only Application Fee shall apply as set forth in Exhibit B. The Administrative Only Application Fee will apply to Subsequent Applications associated with a transfer of ownership of the Collocation Space, the addition, exchange or removal of equipment from the Collocation Space (where the removal requires no physical

Version: 2Q07 Standard ICA

work to be performed by AT&T which require no additional space, power or terminations to be provided to Neutral Tandem's collocation arrangement), and a virtual-to-physical conversion (in place). The Co-Carrier Cross Connect/Direct Connect Application Fee will apply when Neutral Tandem submits a Subsequent Application for a direct connection between its own physical and virtual Collocation Space(s) in the same AT&T Central Office or between its physical or virtual Collocation Space and that of another collocated telecommunications carrier within the same AT&T Central Office. In Florida and Tennessee, the Power Reconfiguration Only Application Fee will apply when Neutral Tandem submits a Subsequent Application that reflects only an upgrade or reduction in the amount of power that AT&T is currently providing to Neutral Tandem's physical Collocation Space in a Central Office. The fee for a Subsequent Application, for which the Alteration requested has limited effect (e.g., requires limited assessment and sufficient cable support structure, HVAC, power and terminations are available), shall be the Subsequent Application Fee, as set forth in Exhibit B. The appropriate nonrecurring application fee will be billed on the date that AT&T provides Neutral Tandem with an Application Response.

Space Preferences. If Neutral Tandem has previously requested and received a Space Availability Report for the AT&T Premises, Neutral Tandem may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event AT&T cannot accommodate Neutral Tandem's space preference(s), Neutral Tandem may accept the space allocated by AT&T or cancel its application and submit another application requesting additional space preferences for the same AT&T Premises. This application will be treated as a new application and the appropriate application fee will apply. The application fee will be billed by AT&T on the date that AT&T provides Neutral Tandem with an Application Response.

#### 6.4 Space Availability Notification

- 6.4.1 For all states except Florida and Tennessee, AT&T will respond to an application within ten (10) days as to whether space is available or not available within the requested AT&T Premises. In Florida and Tennessee, AT&T will respond to an application within fifteen (15) days as to whether space is available or not available within an AT&T Premises. AT&T's e.App system will reflect when Neutral Tandem's application is Bona Fide. If the application cannot be Bona Fide, AT&T will identify what revisions are necessary for the application to become Bona Fide.
- 6.4.2 If the amount of space requested is not available, AT&T will notify Neutral Tandem of the amount of space that is available and no application fee will apply. When AT&T's response includes an amount of space less than that requested by Neutral Tandem or space that is configured differently, no application fee will apply. If Neutral Tandem decides to accept the available space, Neutral Tandem

Version: 2Q07 Standard ICA

must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When Neutral Tandem resubmits its application to accept the available space, AT&T will bill Neutral Tandem the appropriate application fee.

- 6.5 <u>Denial of Application.</u> If AT&T notifies Neutral Tandem that no space is available (Denial of Application), AT&T will not assess an application fee to Neutral Tandem. After notifying Neutral Tandem that AT&T has no available space in the requested AT&T Premises, AT&T will allow Neutral Tandem, upon request, to tour the entire AT&T Premises within ten (10) days of such Denial of Application. In order to schedule this tour, AT&T must receive the request for the tour of the AT&T Premises within five (5) days of the Denial of Application.
- Petition for Waiver. Upon Denial of Application, AT&T will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). AT&T shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, AT&T or any of AT&T's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, AT&T shall permit Neutral Tandem to inspect any floor plans or diagrams that AT&T provides to the Commission.

# 6.7 <u>Waiting List</u>

- On a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. AT&T will notify each telecommunications carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunications carrier on said waiting list.
- In Florida, on a first-come, first-serve basis, which is governed by the date of receipt of an application or Letter of Intent, AT&T will maintain a waiting list of requesting telecommunications carriers that have either received a Denial of Application or, where it is publicly known that an AT&T Premises is out of space, have submitted a Letter of Intent to collocate in that AT&T Premises. Sixty (60) days prior to space becoming available, if known, AT&T will notify the Commission and the telecommunications carriers on the waiting list by mail when space will become available. If AT&T does not know sixty (60) days in advance of when space will become available, AT&T will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunications carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation

Version: 2Q07 Standard ICA

Space that may become available in the future.

- 6.7.3 When physical Collocation Space becomes available, Neutral Tandem must submit an updated, complete and accurate application to AT&T within thirty (30) days of notification by AT&T that physical Collocation Space will be available in the requested AT&T Premises previously out of space. If Neutral Tandem has originally requested caged Collocation Space and cageless Collocation Space becomes available, Neutral Tandem may refuse such space and notify AT&T in writing, within the thirty (30) day timeframe referenced above, that Neutral Tandem wishes to maintain its place on the waiting list for caged physical Collocation Space, without accepting the available cageless Collocation Space.
- Neutral Tandem may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Neutral Tandem does not submit an application or notify AT&T in writing within the thirty (30) day timeframe as described in Section 6.7.2 above, AT&T will offer the available space to the next telecommunications carrier on the waiting list and remove Neutral Tandem from the waiting list. Upon request, AT&T will advise Neutral Tandem as to its position on the waiting list for a particular AT&T Premises.
- 6.8 Public Notification. AT&T will maintain on its Interconnection Web site, a notification document that will indicate all AT&T Premises that are without available space. AT&T shall update such document within ten (10) days of the date that AT&T becomes aware that insufficient space is available to accommodate physical Collocation. AT&T will also post a document on its Interconnection Web site that contains a general notice when space becomes available in an AT&T Premises previously on the space exhaust list.

#### 6.9 Application Response

- In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, when space has been determined to be available for physical (caged or cageless) Collocation arrangements, AT&T will provide an Application Response within twenty (20) days of receipt of a Bona Fide application. The Application Response will be a written response that includes sufficient information to enable Neutral Tandem to place a Firm Order, which, at a minimum, will include the configuration of the space, the Cable Installation Fee, the Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- In Florida and Tennessee, within fifteen (15) days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, AT&T will provide an Application Response including sufficient information to enable Neutral Tandem to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable

Version: 2Q07 Standard ICA

Installation Fee, the Cable Records Fee and any other applicable space preparation fees, as described in Section 8 below. When Neutral Tandem submits ten (10) or more applications within ten (10) days, the initial fifteen (15) day response interval will increase by ten (10) days for every additional ten (10) applications or fraction thereof.

Application Modifications. If a modification or revision is made to any information in the Bona Fide application after AT&T has provided the Application Response and prior to a BFFO, with the exception of modifications to (1) Customer Information, (2) Contact Information or (3) Billing Contact Information, whether at the request of Neutral Tandem or as necessitated by technical considerations, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. AT&T will charge Neutral Tandem the appropriate application fee associated with the level of assessment performed by AT&T, pursuant to Sections 6.1 and 6.2 above.

#### 6.11 <u>Bona Fide Firm Order</u>

- 6.11.1 Neutral Tandem shall indicate its intent to proceed with a Collocation Space request in an AT&T Premises by submitting a BFFO to AT&T. The BFFO must be received by AT&T no later than thirty (30) days after AT&T's Application Response to Neutral Tandem's Bona Fide application or Neutral Tandem's application will expire.
- AT&T will establish a Firm Order date based upon the date AT&T is in receipt of Neutral Tandem's BFFO. AT&T will acknowledge the receipt of Neutral Tandem's BFFO within seven (7) days of receipt, so that Neutral Tandem will have positive confirmation that its BFFO has been received. AT&T's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions may be made to a BFFO.

## 7 Construction and Provisioning

#### 7.1 <u>Construction and Provisioning Intervals</u>

7.1.1 In Florida and Tennessee, AT&T will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, AT&T will complete construction as soon as possible within a maximum of sixty (60) days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to Collocation Space after the initial space has been completed, AT&T will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) days from receipt of a BFFO or as agreed to by the Parties, as long as no additional space has been requested by Neutral Tandem. If additional space has been requested by Neutral Tandem, AT&T will complete construction for the requested Collocation Space as soon as possible within a maximum of ninety (90) days from receipt of a BFFO for physical Collocation

Version: 2Q07 Standard ICA

Space and forty five (45) days from receipt of a BFFO for virtual Collocation Space. If AT&T does not believe that construction will be completed within the relevant provisioning interval and AT&T and Neutral Tandem cannot agree upon a completion date, within forty-five (45) days of receipt of the BFFO for an initial request, or within thirty (30) days of receipt of the BFFO for an Alteration, AT&T may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina, AT&T will complete construction for caged physical Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) days from receipt of a BFFO or as agreed to by the Parties. AT&T will complete construction for cageless physical Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) days from receipt of a BFFO and ninety (90) days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to AT&T's support systems. (Examples include, but are not limited to: minor modifications to HVAC, cabling and AT&T's power plant.) Extraordinary conditions include, but may not be limited to: major AT&T equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval for the Collocation Space requested or AT&T may seek a waiver from the ordered interval, as set forth above, from the appropriate Commission, if AT&T does not believe that construction will be completed within the relevant provisioning interval.
- 7.1.3 Records Only Change. When Neutral Tandem adds equipment, that was originally included on Neutral Tandem's Initial Application or a Subsequent Application, and the installation of this equipment requires no additional space preparation work or cable terminations on the part of AT&T, then AT&T will impose no additional charges or intervals.
- 7.1.4 For Central Offices in the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, AT&T will provide the reduced intervals outlined below to Neutral Tandem, when Neutral Tandem requests an Alteration specifically identified in Sections 7.1.4.1 through 7.1.4.9 below as an "Augment". Except as otherwise set forth in Section 7.1.4.10 below, such Augment will require a Subsequent Application and will result in the assessment of the appropriate application fee associated with the type of Augment requested by Neutral Tandem. AT&T will assess the appropriate nonrecurring application fee set forth in Exhibit B on the date that it provides an Application Response to Neutral Tandem.

Version: 2Q07 Standard ICA

- 7.1.4.1 Simple Augments will be completed within twenty (20) days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48 Volt (-48V) DC Power
- 7.1.4.2 Minor Augments will be completed within forty-five (45) days after receipt of the BFFO for:
  - 168 DS1 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 99 Fiber terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - Maximum of 2000 Service Ready DS0 Terminations at the AT&T Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure, as Required)
  - Installation of Cable Racking or Other Support Structure, as Required, to Support CCXCs (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) days after BFFO. All requests for additional Physical Collocation Space (caged or cageless) are included in this category.
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If Neutral Tandem submits an Augment that includes two (2) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2 or 7.1.4.3 above, the provisioning interval associated with the next highest Augment category will apply (e.g., if two (2) items from the Minor Augment category are requested on

Version: 2Q07 Standard ICA

the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).

- 7.1.4.7 If Neutral Tandem submits an Augment that includes three (3) Augment items from the same category in either Sections 7.1.4.1, 7.1.4.2, or 7.1.4.3 above, the Major Augment interval of ninety (90) days from the receipt of the BFFO would apply (e.g., if three (3) items from the Simple Augment category are requested on the same request for a physical Collocation arrangement, then an interval of ninety (90) days from the receipt of the BFFO would apply, which is the Major physical Augment interval; likewise if three (3) items from the Simple Augment category are requested on the same request for a virtual Collocation arrangement, then an interval of seventy-five (75) days from the receipt of the BFFO would apply, which is the Major virtual Augment interval).
- 7.1.4.8 If Neutral Tandem submits an Augment that includes one (1) Augment item from two (2) separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the highest Augment category will apply (e.g., if an item from the Minor Augment category and an item from the Intermediate Augment category are requested on the same request, then an interval of sixty (60) days from the receipt of the BFFO would apply, which is the interval associated with the Intermediate Augment category).
- All Augments not expressly included in the Simple, Minor, Intermediate or Major Augment categories, as outlined above, will be placed into the appropriate category as negotiated by Neutral Tandem and AT&T. If Neutral Tandem and AT&T are unable to determine the appropriate category through negotiation, then the appropriate Major Augment category, identified in Sections 7.1.4.4 and Section 7.1.4.5 above, would apply based on whether the Augment is for Neutral Tandem's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with Simple, Minor and Intermediate Augments are contained in Exhibit B. If Neutral Tandem requests multiple items from different Augment categories, AT&T will bill Neutral Tandem the Augment application fee, as identified in Exhibit B, associated with the higher Augment category only. The appropriate application fee will be assessed to Neutral Tandem at the time AT&T provides Neutral Tandem with the Application Response. Neutral Tandem will be assessed a Subsequent Application Fee for all Major Augments (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above for physical and virtual Collocation Space, respectively). The Subsequent Application Fee is also reflected in Exhibit B.
- 7.2 <u>Joint Planning.</u> Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between AT&T and Neutral Tandem will commence within a maximum of twenty (20) days from AT&T's receipt of a

Version: 2Q07 Standard ICA

- BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements, as reflected in the application and affirmed in the BFFO.
- 7.3 Permits. Each Party, its agent(s) or AT&T Certified Supplier(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party, its agent(s) or AT&T Certified Supplier(s) within ten (10) days of the completion of the finalized construction design and specifications.
- 7.4 <u>Central Office Circuit Facility Assignments</u>
- 7.4.1 Unless otherwise specified, AT&T will provide Circuit Facility Assignments (CFAs) to Neutral Tandem prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those AT&T Premises in which Neutral Tandem has physical Collocation Space with no POT bay or with a grandfathered POT bay provided by AT&T. AT&T cannot provide CFAs to Neutral Tandem prior to the Provisioning Interval for those AT&T Premises in which Neutral Tandem has physical Collocation Space with a POT bay provided by Neutral Tandem or virtual Collocation Space, until Neutral Tandem has provided AT&T with the following information:
- 7.4.1.1 For physical Central Office Collocation Space with a Neutral Tandem-provided POT bay, Neutral Tandem shall provide AT&T with a complete layout of the POT panels on an Equipment Inventory Update (EIU) form that shows the locations, speeds, etc.; or
- 7.4.1.2 For virtual Central Office Collocation Space, Neutral Tandem shall provide AT&T with a complete layout of Neutral Tandem's equipment on an EIU form, that includes the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Neutral Tandem's AT&T Certified Supplier.
- AT&T cannot begin work on the CFAs until the complete and accurate EIU form has been received from Neutral Tandem. If the EIU form is provided within ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) days of AT&T's receipt of the EIU form.
- 7.4.3 AT&T will bill Neutral Tandem a nonrecurring charge, as set forth in Exhibit B, each time Neutral Tandem requests a resend of its original CFA information for any reason other than an AT&T error in the CFAs initially provided to Neutral Tandem.
- 7.5 <u>Use of AT&T Certified Supplier.</u> Neutral Tandem shall select a supplier which has been approved as an AT&T Certified Supplier to perform all engineering and installation work. Neutral Tandem, if an AT&T Certified Supplier or Neutral Tandem's AT&T Certified Supplier must follow and comply with all of AT&T's

Version: 2Q07 Standard ICA

specifications and the following AT&T Technical Requirements: TR 73503, TR 73519, TR 73572 and TR 73564. Unless the AT&T Certified Supplier has met the requirements for all of the required work activities, Neutral Tandem must use a different AT&T Certified Supplier for the work activities associated with transmission equipment, switching equipment and power equipment. AT&T shall provide Neutral Tandem with a list of AT&T Certified Suppliers, upon request. Neutral Tandem, if an AT&T Certified Supplier, or Neutral Tandem's AT&T Certified Supplier(s) shall be responsible for installing Neutral Tandem's equipment and associated components, extending power cabling to the AT&T power distribution frame, performing operational tests after installation is complete, and notifying AT&T's equipment engineers and Neutral Tandem upon successful completion of the installation and any associated work. When an AT&T Certified Supplier is used by Neutral Tandem, the AT&T Certified Supplier shall bill Neutral Tandem directly for all work performed for Neutral Tandem pursuant to this Attachment. AT&T shall have no liability for nor responsibility to pay, such charges imposed by Neutral Tandem's AT&T Certified Supplier. AT&T shall make available its supplier certification program to Neutral Tandem or any supplier proposed by Neutral Tandem and will not unreasonably withhold certification. All work performed by or for Neutral Tandem shall conform to generally accepted industry standards.

- Alarms and Monitoring. AT&T shall place environmental alarms in the AT&T Premises for the protection of AT&T equipment and facilities. Neutral Tandem shall be responsible for the placement, monitoring and removal of environmental and equipment alarms used to service Neutral Tandem's Collocation Space. Upon request, AT&T will provide Neutral Tandem with an applicable AT&T tariffed service(s) to facilitate remote monitoring of collocated equipment by Neutral Tandem. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.7 Virtual to Physical Relocation. In the event physical Collocation Space was previously denied at an AT&T Central Office due to technical reasons or space limitations and physical Collocation Space has subsequently become available, Neutral Tandem may relocate its existing virtual Collocation arrangement(s) to a physical Collocation arrangement(s) and pay the appropriate fees associated with the rearrangement or reconfiguration of the services being terminated into the virtual Collocation arrangement, as set forth in Exhibit B. If AT&T knows when additional physical Collocation Space may become available at the AT&T Central Office requested by Neutral Tandem, such information will be provided to Neutral Tandem in AT&T's written denial of physical Collocation Space. Neutral Tandem must arrange with an AT&T Certified Supplier for the relocation of equipment from a virtual Collocation Space to a physical Collocation Space and will bear the cost of such relocation, including the costs associated with moving the services from the virtual Collocation Space to the new physical Collocation

Version: 2Q07 Standard ICA

Space.

- 7.7.1 In Alabama, AT&T will complete a relocation of a virtual collocation arrangement to a cageless physical collocation arrangement within sixty (60) days from AT&T's receipt of a BFFO and from a virtual collocation arrangement to a caged physical collocation arrangement within ninety (90) days from AT&T's receipt of a BFFO.
- 7.8 Virtual to Physical Conversion (In-Place)
- Virtual collocation arrangements in Central Offices may be converted to "in-place" physical caged collocation arrangements if the potential conversion meets all of the following criteria: (1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; (2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that AT&T has reserved for its own future needs; and (3) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified herein, AT&T will complete virtual to physical Collocation Space conversions (in-place) within sixty (60) days from receipt of the BFFO. AT&T will bill Neutral Tandem an Administrative Only Application Fee, as set forth in Exhibit B, on the date AT&T provides an Application Response to Neutral Tandem.
- 7.8.2 In Alabama and Tennessee, AT&T will complete virtual to physical conversions (in place) within thirty (30) days from receipt of the BFFO as long as the conversion meets all of the criteria specified in Section 7.8.1 above.
- Cancellation. Unless otherwise specified in this Attachment, if at any time prior to Space Acceptance, Neutral Tandem cancels its order for Collocation Space (Cancellation), AT&T will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Florida, if Neutral Tandem cancels its order for Collocation Space at any time prior to the Space Ready Date, no cancellation fee shall be assessed by AT&T; however, Neutral Tandem will be responsible for reimbursing AT&T for any costs specifically incurred by AT&T on behalf of Neutral Tandem up to the date that the written notice of cancellation was received by AT&T. In Georgia, if Neutral Tandem cancels its order for Collocation Space at any time prior to space acceptance, AT&T will bill Neutral Tandem for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the Firm Order not been canceled.
- 7.10 <u>Licenses.</u> Neutral Tandem, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses and certificates necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy Collocation Space in an AT&T Premises.

Version: 2Q07 Standard ICA

7.11 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# **8** Rates and Charges

- 8.1 <u>Rates.</u> Neutral Tandem agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 8.1.1 In Tennessee, if Neutral Tandem elects the TRA rates as set forth in Exhibit C, the additional language also set forth in Exhibit C for Application Fee, Space Preparation, Floor Space and Caged Collocation Power Usage metering, will be effective in conjunction with the remaining terms and conditions of this Attachment.
- 8.1.2 Should Neutral Tandem elect to transition to the TRA Option after the execution of this Agreement, Neutral Tandem shall notify AT&T in writing sixty (60) days prior to the implementation of this election.
- 8.2 <u>Application Fees.</u> AT&T shall assess any nonrecurring application fees within thirty (30) days of the date that AT&T provides an Application Response to Neutral Tandem or on Neutral Tandem's next scheduled monthly billing statement.

# 8.3 <u>Recurring Charges</u>

- 8.3.1 If Neutral Tandem has met the applicable fifteen (15) day acceptance walk through interval specified in Section 4.2 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event Neutral Tandem fails to complete an acceptance walk through within the applicable fifteen (15) day interval, billing for recurring charges will commence on the Space Ready Date. If Neutral Tandem occupies the space prior to the Space Ready Date, the date Neutral Tandem occupies the space is deemed the Space Acceptance Date and billing for recurring charges will begin on that date. The billing for all applicable monthly recurring charges will begin in Neutral Tandem's next billing cycle and will include any prorated charges for the period from Neutral Tandem's Space Acceptance Date or Space Ready Date, whichever is appropriate pursuant to Section 4.2 above, to the date the bill is issued by AT&T.
- 8.3.2 Unless otherwise stated in Section 8.6 below, monthly recurring charges for -48V DC power will be assessed per fused ampere (amp), per month, based upon the total number of fused amps of power capacity requested by Neutral Tandem on Neutral Tandem's Initial Collocation Application and all Subsequent Collocation Applications, which may either increase or decrease the originally requested, and any subsequently augmented, number of fused amps of power capacity requested, consistent with Commission orders.
- 8.3.3 AT&T shall have the right to inspect and inventory any DC power fuse installations at an AT&T BDFB or DC power circuit installations at AT&T's main power board for any Neutral Tandem collocation arrangement, to verify that

Version: 2Q07 Standard ICA

the total number of fused amps of power capacity installed by Neutral Tandem's AT&T Certified Supplier matches the number of fused amps of DC power capacity requested by Neutral Tandem on Neutral Tandem's Initial Application and all Subsequent Applications. If AT&T determines that Neutral Tandem's AT&T Certified Supplier has installed more DC capacity than Neutral Tandem requested on its Initial Application and all Subsequent Applications, AT&T shall notify Neutral Tandem in writing of such discrepancy and shall assess Neutral Tandem for the additional DC power fuse/circuit capacity from the Space Acceptance Date or Space Ready Date, whichever is applicable pursuant to Section 8.3.1 above, for the most recent Initial Application or Subsequent Application, submitted for such collocation arrangement. AT&T shall also revise Neutral Tandem's recurring DC power charges, on a going-forward basis, to reflect the higher number of fused amps of power capacity available for the collocation arrangement.

- Nonrecurring Charges. Unless specified otherwise herein, AT&T shall assess nonrecurring charges, including all application fees, within thirty (30) days of the date that AT&T provides an Application Response to Neutral Tandem or on Neutral Tandem's next scheduled monthly billing statement, if Neutral Tandem's current month's billing cycle has already closed. Nonrecurring charges associated with the processing of the Firm Order for collocation space preparation (Firm Order Processing Fee) shall be billed by AT&T within thirty (30) days of AT&T's confirmation of Neutral Tandem's BFFO or on Neutral Tandem's next scheduled monthly billing statement.
- In some cases, Commissions have ordered AT&T to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by AT&T, regardless of whether or not a disconnect order is issued by Neutral Tandem. Disconnect charges are set forth in Exhibit B of this Attachment.
- 8.6 Central Office Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications and Common Systems Modifications. For all states except Florida, Neutral Tandem shall remit the payment of the nonrecurring Firm Order Processing Fee coincident with the submission of Neutral Tandem's BFFO. In Florida, the nonrecurring Firm Order Processing Fee will be billed by AT&T, pursuant to Section 8.4 above. The monthly recurring charge for Central Office Modifications will be assessed per arrangement, per square foot, for both caged and cageless physical Collocation Space. The monthly recurring charge for Common Systems Modifications will be assessed per arrangement, per square foot for cageless physical Collocation Space and on a per cage basis for caged physical Collocation Space. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, and design and

Version: 2Q07 Standard ICA

modification costs for network, building and support systems.

8.7 Central Office Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the AT&T Premises; however, this charge does not include any expenses associated with AC or DC power supplied to Neutral Tandem's Collocation Space for the operation of Neutral Tandem's equipment. For caged physical Collocation Space, Neutral Tandem shall pay floor space charges based upon the number of square feet enclosed. The minimum size for caged Collocation Space is fifty (50) square feet. Additional caged Collocation Space may be requested in increments of fifty (50) square feet. For cageless Collocation Space, Neutral Tandem shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle)depth) + (0.5 x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. AT&T will assign cageless Collocation Space in conventional equipment rack lineups where feasible. In the event Neutral Tandem's collocated equipment requires special cable racking, an isolated ground plane, or any other considerations and treatment which prevents placement within conventional equipment rack lineups, Neutral Tandem shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.

8.8 Remote Site Bay Space. In a Remote Site, the bay space charge recovers the costs associated with air conditioning, ventilation and other allocated expenses for the maintenance of the Remote Site Location, and includes the amperage necessary to power Neutral Tandem's equipment. Neutral Tandem shall remit bay space charges based upon the number of bays requested. AT&T will assign Remote Site Collocation Space in conventional Remote Site bay lineups where feasible.

# 8.9 <u>Power</u>

In a Central Office AT&T shall make available -48V DC power for Neutral Tandem's Collocation Space at an AT&T BDFB. When obtaining DC power from an AT&T BDFB, Neutral Tandem's fuses and power cables (for the A & B feeds) must be engineered (sized), and installed by Neutral Tandem's AT&T Certified Supplier, in accordance with the number of fused amps of DC power requested by Neutral Tandem on Neutral Tandem's Initial Application and any Subsequent Applications. Neutral Tandem is also responsible for contracting with an AT&T Certified Supplier to run the power distribution feeder cable from the AT&T BDFB to the equipment in Neutral Tandem's Collocation Space. The AT&T Certified Supplier contracted by Neutral Tandem must provide AT&T with a copy of the engineering power specifications prior to the day on which Neutral Tandem's equipment becomes operational (hereinafter "Commencement Date"). AT&T will provide the common power feeder cable support structure

Version: 2Q07 Standard ICA

between the AT&T BDFB and Neutral Tandem's Collocation Space. Neutral Tandem shall contract with an AT&T Certified Supplier who shall be responsible for performing those power provisioning activities required to enable Neutral Tandem's equipment to become operational, which may include, but are not limited to, the installation, removal or replacement of the following: dedicated power cable support structure within Neutral Tandem's Collocation Space, power cable feeds and terminations of the power cabling. Neutral Tandem and Neutral Tandem's AT&T Certified Supplier shall comply with all applicable NEC, AT&T TR 73503, Telcordia and ANSI Standards that address power cabling, installation and maintenance.

- 8.9.1.1 At a Remote Site, AT&T shall make available -48V DC power for Neutral Tandem's Remote Collocation Space at a BDFB within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for bay space, as referenced in Section 8.7 above. If the power requirements for Neutral Tandem's equipment exceed the capacity available, then such additional power requirements shall be assessed on an individual case basis.
- In Florida Central Offices only, subject to technical feasibility, commercial availability and safety limitations, AT&T will permit Neutral Tandem to request DC power in five (5) amp increments from five (5) amps up to one hundred (100) amps from the AT&T BDFB. However, in accordance with industry standard fuse sizing, Neutral Tandem may request that AT&T provision DC power of seventy (70) amps or greater directly from AT&T's main power board. The industry standard fuse size (which is a circuit breaker on the main power board) available at an AT&T main power board in all AT&T Premises is a two hundred twenty-five (225) amp circuit breaker.
- 8.9.3 AT&T will revise Neutral Tandem's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power upgrade when Neutral Tandem submits a Subsequent Application requesting an increase in the number of fused amps it is currently receiving from AT&T for its Collocation Space. If Neutral Tandem's existing fuses and power cables (for the A&B power feed) are not sufficient to support the additional number of fused amps requested, Neutral Tandem's AT&T Certified Supplier shall perform whatever activities are necessary, which may include the installation of new/additional fuses or power cables, to comply with the appropriate NEC, AT&T TR 73503, Telcordia and ANSI Standards, as well as the requirements noted in Sections 8.7 and 8.7.1 above. Neutral Tandem's AT&T Certified Supplier shall provide notification to AT&T when these activities have been completed.
- 8.9.4 AT&T will revise Neutral Tandem's Central Office recurring power charges, in accordance with Section 8.3 above, to reflect a power reduction upon AT&T's receipt of the Power Reduction Form from Neutral Tandem, certifying the completion of the power reduction work, including the removal of any associated power cabling by Neutral Tandem's AT&T Certified Supplier. Notwithstanding

Version: 2Q07 Standard ICA

the foregoing, if Neutral Tandem's AT&T Certified Supplier has not removed or, at AT&T's discretion, cut the power cabling within thirty (30) days, the power reduction will not become effective until the cabling is removed or, at AT&T's discretion, cut by Neutral Tandem's AT&T Certified Supplier and Neutral Tandem shall pay for the amount of power that had been requested prior to the power reduction request for the period up to the date the power cabling is actually removed.

- 8.9.5 If Neutral Tandem requests an increase or a reduction in the amount of power that AT&T is currently providing in a Central Office, Neutral Tandem must submit a Subsequent Application. In all states other than Florida and Tennessee if no modification to the Collocation Space is requested other than the increase or reduction in power, the Simple Augment fee will apply. In Florida and Tennessee the Power Reconfiguration Only Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the increase or reduction of power, the Subsequent Application Fee will apply. AT&T will bill this nonrecurring fee on the date that AT&T provides an Application Response to Neutral Tandem's Subsequent Application.
- 8.9.5.1 In Central Offices in Alabama and Louisiana, if Neutral Tandem has existing power configurations currently served from the AT&T main power board and requests that its power be reconfigured to connect to an AT&T BDFB, in a specific AT&T Premises, Neutral Tandem must submit a Subsequent Application to AT&T. AT&T will provide a response to such application within seven (7) days and no Simple Augment Application Fee will be assessed by AT&T for this one time only power reconfiguration to an AT&T BDFB. For any power reconfigurations thereafter, Neutral Tandem will submit a Subsequent Application and the appropriate Simple Augment Application Fee will apply.
- 8.9.6 If Neutral Tandem elects to install its own DC Power Plant, AT&T shall provide AC power to feed Neutral Tandem's DC Power Plant. Charges for AC power will be assessed on a per breaker ampere, per month basis, pursuant to the rates specified in Exhibit B. The AC power rates include recovery for the provision of commercial and standby AC power. When obtaining power from an AT&T service panel, protection devices and power cables must be engineered (sized) and installed by Neutral Tandem's AT&T Certified Supplier, with the exception that AT&T shall engineer and install protection devices and power cables for Adjacent Collocation. Neutral Tandem's AT&T Certified Supplier must provide a copy of the engineering power specifications prior to the Commencement Date. AC power voltage and phase ratings shall be determined on a per location basis. At Neutral Tandem's option, Neutral Tandem may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.9.7 Neutral Tandem shall contract with an AT&T Certified Supplier to perform the installation and removal of dedicated power cable support structure within Neutral Tandem's arrangement and terminations of cable within the Collocation Space.

Version: 2Q07 Standard ICA

8.9.8 <u>Fused Amp Power.</u> In all states, except as otherwise set forth in this Agreement, AT&T shall make available -48V DC power on a per fused amp, per month basis, pursuant to the following:

<u>For power provisioned from a BDFB.</u> The number of fused amps requested by Neutral Tandem on its collocation application for power that is being provisioned from an AT&T BDFB will be multiplied by the DC power fused amp rate set forth in Exhibit B. A minimum of ten (10) fused amps is required.

For existing power configurations that are provisioned from AT&T's main power board. The number of fused amps made available at the main power board, in increments of two hundred and twenty-five (225) amps/main power board circuit, will be multiplied by the DC power fused amp rate set forth in Exhibit B.

# 8.9.9 <u>Florida Power Usage Option</u>

8.9.9.1 In Central Offices in Florida only, Neutral Tandem may request that -48 DC power provisioned by AT&T to Neutral Tandem's Collocation Space be assessed per amp, per month based upon amps used, pursuant to the rates set forth in Exhibit B. Monthly recurring power charges will be assessed on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. If Neutral Tandem desires to convert existing physical collocation arrangements to the Florida Power Usage Option (hereinafter "FL Option"), then the monthly recurring power charges that are applicable to the FL Option, contained in Exhibit B, will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Neutral Tandem to convert an existing collocation arrangement to the FL Option. The monthly recurring charges for DC power, under the FL Option, shall be calculated and applied based on the amount of power Neutral Tandem requests that it be allowed to draw at a given time to a specific physical collocation arrangement in a particular AT&T Premises on Neutral Tandem's Initial Application or Subsequent Application. AT&T shall allow Neutral Tandem at Neutral Tandem's option, to order a power feed that is capable of delivering a higher DC power level but to fuse this power feed so as to allow a power level less than the feed's maximum to be drawn by Neutral Tandem. AT&T is not required to build its central office power infrastructure to meet Neutral Tandem's forecasted DC power demand. Neutral Tandem must specify on its Initial or Subsequent Application the power level it wishes to be able to draw from AT&T's power plant for each existing collocation arrangement Neutral Tandem converts to the FL Option or for any new collocation arrangements Neutral Tandem establishes under the FL Option.

8.9.9.2 AT&T, at any time and at its own expense, shall have the right to verify the accuracy of Neutral Tandem's power usage under the FL Option for a specific collocation arrangement in a particular AT&T Premises, based on a meter reading(s) taken by AT&T of the amount of power being consumed by Neutral

Version: 2Q07 Standard ICA

Tandem's collocation arrangement. AT&T may perform its own meter reading(s) via any method it chooses, such as, but not limited to, a clamp-on ammeter. If the meter reading(s) varies by more than ten percent (10%) or five (5) amps from the power usage that has been requested by Neutral Tandem for the collocation arrangement, under the FL Option, the Parties agree to work cooperatively to reconcile such discrepancy and establish the appropriate usage figure in a reasonable and expeditious manner. If the Parties substantiate AT&T's reading, then AT&T shall adjust Neutral Tandem's billing to reflect AT&T's power reading beginning with the first day of the month immediately following the date of the last metered reading taken by AT&T.

- 8.9.9.3 AT&T shall assess Neutral Tandem a monthly recurring charge for DC power under the FL Option, as set forth in Exhibit B. Neutral Tandem shall notify AT&T of any change in its DC power usage by submitting a Subsequent Application, which reflects the new DC power level desired by Neutral Tandem. The requested change in DC power usage will be reflected in Neutral Tandem's next scheduled monthly billing cycle.
- 8.9.10 Tennessee Caged Collocation Power Usage Metering Option. In Central Offices in Tennessee only, Neutral Tandem may request that DC power provisioned by AT&T to Neutral Tandem's caged Collocation Space be assessed pursuant to the orders entered by the Tennessee Regulatory Authority in Dockets 97-01262, 99-00430, and 00-00544 for Collocation for Tennessee. By electing the TRA Option, Neutral Tandem accepts the TRA rates, terms and conditions of Exhibit C in their entirety in conjunction with the other terms and conditions of Attachment 4.
- 8.9.11 Georgia Caged Collocation Power Usage Metering Option. In Georgia, Neutral Tandem may request that DC power provisioned by AT&T to Neutral Tandem's Collocation Space be assessed pursuant to Georgia Public Service Commission Order Docket No. 14361-U ("Order"). AT&T will assess Neutral Tandem for -48V DC power using the actual number of load Amps measured. The power circuits may be fed from either an AT&T BDFB or Neutral Tandem's BDFB. These recurring power charges will be assessed by AT&T on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3.
- 8.9.11.1 Upon Neutral Tandem's election of the power metering option Neutral Tandem will convert existing caged collocation arrangements to the power metering rate structure. The recurring power charges that are contained Exhibit B of this Attachment will be assessed on the Space Ready Date associated with the Subsequent Application submitted by Neutral Tandem to convert an existing caged collocation arrangement to the metered power rates.
- 8.9.11.2 Pursuant to the Order, Neutral Tandem shall provide a Fluke Model 189 AC/DC multimeter and Fluke Model i410 clamp-on ammeter probe for each central office where they have requested metered power. One copy of the FlukeView software

Version: 2Q07 Standard ICA

- must also be provided for each Fluke 189 multimeter, and each copy must comply with Fluke copyrights.
- 8.9.11.3 Neutral Tandem may, at its sole cost and expense, install its own meters on its BDFB(s) located in its own caged Collocation Space(s) and notify AT&T of the option of using such meters for the purposes of measuring Neutral Tandem's actual power usage. In such case, AT&T, or its AT&T Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed on Neutral Tandem's own BDFB(s) or via the aforementioned Fluke 189 multimeter equipped with a Fluke i410 clamp-on ammeter probe.
- 8.9.11.4 AT&T, at its sole option and at its own cost, may choose to purchase, install, and use its own ammeter measurement device. The usage reading for the option elected by AT&T shall be used for purposes of calculating the DC power usage billing.
- 8.9.11.5 AT&T, or its AT&T Certified Supplier, will perform all metering activities, to measure the actual power usage being drawn by Neutral Tandem's collocation equipment on both the A and B power feeds. The charge will be the sum of both the A and B power feeds and will be based upon either an instantaneous reading or busy hour average current reading, depending on the capabilities of the ammeter measurement device.
- 8.9.11.6 If AT&T, or its AT&T Certified Supplier, requires access to Neutral Tandem's caged Collocation Space(s) for purposes of measuring the power usage, AT&T or its AT&T Certified Supplier shall provide Neutral Tandem with a minimum of forty-eight (48) hours (two business days) notice that access is required. Neutral Tandem shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to Neutral Tandem's caged Collocation Space(s). Once the date and time of access to Neutral Tandem's caged Collocation Space(s) has been agreed upon, Neutral Tandem and AT&T, or its AT&T Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of three (3) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. Once a mutually agreed upon date and time are established and Neutral Tandem does not provide minimum of three (3) hours notice, AT&T's Certified Supplier will only remain at the site for thirty (30) minutes. After thirty (30) minutes the appointment will be considered missed by Neutral Tandem.
- 8.9.11.7 If Neutral Tandem fails to provide access to its caged Collocation Space(s) or fails to provide AT&T, or its AT&T Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then Neutral Tandem shall pay the nonrecurring "Additional Meter Reading Trip Charge", as set forth in Exhibit B of this Attachment, for each additional meter reading trip that must be rescheduled to measure Neutral Tandem's power usage for such caged Collocation Space(s). Neutral Tandem and the AT&T Certified Supplier may jointly agree to less stringent notification requirements to address, for example,

Version: 2Q07 Standard ICA

any service interruption or restoration of service situations, on a location-bylocation basis.

8.9.11.8 For each new caged collocation arrangement, Neutral Tandem shall indicate on Neutral Tandem's Initial Application that they are electing to have metered power. For each location that Neutral Tandem wishes to convert to metered power Neutral Tandem will submit a Subsequent Application and agrees to include in the Comments section of the Subsequent Application the following comment:

This Subsequent Application is Neutral Tandem's certification that Neutral Tandem is opting to convert this caged collocation arrangement to metered power and will permit AT&T, or the AT&T Certified Supplier, to measure its actual power usage on all power feeds.

- 8.9.11.9 AT&T will bill Neutral Tandem a Power Reconfiguration Only Application Fee, as set forth in Exhibit B of this Attachment, on the date that AT&T provides an Application Response to each Subsequent Application submitted by Neutral Tandem converting its caged collocation arrangements to the metered power rates. AT&T shall then arrange for the measurement of Neutral Tandem's actual power usage on each power feed (each A and B power feed) once each quarter at each of Neutral Tandem's caged collocation arrangements for which Neutral Tandem has submitted an Initial or Subsequent Application electing metered power.
- 8.9.11.10 Based upon the actual power usage measurement taken by AT&T or the AT&T Certified Supplier, AT&T shall assess Neutral Tandem for power usage for the following quarter based upon Neutral Tandem's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of 48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the rate for Load Amps either with an AT&T BDFB or with Neutral Tandem BDFB as set forth in Exhibit B of this Attachment, to determine the appropriate monthly recurring power usage charge that will be billed to Neutral Tandem for the following three (3) months or until the next power usage measurement is taken, whichever is later.
- 8.9.11.11 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If Neutral Tandem requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then Neutral Tandem will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If AT&T requests a power usage reading be taken in this instance, then Neutral Tandem will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten

Version: 2Q07 Standard ICA

- (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate Neutral Tandem's AC usage charge for the next three (3) months.
- 8.9.11.12 AT&T, at any time and at its own expense, shall have the right to verify the accuracy of Neutral Tandem's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties agree to perform a joint investigation. If Neutral Tandem's BDFB meter is found to be in error, then Neutral Tandem agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the AT&T reading is substantiated, AT&T shall adjust Neutral Tandem's billing retroactive to the beginning of the quarter for which the last meter reading was taken.
- 8.9.11.13 When Neutral Tandem submits the appropriate Initial or Subsequent Application for a specific caged collocation arrangement in a particular AT&T Premises, AT&T will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of Neutral Tandem to submit a BFFO. After AT&T receives the BFFO from Neutral Tandem, the Initial or Subsequent Application will be completed by AT&T within the provisioning intervals contained in Section 7 above and Neutral Tandem will be notified of the Space Ready Date or when the appropriate record and database changes have been made by AT&T to reflect Neutral Tandem's conversion to the metered power rates (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular AT&T Premises to the metered power rates).
- 8.9.11.14 AT&T will not permit Neutral Tandem to elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect metered power and there are no other changes requested, billing for the recurring charges associated with metered power will begin upon the Space Ready Date. If Neutral Tandem occupies the space prior to the Space Ready Date, for Initial Application requests only, the date Neutral Tandem occupies the space will be deemed the new Space Acceptance Date and billing for metered power will begin on that date. When Neutral Tandem moves to metered power the number of fused amps of DC Power requested by Neutral Tandem on its Initial or Subsequent Application will be used for calculating the number of amps to be billed until such time as AT&T or its AT&T Certified

Version: 2Q07 Standard ICA

Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of Neutral Tandem's power usage for the requested caged Collocation Space. As soon as this reading has been taken, AT&T will adjust Neutral Tandem's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. AT&T will also use this reading for billing purposes until the next quarterly meter reading is performed by AT&T or its AT&T Certified Supplier.

- 8.9.11.15 Neutral Tandem agrees to submit a Subsequent Application to notify AT&T when Neutral Tandem has removed or installed telecommunications equipment in Neutral Tandem's physical Collocation Space to ensure that Neutral Tandem's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in Neutral Tandem's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.
- 8.9.11.16 AT&T will bill Neutral Tandem a monthly recurring charge per caged Collocation Space for each arrangement that Neutral Tandem has converted to metered power or for new caged Collocation Spaces under the election of metered power. This "Meter Reading" monthly recurring rate element will be assessed per circuit for each circuit read by AT&T or its AT&T Certified Supplier, at the rates set forth in Exhibit B.
- 8.9.12 In Alabama and Louisiana, Neutral Tandem has the option to purchase power directly from an electric utility company. Under such option, Neutral Tandem is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by Neutral Tandem. Neutral Tandem's AT&T Certified Supplier must comply with all applicable safety codes, including the NEC and National Electric Safety Code (NESC) standards, in the installation of this power arrangement. If Neutral Tandem currently has power supplied by AT&T, Neutral Tandem may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. AT&T will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc., utilized by Neutral Tandem in provisioning said power will be billed by AT&T on an ICB basis.
- 8.9.13 In South Carolina, Neutral Tandem has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested AT&T Premises. Under such option, Neutral Tandem is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC

Version: 2Q07 Standard ICA

power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by an AT&T Certified Supplier hired by Neutral Tandem. Neutral Tandem's AT&T Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the NESC standards, in the installing of this power arrangement, just as AT&T is required to comply with these codes. Neutral Tandem must submit an application to AT&T for the appropriate amount of Collocation Space that Neutral Tandem requires in order to install this type of power arrangement. AT&T will evaluate the request and determine if the appropriate amount of space is available within the AT&T Premises for the installation of Neutral Tandem's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the AT&T Premises that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. AT&T shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Neutral Tandem shall be responsible for the recurring charges associated with the additional space needed in the AT&T Premises for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, fuse panel, power meter, etc.). If there is no space available for this type of power arrangement in the requested AT&T Premises, AT&T may seek a waiver of these requirements from the Commission for the AT&T Premises requested. Neutral Tandem would have the option to order its power needs directly from AT&T.

- 8.10 <u>Central Office Cable Installation.</u> Cable Installation fees will be assessed on a per entrance cable basis. This nonrecurring charge will be billed by AT&T upon receipt of Neutral Tandem's BFFO. Charges for cable racking, cable support structure and entrance fiber structure are recurring fees and will also be assessed according to the rates set forth in Exhibit B.
- 8.11 <u>Central Office Cable Records.</u> Cable Records charges apply for work activities required to build or remove existing cable records assigned to Neutral Tandem in AT&T's database systems. The VG/DS0 per cable record charge is for a maximum of thirty-six hundred (3,600) records per request. The fiber cable record charge is for a maximum of ninety-nine (99) records per request. Cable Record fees will be assessed as a nonrecurring charge, upon receipt of Neutral Tandem's BFFO, in all AT&T states, except Louisiana. In Louisiana, Cable Record fees will be assessed on a monthly recurring charge basis, upon receipt of Neutral Tandem's BFFO. All charges will be assessed the rates set forth in Exhibit B.
- 8.12 <u>Security Escort.</u> After Neutral Tandem has used its one (1) accompanied site visit, pursuant to Section 5.12.1 above, and prior to Neutral Tandem's completion

Version: 2Q07 Standard ICA

of the AT&T Security Training requirements, contained in Section 12 below, a security escort will be required when Neutral Tandem's employees, approved agent, supplier, or Guest(s) desire access to the entrance manhole or an AT&T Premises. The rates for security escort service are assessed pursuant to the fee schedule contained in Exhibit B, beginning with the scheduled escort time agreed to by the Parties. AT&T will wait for one-half (1/2) hour after the scheduled escort time to provide such requested escort service and Neutral Tandem shall pay for such half-hour charges in the event Neutral Tandem's employees, approved agent, supplier or Guest(s) fails to show up for the scheduled escort appointment.

8.13 Other. If no collocation rate element and associated rate is identified in Exhibit B, the Parties, upon request by either Party, will negotiate the rate for the specific collocation service or function identified in this Attachment.

#### 9 Insurance

- 9.1 Neutral Tandem shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A.
- 9.2 Neutral Tandem shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000). AT&T shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000) each accident, one hundred thousand dollars (\$100,000) each employee by disease, and five hundred thousand dollars (\$500,000) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Neutral Tandem's real and personal property situated on or within an AT&T Premises.
- 9.2.4 Neutral Tandem may elect to purchase business interruption and contingent business interruption insurance, having been advised that AT&T assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by AT&T from time to time during the term of this Agreement, upon thirty (30) days notice to Neutral Tandem, to at least such minimum limits as shall then be customary with respect to comparable occupancy of AT&T structures.
- 9.4 All policies purchased by Neutral Tandem shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by AT&T. All insurance must be in effect on or before the date equipment is delivered to

Version: 2Q07 Standard ICA

AT&T's Premises and shall remain in effect for the term of this Agreement or until all of Neutral Tandem's property has been removed from AT&T's Premises, whichever period is longer. If Neutral Tandem fails to maintain required coverage, AT&T may pay the premiums thereon and seek reimbursement of same from Neutral Tandem.

9.5 Neutral Tandem shall submit certificates of insurance reflecting the coverage required pursuant to this Section within a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Neutral Tandem shall arrange for AT&T to receive thirty (30) business days' advance notice of cancellation or non-renewal from Neutral Tandem's insurance company. Neutral Tandem shall forward a certificate of insurance and notice of cancellation/non-renewal to AT&T at the following address:

#### AT&T

Attn: Risk Management Office – Finance 17F54 AT&T Midtown Center 675 W. Peachtree Street Atlanta, GA 30375

- 9.6 Neutral Tandem must conform to recommendations made by AT&T's fire insurance company to the extent AT&T has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self Insurance.</u> If Neutral Tandem's net worth exceeds five hundred million dollars (\$500,000,000), Neutral Tandem may elect to request self-insurance status in lieu of obtaining any of the insurance required in Section 9.2 above. Neutral Tandem shall provide audited financial statements to AT&T thirty (30) days prior to the commencement of any work in the Collocation Space. AT&T shall then review such audited financial statements and respond in writing to Neutral Tandem in the event that self-insurance status is not granted to Neutral Tandem. If AT&T approves Neutral Tandem for self-insurance, Neutral Tandem shall annually furnish to AT&T, and keep current, evidence of such net worth that is attested to by one of Neutral Tandem's corporate officers. The ability to self-insure shall continue so long as Neutral Tandem meets all of the requirements of this Section. If Neutral Tandem subsequently no longer satisfies the requirements of this Section, Neutral Tandem is required to purchase insurance as indicated by Section 9.2 above.
- 9.8 The net worth requirements set forth in Section 9.7 above may be increased by AT&T from time to time during the term of this Agreement upon thirty (30) days' notice to Neutral Tandem to at least such minimum limits as shall then be customary with respect to comparable occupancy of an AT&T Premises.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

Version: 2Q07 Standard ICA

# 10 Mechanics Lien

10.1 If any mechanics lien or other liens are filed against property of either Party (AT&T or Neutral Tandem), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 11 Inspections

11.1 AT&T may conduct an inspection of Neutral Tandem's equipment and facilities in Neutral Tandem's Collocation Space(s) prior to the activation of facilities and/or services between Neutral Tandem's equipment and equipment of AT&T. AT&T may conduct an inspection if Neutral Tandem adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. AT&T shall provide Neutral Tandem with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspections shall be borne by AT&T.

# 12 Security and Safety Requirements

- Unless otherwise specified, Neutral Tandem will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Neutral Tandem employee hired in the past five (5) years being considered for work on an AT&T Premises, for the states/counties where the Neutral Tandem employee has worked and lived for the past five (5) years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Neutral Tandem shall not be required to perform this investigation if an affiliated company of Neutral Tandem has performed an investigation of the Neutral Tandem employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Neutral Tandem has performed a pre-employment statewide investigation of criminal history records of the Neutral Tandem employee for the states/counties where the Neutral Tandem employee has worked and lived for the past five (5) years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Neutral Tandem will be required to administer to its personnel assigned to the AT&T Premises security training either provided by AT&T, or meeting criteria defined by AT&T at AT&T's Interconnection Web site,

Version: 2Q07 Standard ICA

www.interconnection.bellsouth.com/guides.

- Neutral Tandem shall provide its employees and agents with picture identification, which must be worn and visible at all times while in Neutral Tandem's Collocation Space or other areas in or around the AT&T Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Neutral Tandem's name. AT&T reserves the right to remove from an AT&T Premises any employee of Neutral Tandem not possessing identification issued by Neutral Tandem or who has violated any of AT&T's policies as outlined in the CLEC Security Training documents. Neutral Tandem shall hold AT&T harmless for any damages resulting from such removal of Neutral Tandem's personnel from an AT&T Premises. Neutral Tandem shall be solely responsible for ensuring that any Guest(s) of Neutral Tandem is in compliance with all subsections of this Section.
- Neutral Tandem shall not assign to the AT&T Premises any personnel with records of felony criminal convictions. Neutral Tandem shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising AT&T of the nature and gravity of the offense(s). AT&T reserves the right to refuse building access to any of Neutral Tandem's personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event Neutral Tandem chooses not to advise AT&T of the nature and gravity of any misdemeanor conviction, Neutral Tandem may, in the alternative, certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Neutral Tandem shall not knowingly assign to the AT&T Premises any individual who was a former employee of AT&T and whose employment with AT&T was terminated for a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.
- 12.4.2 Neutral Tandem shall not knowingly assign to the AT&T Premises any individual who was a former supplier of AT&T and whose access to an AT&T Premises was revoked due to the commission of a criminal offense, whether or not AT&T sought prosecution of the individual for the criminal offense.
- For each Neutral Tandem employee or agent hired by Neutral Tandem within the last five (5) years, who requires access to an AT&T Premises to perform work in Neutral Tandem Collocation Space(s), Neutral Tandem shall furnish AT&T certification that the aforementioned background check and security training were completed. This certification must be provided to and approved by AT&T before an employee or agent will be granted such access to an AT&T Premises. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, Neutral Tandem will disclose the nature of the convictions to AT&T at that time. In the alternative, Neutral

Version: 2Q07 Standard ICA

Tandem may certify to AT&T that it shall not assign to the AT&T Premises any personnel with records of misdemeanor convictions, other than misdemeanor traffic violations.

- 12.5.1 For all other Neutral Tandem employees requiring access to an AT&T Premises pursuant to this Attachment, Neutral Tandem shall furnish AT&T, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At AT&T's request, Neutral Tandem shall promptly remove from the AT&T Premises any employee of Neutral Tandem that AT&T does not wish to grant access to an AT&T Premises: 1) pursuant to any investigation conducted by AT&T, or 2) prior to the initiation of an investigation if an employee of Neutral Tandem is found interfering with the property or personnel of AT&T or another collocated telecommunications carrier, provided that an investigation shall be promptly commenced by AT&T.
- 12.7 <u>Security Violations.</u> AT&T reserves the right to interview Neutral Tandem's employees, agents, suppliers, or Guests in the event of wrongdoing in or around an AT&T Premises or involving AT&T's or another collocated telecommunications carrier's property or personnel, provided that AT&T shall provide reasonable notice to Neutral Tandem's Security representative of such interview. Neutral Tandem and its employees, agents, suppliers, or Guests shall reasonably cooperate with AT&T's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Neutral Tandem's employees, agents, suppliers, or Guests. Additionally, AT&T reserves the right to bill Neutral Tandem for all reasonable costs associated with investigations involving its employees, agents, suppliers, or Guests if it is established and mutually agreed in good faith that Neutral Tandem's employees, agents, suppliers, or Guests are responsible for the alleged act(s). AT&T shall bill Neutral Tandem for AT&T property, which is stolen or damaged, where an investigation determines the culpability of Neutral Tandem's employees, agents, suppliers, or Guests and where Neutral Tandem agrees, in good faith, with the results of such investigation. Neutral Tandem shall notify AT&T in writing immediately in the event that Neutral Tandem discovers one of its employees, agents, suppliers, or Guests already working on the AT&T Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from AT&T's Premises, any employee found to have violated the security and safety requirements of this Section. Neutral Tandem shall hold AT&T harmless for any damages resulting from such removal of Neutral Tandem's personnel from an AT&T Premises.
- 12.8 <u>Use of Supplies.</u> Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be

Version: 2Q07 Standard ICA

strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.

- 12.9 <u>Use of Official Lines.</u> Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephone(s) of the other Party on AT&T's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability.</u> Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees, agents, suppliers, or Guests.

# 13 Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, hurricane, tornado, flood or by similar force majeure circumstances to such an extent as to be rendered wholly unsuitable for Neutral Tandem's permitted use hereunder, then either Party may elect within ten (10) days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Neutral Tandem's permitted use, or is damaged and the option to terminate is not exercised by either Party, AT&T covenants and agrees to proceed promptly without expense to Neutral Tandem, except for improvements not to the property of AT&T, to repair the damage. AT&T shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of AT&T, which causes shall not be construed as limiting factors, but as exemplary only. Neutral Tandem may, at its own expense, accelerate the rebuild of its Collocation Space and equipment provided, however, that an AT&T Certified Supplier is used and the necessary space preparation has been completed. If Neutral Tandem's acceleration of the project increases the cost of the project, then those additional charges will be incurred at Neutral Tandem's expense. Where allowed and where practical, Neutral Tandem may erect a temporary facility while AT&T rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Neutral Tandem shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Neutral Tandem's permitted use, until such Collocation Space is fully repaired and restored and Neutral Tandem's equipment installed therein (but in no event later than thirty (30) days after the Collocation Space is fully repaired and restored). Where Neutral Tandem has placed an Adjacent Arrangement pursuant to Section 3.4 above, Neutral Tandem shall have the sole responsibility to repair or replace said Adjacent Arrangement

Version: 2Q07 Standard ICA

provided herein. Pursuant to this Section, AT&T will restore the associated services to the Adjacent Arrangement.

### 14 Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the date possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with a proportionate refund by AT&T of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, AT&T and Neutral Tandem shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) days after such taking.

## 15 Nonexclusivity

Neutral Tandem understands that this Attachment is not exclusive and that AT&T may enter into similar agreements with other Parties. Assignment of Collocation Space pursuant to all such agreements shall be determined by space availability and made on a first come, first serve basis.

Version: 2Q07 Standard ICA

### ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing physical collocation arrangements.

### 1. General Principles

- 1.1 Compliance with Applicable Law. AT&T and Neutral Tandem agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and Occupational Safety and Healthy Act (OSHA) regulations issued under the OSHA of 1970, as amended and National Fire Protection Association (NFPA), NEC and NESC (Applicable Laws) requirements. Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. AT&T and Neutral Tandem shall provide notice to the other, including any Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Neutral Tandem should contact 1-800-743-6737 for any AT&T MSDS required.
- 1.3 Practices/Procedures. AT&T may make available additional environmental control procedures for Neutral Tandem to follow when working at an AT&T Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of AT&T for environmental protection. Neutral Tandem will require its suppliers, agents, Guests, and others accessing the AT&T Premises to comply with these practices. Section 2 below lists the Environmental categories where AT&T practices should be followed by Neutral Tandem when operating in the AT&T Premises.
- 1.4 <u>Environmental and Safety Inspections.</u> AT&T reserves the right to inspect the Neutral Tandem space with proper notification. AT&T reserves the right to stop any Neutral Tandem work operation that imposes Imminent Danger to the environment, employees or other persons in or around an AT&T Premises.
- 1.5 <u>Hazardous Materials Brought On Site.</u> Any hazardous materials brought into, used, stored or abandoned at an AT&T Premises by Neutral Tandem are owned by and considered the property of Neutral Tandem. Neutral Tandem will

Version: 2Q07 Standard ICA

indemnify AT&T for claims, lawsuits or damages to persons or property caused by these materials. Without prior written AT&T approval, no substantial new safety or environmental hazards can be created by Neutral Tandem or different hazardous materials used by Neutral Tandem at an AT&T Premises. Neutral Tandem must demonstrate adequate emergency response capabilities for the materials used by Neutral Tandem or remaining at an AT&T Premises.

- 1.6 <u>Spills and Releases.</u> When contamination is discovered at an AT&T Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by Neutral Tandem to AT&T.
- 1.7 Coordinated Environmental Plans and Permits. AT&T and Neutral Tandem will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, AT&T and Neutral Tandem will develop a cost sharing procedure. If AT&T's permit or EPA identification number must be used, Neutral Tandem must comply with all of AT&T's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and the selection of AT&T disposition vendors and disposal sites.
- Environmental and Safety Indemnification. AT&T and Neutral Tandem shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its employees, agents, suppliers, or Guests concerning its operations at an AT&T Premises.

# 2. Categories for Consideration of Environmental Issues

- When performing functions that fall under the following Environmental categories on AT&T's Premises, Neutral Tandem agrees to comply with the applicable sections of the current issue of AT&T's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Neutral Tandem further agrees to cooperate with AT&T to ensure that Neutral Tandem's employees, agents, suppliers and/or Guests are knowledgeable of and satisfy those provisions of AT&T's Environmental M&Ps, which apply to the specific Environmental function being performed by Neutral Tandem, its employees, agents, suppliers, and/or Guests.
- The most current version of the reference documentation must be requested from Neutral Tandem's AT&T Regional Contract Manager (RCM).

Version: 2Q07 Standard ICA

| Environmental Categories  | Environmental Issues   | Addressed By The Following<br>Documentation   |
|---|--|---|
| Disposal of hazardous<br>material or other regulated<br>material (e.g., batteries,<br>fluorescent tubes, solvents & | Compliance with all applicable local, state & federal laws and regulations   | Std T&C 450<br>Fact Sheet Series 17000  |
| cleaning materials)   | Pollution liability insurance  | Std T&C 660-3   |
|   | EVET approval of supplier  | Approved Environmental Vendor List (Contact RCM Representative)   |
| Emergency response  | Hazmat/waste release/spill fire safety emergency                             | Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on AT&T's Premises) |
| Contract labor/outsourcing for services with environmental implications to be performed                             | Compliance with all applicable local, state and federal laws and regulations | Std T&C 450   |
| on AT&T Premises (e.g.,<br>disposition of hazardous<br>material/waste; maintenance<br>of storage tanks)             | Performance of services in accordance with AT&T's environmental M&Ps         | Std T&C 450-B<br>(Contact RCM Representative<br>for copy of appropriate E/S<br>M&Ps.)                         |
|   | Insurance  | Std T&C 660   |
| Transportation of hazardous material  | Compliance with all applicable local, state & federal laws and regulations   | Std T&C 450<br>Fact Sheet Series 17000  |
|   | Pollution liability insurance EVET approval of supplier                      | Std T&C 660-3   |
|   |  | Approved Environmental Vendor List (Contact RCM Representative)   |
| Maintenance/operations work which may produce a waste   | Compliance with all applicable local, state & federal laws and regulations   | Std T&C 450   |
| Other maintenance work  | Protection of AT&T employees and equipment                                   | 29 C.F.R. § 1910.147 (OSHA Standard) 29 C.F.R. § 1910 Subpart O (OSHA Standard)                               |

Version: 2Q07 Standard ICA 04/26/07

| Janitorial service  | All waste removal and disposal must conform to all applicable federal, state and local regulations | Procurement Manager (CRES<br>Related Matters)-AT&T<br>Supply Chain Services   |
|---|--|---|
|   | All Hazardous Material and Waste   | Fact Sheet Series 17000   |
|   | Asbestos notification and protection of employees and equipment                                    | GU-BTEN-001BT, Chapter 3<br>BSP 010-170-001BS<br>(Hazcom)   |
| Manhole cleaning  | Compliance with all applicable local, state & federal laws and regulations                         | Std T&C 450<br>Fact Sheet 14050<br>BSP 620-145-011PR<br>Issue A, August 1996  |
|   | Pollution liability insurance  | Std T&C 660-3   |
|   | EVET approval of supplier  | Approved Environmental<br>Vendor List (Contact RCM<br>Representative)   |
| Removing or disturbing building materials that may contain asbestos | Asbestos work practices  | GU-BTEN-001BT, Chapter 3 for questions regarding removing or disturbing materials that contain asbestos, call the AT&T Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740 |

### 3. Definitions

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 C.F.R. § 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical.</u> As defined in the U.S. OSHA hazard communications standard (29 C.F.R. § 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste.</u> As defined in Section 1004 of RCRA.

Version: 2Q07 Standard ICA

Imminent Danger. Any conditions or practices at an AT&T Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

### 4. Acronyms

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> – Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

EVET – Environmental Vendor Evaluation Team

GU-BTEN-001BT – AT&T Environmental Methods and Procedures

NESC – National Electrical Safety Codes

<u>P&SM</u> – Property & Services Management

Std T&C – Standard Terms & Conditions

Version: 2Q07 Standard ICA

| Ph<br>Ph<br>Ap<br>Ph<br>Ph<br>Ph<br>Ph    | RATE ELEMENTS  DOCATION  In spical Collocation - Initial Application Fee hysical Collocation - Subsequent Application Fee hysical Collocation - Co-Carrier Cross Connects/Direct Connect, pplication Fee, per application sysical Collocation - Application Cost, Simple Augment hysical Collocation - Application Cost, Simple Augment hysical Collocation - Application Cost, Intermediate Augment hysical Collocation - Application Cost - Major Augment hysical Collocation - Application Cost - Major Augment hysical Collocation - Application Cost - Major Augment hysical Collocation - Floor Space, per sq feet                | Interim | BCS  CLO CLO CLO   | USOC PE1BA PE1CA | Rec    | Nonred<br>First      | RATES(\$)  curring  Add'I | Nonrecurring<br>First | Disconnect<br>Add'l |       | Svc Order<br>Submitted<br>Manually<br>per LSR | Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN | Incremental Charge - Manual Svc Order vs. Electronic- Add'I  Rates(\$) SOMAN | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|---|---|---------|--|------------------|--------|----------------------|---------------------------|-----------------------|---------------------|-------|---|---|--|---|---|
| Application Ph Ph Ph Ap Ph Ap Ph Ph Ph Ph | n ysical Collocation - Initial Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Co-Carrier Cross Connects/Direct Connect, polication Fee, per application ysical Collocation Administrative Only - Application Fee ysical Collocation - Application Cost, Simple Augment ysical Collocation - Application Cost, Minor Augment ysical Collocation - Application Cost, Intermediate Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Floor Space, per sq feet |         | CLO  |                  | Rec    |                      |                           |                       |                     | SOMEC | COMAN   |   |  | COMAN   |   |
| Application Ph Ph Ph Ap Ph Ap Ph Ph Ph Ph | n ysical Collocation - Initial Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Co-Carrier Cross Connects/Direct Connect, polication Fee, per application ysical Collocation Administrative Only - Application Fee ysical Collocation - Application Cost, Simple Augment ysical Collocation - Application Cost, Minor Augment ysical Collocation - Application Cost, Intermediate Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Floor Space, per sq feet |         | CLO  |                  |        | FIFST                | Addi                      | FIRST                 | Addi                |       |   |   |  |   | 001111  |
| Application Ph Ph Ph Ap Ph Ap Ph Ph Ph Ph | n ysical Collocation - Initial Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Co-Carrier Cross Connects/Direct Connect, polication Fee, per application ysical Collocation Administrative Only - Application Fee ysical Collocation - Application Cost, Simple Augment ysical Collocation - Application Cost, Minor Augment ysical Collocation - Application Cost, Intermediate Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Floor Space, per sq feet |         | CLO  |                  |        |                      |                           | 1                     |                     | SOME  | SOMAN   | SUMAN   | JOHAN  | SUMAN   | SOMAN   |
| Application Ph Ph Ph Ap Ph Ap Ph Ph Ph Ph | n ysical Collocation - Initial Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Subsequent Application Fee ysical Collocation - Co-Carrier Cross Connects/Direct Connect, polication Fee, per application ysical Collocation Administrative Only - Application Fee ysical Collocation - Application Cost, Simple Augment ysical Collocation - Application Cost, Minor Augment ysical Collocation - Application Cost, Intermediate Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Floor Space, per sq feet |         | CLO  |                  |        |                      |                           |                       |                     |       |   |   |  |   |   |
| Ph<br>Ph<br>Ap<br>Ph<br>Ph<br>Ph<br>Ph    | nysical Collocation - Subsequent Application Fee hysical Collocation - Co-Carrier Cross Connects/Direct Connect, pplication Fee, per application hysical Collocation Administrative Only - Application Fee hysical Collocation - Application Cost, Simple Augment hysical Collocation - Application Cost, Minor Augment hysical Collocation - Application Cost, Intermediate Augment hysical Collocation - Application Cost - Major Augment hysical Collocation - Application Cost - Major Augment hysical Collocation - Floor Space, per sq feet   |         | CLO  |                  |        |                      | •                         |                       |                     |       |   |   |  |   |   |
| Ph<br>Ap<br>Ph<br>Ph<br>Ph<br>Ph<br>Ph    | nysical Collocation - Co-Carrier Cross Connects/Direct Connect,  oplication Fee, per application  ysical Collocation Administrative Only - Application Fee  nysical Collocation - Application Cost, Simple Augment  nysical Collocation - Application Cost, Minor Augment  nysical Collocation - Application Cost, Intermediate Augment  nysical Collocation - Application Cost - Major Augment  nysical Collocation - Application Cost - Major Augment  paration  nysical Collocation - Floor Space, per sq feet   |         | CLO  |                  |        | 1,879.48             |                           | 0.51                  |                     |       |   |   |  |   |   |
| Ap<br>Ph<br>Ph<br>Ph<br>Ph<br>Ph          | plication Fee, per application ysical Collocation Administrative Only - Application Fee ysical Collocation - Application Cost, Simple Augment ysical Collocation - Application Cost, Minor Augment ysical Collocation - Application Cost, Intermediate Augment ysical Collocation - Application Cost - Major Augment ysical Collocation - Foor Space, per sq feet   |         |  | FEICA            |        | 1,566.60             |                           | 0.51                  |                     |       |   |   |  |   | <del></del>   |
| Ph<br>Ph<br>Ph<br>Ph                      | ysical Collocation Administrative Only - Application Fee<br>ysical Collocation - Application Cost, Simple Augment<br>ysical Collocation - Application Cost, Minor Augment<br>ysical Collocation - Application Cost, Intermediate Augment<br>ysical Collocation - Application Cost - Major Augment<br>paration   |         |  | PE1DT            |        | 584.22               |                           |                       |                     |       |   |   |  |   |   |
| Ph<br>Ph<br>Ph<br>Ph                      | nysical Collocation - Application Cost, Simple Augment nysical Collocation - Application Cost, Minor Augment nysical Collocation - Application Cost, Intermediate Augment nysical Collocation - Application Cost - Major Augment paration nysical Collocation - Floor Space, per sq feet  |         | CLO  | PE1BL            |        | 742.15               |                           |                       |                     |       |   |   |  |   |   |
| Phy<br>Phy                                | ysical Collocation - Application Cost, Intermediate Augment<br>ysical Collocation - Application Cost - Major Augment<br>paration<br>ysical Collocation - Floor Space, per sq feet   |         | CLO  | PE1KS            |        | 594.41               |                           | 1.21                  |                     |       |   |   |  |   |   |
| Ph  | ysical Collocation - Application Cost - Major Augment<br>paration<br>ysical Collocation - Floor Space, per sq feet  |         | <br>CLO  | PE1KM            |        | 833.47               |                           | 1.21                  |                     |       |   |   |  |   |   |
|   | paration<br>hysical Collocation - Floor Space, per sq feet  |         | CLO<br>CLO   | PE1K1<br>PE1KJ   |        | 1,058.00<br>2,410.00 |                           | 1.21<br>1.21          |                     |       |   |   |  |   | <del></del>   |
|   | nysical Collocation - Floor Space, per sq feet  |         | CLO  | FEINJ            | l l    | 2,410.00             |                           | 1.21                  |                     | l l   |   |   |  |   | <u> </u>  |
|   | unical Callagation Casas Fasta  |         | CLO  | PE1PJ            | 3.22   |                      |                           |                       |                     |       |   |   |  |   |   |
| Phy<br>squ                                | nysical Collocation - Space Enclosure, welded wire, first 50<br>uare feet   |         | CLO  | PE1BX            | 140.99 |                      |                           |                       |                     |       |   |   |  |   |   |
| squ                                       | nysical Collocation - Space enclosure, welded wire, first 100<br>uare feet  |         | CLO  | PE1BW            | 156.33 |                      |                           |                       |                     |       |   |   |  |   |   |
| add                                       | nysical Collocation - Space enclosure, welded wire, each ditional 50 square feet  |         | CLO  | PE1CW            | 15.34  |                      |                           |                       |                     |       |   |   |  |   |   |
| squ                                       | nysical Collocation - Space Preparation - C.O. Modification per uare ft.  |         | CLO  | PE1SK            | 1.96   |                      |                           |                       |                     |       |   |   |  |   |   |
| Mo  | nysical Collocation - Space Preparation, Common Systems odifications-Cageless, per square foot  |         | CLO  | PE1SL            | 2.62   |                      |                           |                       |                     |       |   |   |  |   |   |
|   | nysical Collocation - Space Preparation - Common Systems odifications-Caged, per cage   |         | CLO  | PE1SM            | 88.86  |                      |                           |                       |                     |       |   |   |  |   |   |
|   | nysical Collocation - Space Preparation - Firm Order Processing<br>nysical Collocation - Space Availability Report, per Central Office  |         | CLO  | PE1SJ            |        | 600.71               |                           |                       |                     |       |   |   |  |   | <u> </u>  |
|   | equested  |         | CLO  | PE1SR            |        | 1,075.17             |                           |                       |                     |       |   |   |  |   | <u> </u>  |
|   | nysical Collocation - Power, -48V DC Power - per Fused Amp  |         |  |                  |        |                      | 1                         | 1                     |                     |       |   |   |  |   |   |
|   | equested  |         | CLO  | PE1PL            | 7.83   |                      |                           |                       |                     |       |   |   |  |   |   |
|   | nysical Collocation - Power, 120V AC Power, Single Phase, per eaker Amp   |         | CLO  | PE1FB            | 4.91   |                      |                           |                       |                     |       |   |   |  |   |   |
| Bre                                       | nysical Collocation - Power, 240V AC Power, Single Phase, per eaker Amp   |         | CLO  | PE1FD            | 9.84   |                      |                           |                       |                     |       |   |   |  |   |   |
| Bre                                       | nysical Collocation - Power, 120V AC Power, Three Phase, per eaker Amp  |         | CLO  | PE1FE            | 14.74  |                      |                           |                       |                     |       |   |   |  |   |   |
| Bre                                       | nysical Collocation - Power, 277V AC Power, Three Phase, per eaker Amp  |         | CLO  | PE1FG            | 34.06  |                      |                           |                       |                     |       |   |   |  |   |   |
| Cross Con                                 | nnects (Cross Connects, Co-Carrier Cross Connects, and Por  | ts)     | UEANL,UEQ,   |                  | , ,    |                      |                           | 1                     |                     |       | -   | -   | - 1  | -   |   |
|   |   |         | UNCNX, UEA, UCL,<br>UAL, UHL, UDN,   |                  |        |                      |                           |                       |                     |       |   |   |  |   |   |
|   | nysical Collocation - 2-wire cross-connect, loop, provisioning  |         | UNCVX<br>UEA, UHL, UNCVX,  | PE1P2            | 0.03   | 12.30                | 11.80                     | 6.03                  | 5.44                |       |   |   |  |   |   |
| Ph  | nysical Collocation - 4-wire cross-connect, loop, provisioning  |         | WDS1L, WDS1S,  | PE1P4            | 0.05   | 12.39                | 11.87                     | 6.39                  | 5.73                |       |   |   |  |   |   |
| Dh  | nysical Collocation -DS1 Cross-Connect for Physical   |         | UXTD1, ULDD1,<br>USLEL, UNLD1,<br>U1TD1, UNC1X,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP,<br>USL, UEPEX,                   |                  |        |                      |                           |                       |                     |       |   |   |  |   |   |
| Co  | ullocation, provisioning  |         | UEPDX<br>UE3, U1TD3,   | PE1P1            | 1.11   | 22.03                | 15.93                     | 6.40                  | 5.79                |       |   |   |  |   |   |
| Ph  | nysical Collocation - DS3 Cross-Connect, provisioning   |         | UXTD3, UXTS1,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3,<br>UEPEX, UEPDX,<br>UEPSE, UEPSB,<br>UEPSE, UEPSP | PE1P3            | 14.16  | 20.89                | 15.20                     | 7.38                  | 5.92                |       |   |   |  |   |   |

| COLLOCA  | TION - Alabama   |           |      |   |                |              |                 |           |                       |       |   |   | Att: 4 Exh: B  |  |   |   |
|--|--|-----------|------|---|----------------|--------------|-----------------|-----------|-----------------------|-------|---|---|--|--|---|---|
| CATEGORY   | RATE ELEMENTS  | Interim   | Zone | BCS   | usoc           |              |                 | RATES(\$) |                       |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|  |  |           |      |   |                | Rec          | Nonred<br>First |           | Nonrecurring<br>First |       | 00450                                     | SOMAN   |  | Rates(\$)<br>SOMAN   | SOMAN   | SOMAN   |
|  |  |           |      | CLO, ULDO3,   | +              |              | First           | Add'l     | First                 | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|  | Physical Collocation - 2-Fiber Cross-Connect   |           |      | ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF<br>ULD03, ULD12,<br>ULD48, U1TO3,<br>U1T12, U1T48,<br>UDLO3, UDL12. | PE1F2          | 2.81         | 20.89           | 15.20     | 7.38                  | 5.92  |   |   |  |  |   |   |
|  | Physical Collocation - 4-Fiber Cross-Connect   |           |      | UDF, UDFCX  | PE1F4          | 4.99         | 25.55           | 19.86     | 9.71                  | 8.25  |   |   |  |  |   |   |
|  |  |           |      |   |                |              |                 |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per Cable.   |           |      | CLO   | PE1ES          | 0.0011       |                 |           |                       |       |   |   |  |  |   |   |
| <del>                                     </del> | priber Cable Support Structure, per linear root, per Cable.  |           |      | CLU   | re ies         | 0.0011       |                 |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Co-Carrier Cross Connect/Direct Connect -   |           |      |   |                |              |                 |           |                       |       |   |   |  |  |   |   |
| $\vdash$   | Copper/Coax Cable Support Structure, per linear foot, per cable.   |           |      | CLO   | PE1DS          | 0.0016       |                 |           |                       |       |   |   |  |  |   |   |
|  |  |           |      | UEPSR, UEPSP,<br>UEPSE, UEPSB,  |                |              |                 |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation 2-Wire Cross Connect, Port  |           |      | UEPSX, UEP2C  | PE1R2          | 0.03         | 12.30           | 11.80     | 6.03                  | 5.44  |   |   |  |  |   |   |
|  | Physical Collocation 4-Wire Cross Connect, Port  |           |      | UEPEX, UEPDD  | PE1R4          | 0.05         | 12.39           | 11.87     | 6.39                  | 5.73  |   |   |  |  |   |   |
| Securi   | Physical Collocation - Security Escort for Basic Time - normally   |           |      |   | 1              |              |                 |           | 1                     |       |   |   |  |  |   |   |
|  | scheduled work, per half hour  |           |      | CLO   | PE1BT          |              | 16.93           | 10.73     |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Security Escort for Overtime - outside of   |           |      |   |                |              |                 |           |                       |       |   |   |  |  |   |   |
|  | normally scheduled working hours on a scheduled work day, per<br>half hour   |           |      | CLO   | PE1OT          |              | 22.05           | 13.86     |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour                         |           |      | CLO   | PE1PT          |              | 27.17           | 16.98     |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Security Access System - Security System  |           |      |   |                |              | 27.17           | 10.50     |                       |       |   |   |  |  |   |   |
|  | per Central Office   |           |      | CLO   | PE1AX          | 45.70        |                 |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State                  |           |      | CLO   | PE1A1          | 0.05         | 27.79           |           |                       |       |   |   |  |  |   |   |
|  | Notivation, per data Netivation (1 1131), per diate  |           |      | OLO   | 1 2 1/(1       | 0.00         | 27.75           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation-Security Access System-Administrative   |           |      |   |                |              |                 |           |                       |       |   |   |  |  |   |   |
| <del></del>                                      | Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or |           |      | CLO   | PE1AA          |              | 7.79            |           |                       |       |   |   |  |  |   |   |
|  | Stolen Card, per Card  |           |      | CLO   | PE1AR          |              | 22.78           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Security Access - Initial Key, per Key  |           |      | CLO   | PE1AK          |              | 13.10           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Security Access - Key, Replace Lost or  |           |      | 01.0  | DE44:          |              |                 |           |                       |       |   |   |  |  |   |   |
| CFA  | Stolen Key, per Key  | l         |      | CLO   | PE1AL          |              | 13.10           |           | 1                     |       | l   |   |  |  |   |   |
| J.A  | Physical Collocation - CFA Information Resend Request, per   |           |      |   |                |              |                 |           |                       |       |   |   |  |  |   |   |
| <u> </u>   | premises, per arrangement, per request   | L         |      | CLO   | PE1C9          |              | 77.56           |           |                       |       |   |   |  |  |   |   |
| Cable  | Records - Note: The rates in the First & Additional columns will a<br>Physical Collocation - Cable Records, per request        | ctually b |      | CLO   | PE1CR          | respectively | I 759.29        | S 488.11  | 133.00                |       |   |   |  |  |   |   |
|  | Physical Collocation, Cable Records, VG/DS0 Cable, per cable   |           |      | 020   |                |              | . 100.20        | 5 700.11  | 155.00                |       |   |   |  |  |   |   |
|  | record (maximum 3600 records)  |           |      | CLO   | PE1CD          |              | 326.92          |           | 189.12                |       |   |   |  |  |   |   |
|  | Physical Collocation, Cable Records, VG/DS0 Cable, per each  |           |      | CLO   | PE1CO          |              | 4.04            |           | E 00                  |       |   |   |  |  |   |   |
|  | 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE   |           |      | CLO   | PE1C0<br>PE1C1 |              | 4.81<br>2.25    |           | 5.90<br>2.76          |       |   |   |  |  |   |   |
|  | Physical Collocation, Cable Records, DS3, per T3 TIE   |           |      | CLO   | PE1C3          |              | 7.88            |           | 9.66                  |       |   |   |  |  |   |   |
|  | Physical Collocation - Cable Records, Fiber Cable, per cable   |           |      | 01.0  | DE4CS          |              |                 |           |                       |       |   |   |  |  |   |   |
|  | record (maximum 99 records)  Physical Collocation, Cable Records,CAT5/RJ45   |           |      | CLO<br>CLO  | PE1CB<br>PE1C5 |              | 84.49<br>2.25   |           | 77.13<br>2.76         |       |   |   |  |  |   |   |
| Virtua   | to Physical  |           |      |   | 1. E 100       |              | 2.20            |           | 2.10                  |       |   |   |  |  |   |   |
|  | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit                                     |           |      | CLO   | PE1BV          |              | 33.00           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit   |           |      | CLO   | PE1BO          |              | 33.00           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit   |           |      | CLO   | PE1B1          |              | 52.00           |           |                       |       |   |   |  |  |   |   |
|  | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit   |           |      | CLO   | PE1B3          |              | 52.00           |           |                       |       |   |   |  |  |   |   |

| COLLOCA    | TION - Alabama   |         |  |  |                |              |                  |           |              |       |   |   | Att: 4 Exh: B  |  |   |   |
|------------|--|---------|--|--|----------------|--------------|------------------|-----------|--------------|-------|---|---|--|--|---|---|
| CATEGORY   | RATE ELEMENTS  | Interim | Zone   | BCS  | USOC           |              |                  | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'I |
|            |  |         |  |  |                | Rec          |                  | curring   | Nonrecurring |       |   |   |  | Rates(\$)  |   |   |
|            |  |         |  |  |                |              | First            | Add'l     | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit   |         |  | CLO  | PE1BR          |              | 22.44            |           |              |       |   |   |  |  |   |   |
|            | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit   |         |  | CLO  | PE1BP          |              | 22.44            |           |              |       |   |   |  |  |   |   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit   |         |  | CLO  | PE1BS          |              | 32.62            |           |              |       |   |   |  |  |   |   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit   |         |  | CLO  | PE1BE          |              | 32.62            |           |              |       |   |   |  |  |   |   |
| Entra      | ince Cable   |         |  |  | _              |              |                  | ,         |              | 1     |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Cable Installation, Pricing, non-<br>recurring charge, per Entrance Cable                           |         |  | CLO  | PE1BD          |              | 859.71           |           | 22.49        |       |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable   |         |  | CLO  | PE1PM          | 17.11        |                  |           |              |       |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Entrance Cable Installation, per Fiber  |         |  | CLO  | PE1ED          |              | 3.87             |           |              |       |   |   |  |  |   |   |
| VIRTUAL CO |  |         |  |  |                |              |                  |           |              |       |   |   |  |  |   |   |
| Appli      | Cation  Virtual Collocation - Application Fee  |         | 1  | AMTFS  | EAF            | 1            | 1,205.26         |           | 0.51         |       |   | 1   | ı  | ı  |   |   |
|            | Virtual Collocation - Application Fee  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,                           |         | <del>                                     </del> | VIAILLO  | EAF            | <del> </del> | 1,205.26         |           | 0.51         |       |   | -   |  |  |   |   |
|            | Application Fee, per application  Virtual Collocation Administrative Only - Application Fee                                      |         |  | AMTFS<br>AMTFS   | VE1CA<br>VE1AF |              | 584.22<br>742.15 |           |              |       |   |   |  |  |   |   |
| Spac       | e Preparation  |         | 1  | AWITO  | VLIAI          | 1            | 742.13           |           | l.           |       |   | l   | l  | l  | <u> </u>  |   |
|            | Virtual Collocation - Floor Space, per sq. ft.   |         |  | AMTFS  | ESPVX          | 3.22         |                  |           |              |       |   |   |  |  |   |   |
| Powe       |  |         |  |  |                |              |                  | ,         |              | 1     |   |   |  |  |   |   |
| Cree       | Virtual Collocation - Power, per fused amp<br>s Connects (Cross Connects, Co-Carrier Cross Connects, and Pol                     |         | <u> </u>   | AMTFS  | ESPAX          | 7.83         |                  |           |              |       |   |   |  |  |   |   |
|            | Virtual Collocation - 2-wire cross-connect, loop, provisioning   |         |  | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX<br>UEA, UHL, UCL,                  | UEAC2          | 0.03         | 12.30            | 11.80     | 6.03         | 5.44  |   |   |  |  |   |   |
|            | Virtual Collocation - 4-wire cross-connect, loop, provisioning   |         |  | UDL, UNCVX,<br>UNCDX   | UEAC4          | 0.05         | 12.39            | 11.87     | 6.39         | 5.73  |   |   |  |  |   |   |
|            | Virtual collocation - Special Access & UNE, cross-connect per DS1  |         |  | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,<br>UEPEX, UEPDX                         | CNC1X          | 1.11         | 22.03            | 15.93     | 6.40         | 5.79  |   |   |  |  |   |   |
|            | Virtual collocation - Special Access & UNE, cross-connect per DS3  |         |  | USL, UE3, U1TD3,<br>UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,<br>UNLD3, XDEST | CND3X          | 14.16        | 20.89            | 15.20     | 7.38         | 5.92  |   |   |  |  |   |   |
|            | Virtual Collocation - 2-Fiber Cross Connects   |         |  | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF                                 | - CNC2F        | 2.84         | 20.89            | 15.20     | 7.38         | 5.92  |   |   |  |  |   |   |
|            | Virtual Collocation - 4-Fiber Cross Connects   |         |  | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF                                 | - CNC4F        | 5.69         | 25.55            | 19.86     | 9.71         | 8.25  |   |   |  |  |   |   |
|            | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable       |         |  | AMTFS  | VE1CB          | 0.0011       |                  |           | 2            | 520   |   |   |  |  |   |   |
|            | r iber dabie dapport diractare, per imeai reet, per dabie  |         |  |  |                | 1            |                  |           | 1            |       |   | l   | l  | l  |   |   |
|            | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable |         |  | AMTFS  | VE1CD          | 0.0016       |                  |           |              |       |   |   |  |  |   |   |
|            | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -   |         |  | AMTFS UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEPSC   | VE1CD<br>VE1R2 | 0.0016       | 12.30            | 11.80     | 6.03         | 5.44  |   |   |  |  |   |   |

| ATTECOPY  RATE ELEMENTS  Internal Zone  BCS  USOC  RATESIS)  RATESIS  RATES |  |                                       |   | В                             | Att: 4 Exh: B  |                                    |                   |          |               |     |          |                |                   |                  | -                     |                   |               | abama  | LLOCAT   |
|--|--|---------------------------------------|---|-------------------------------|--|------------------------------------|-------------------|----------|---------------|-----|----------|----------------|-------------------|------------------|-----------------------|-------------------|---------------|--|----------|
| CA   | Incremental In Charge - Manual Svc Morder vs. Electronic-Disc 1st Inc. | Charge Manual S Order vs C- Electroni | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | al Ind<br>c (<br>c Ma<br>c El | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Svc Order<br>Submitted<br>Manually | Submitted<br>Elec |          |               | •   | .,       |                |                   | usoc             | BCS                   | Zone              | Interim       |  |          |
| Prison Colocosion: CFA Vironission Research Regulated, por   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Regulated   Aurit 19, 1975   Vironization Research Research Research Regulated   Aurit 19, 1975   Vironization Research    |  |                                       |   |                               |  |                                    |                   |          |               | N   |          |                | Rec               |                  | <b></b>               | $\longrightarrow$ |               |  |          |
| Virtual Collection Calle Records   Service     | SOMAN  | SOMAN                                 | SOMAN   | :                             | SOMAN  | SOMAN                              | SOMEC             | Add'l    | First         |     | Add'l    | First          | Neo               |                  | <u> </u>              |                   | ,             |  |          |
| Flemines, per Amargament per request   Collection Calles Records   Virginia Collection with actual bit without   Virginia Collection Calles Records   Virgini   |  |                                       |   |                               |  |                                    |                   |          |               |     | •        |                |                   |                  |                       |                   |               |  | CFA      |
| Cable Records - Note: The table in the First & Additional columns will actually be labled as "You'll's Additional Columns or Column Price Services" (NATES   VELIAR   1700.00   100.12   100.1   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | Í                     |                   | , !           |  |          |
| Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - Virtual Colocation Cale Records - CR5 pt F116  |  |                                       |   |                               |  |                                    |                   |          |               |     |          | 77.56          |                   |                  |                       |                   |               |  |          |
| Virsal Colocation Cable Records - VIGCSD Cable, per earlie to continue to cont |  |                                       |   |                               |  |                                    |                   |          | <del></del> - |     |          |                | pectively         |                  |                       |                   | tually b      |  | Cable    |
| Monte   Mari   |  |                                       |   | +                             |  |                                    |                   |          | 133.00        |     | S 488.11 | 759.29         |                   | VE1BA            | AMTES                 | /                 |               |  |          |
| Virtual Coloration Cable Records - VCRSDC Cable, per each 109   MATTS   VELSC   481   5,90   |  |                                       |   |                               |  |                                    |                   |          | 400.40        |     |          | 202.00         |                   | VE400            | AMTEO                 |                   | , !           | bllocation Cable Records - VG/DS0 Cable, per cable         |          |
| Section   Marked Colonation Called Records - DST, per FTTEE  | +  | +                                     |   | +                             |  |                                    |                   |          | 189.12        |     |          | 326.92         |                   | VETBB            | AMIFS                 | <u>'</u>          |               | Illegation Cable Decards VC/DC0 Cable nor each 100         | _        |
| Virtual Collegation Cales Records - C95 1, per 171E  |  |                                       |   |                               |  |                                    |                   |          | 5.00          |     |          | 4 04           |                   | VE1DC            | AMTEC                 |                   | , !           | bilocation Cable Records - VG/DS0 Cable, per each 100      |          |
| Virtual Colocation Cable Records - DS. p. per 131E   | +  | +                                     |   | +                             |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | +             | Allocation Cable Records DS1 per T1TIE                     |          |
| Virinal Collectation Cable Records - Filter Cable - per 8 filter   AMTES   VE IBF   84.49   77.13  |  | -                                     |   | +                             |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | -             |  |          |
| Records  |  |                                       |   | +                             |  |                                    |                   |          | 3.00          |     |          | 7.00           |                   | VETDE            | AWITTO                | – ť               | -             |  | -        |
| Virtual Collectation Cable Records - CAT SR-MS   AMTES   VS-185   2.25   2.76  |  |                                       |   |                               |  |                                    |                   |          | 77 13         |     |          | 84 49          |                   | VF1BF            | AMTES                 |                   | , !           | bilocation Cable Records - Fiber Cable, per 99 fiber       |          |
| Security   |  | +                                     |   | +                             |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | -             | Illocation Cable Records - CAT 5/R I45                     |          |
| Virtual colocation - Security secont, basic fires, normally scheduled   AMTES   SPTOX   16.90   10.773   |  |                                       |   | —                             |  |                                    |                   |          | 2.10          |     | l .      | 2.20           | I                 | V L 100          | , I O                 |                   |               | JACOBA CALOUTAG OAT JANGED                                 | Securi   |
| Mortifact Service (Coloration - Security secorit, overtime, outside of normally scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled with traus on a normal working day scheduled work day.   |  |                                       |   | $\neg$                        |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | $\overline{}$ | llocation - Security escort, basic time, normally schedule | Occur    |
| Virtual colocation - Security escort, overtime, outside of normally scheduled work house on normal working due to the security of the security security of the security security security security security security security security security security security security security security security security security security security se   |  |                                       |   |                               |  |                                    |                   |          |               | .73 | 10.75    | 16.93          |                   | SPTBX            | AMTFS                 | , b               | , 1           |  |          |
| scheduled work focus on a normal working day   AMTFS   SPTOX   2.0 5   13.86   |  |                                       |   | +                             |  |                                    |                   |          |               |     | 10.71    | 10.00          |                   | 0. 15/1          | 7                     | πť                | -             |  |          |
| Virtual colocation - Security escort, premium time, outside of a schedeled work day   AMTES   SPTPX   27.77   16.98  |  |                                       |   |                               |  |                                    |                   |          |               | 86  | 13.86    | 22.05          |                   | SPTOX            | AMTES                 |                   | , !           |  |          |
| International Contro   |  | _                                     |   | -                             |  |                                    |                   |          |               | .00 | 10.0.    | 22.00          |                   | 0. 10%           | 7                     | , t               |               |  |          |
| Maintenance   Virtual collocation - Maintenance in CO - Basic, per half hour   AMTES   CTRLX   27.93   10.73   |  |                                       |   |                               |  |                                    |                   |          |               | 98  | 16.98    | 27 17          |                   | SPTPX            | AMTES                 |                   | , !           |  |          |
| Virtual colocation - Maintenance in CO - Basic, per half hour  |  |                                       |   | —                             |  |                                    |                   | <u> </u> |               | .00 | 10.50    | 27.17          | Į.                | OI II X          | , ruwi ii O           | <u></u>           |               | 3 WOTK day   | Mainte   |
| Virtual colocation - Maintervance in CO - Overtime, per half hour   AMTFS SPTOM  |  | $\overline{}$                         |   | $\neg \neg$                   |  |                                    |                   |          | $\overline{}$ | 73  | 10.73    | 27 93          |                   | CTRLX            | AMTES                 | -                 | $\overline{}$ | llocation - Maintenance in CO - Basic, per half hour       | manne    |
| Virtual colocation - Maintenance in CO - Premium per half hour AMTFS SPTPM 45.02 16.98  Privatic Colocation - Cable Installation Charge, per cable AMTFS ESPCX 859.71 22.49  Virtual Colocation - Cable Support Structure, per cable AMTFS ESPSX 14.97  DLOCATION N IT RE REMOTE SITE  Physical Remote Site Colocation - Private Col |  |                                       |   | +                             |  |                                    |                   |          |               | .,, | 10.73    | 27.55          |                   | OTIVEX           | / WITT O              | <del>– ť</del>    | $\rightarrow$ | ilocation Waintenance in Go Basic, per hair nour           |          |
| Virtual colocation - Maintenance in Co - Premium per half hour AMTFS SPTPM 45.02 16.98  Privatic Colocation - Cable Installation Charge, per cable AMTFS ESPCX 859.71 22.49  Virtual Colocation - Cable Support Structure, per cable AMTFS ESPSX 14.97  AMTFS ESPSX 14.97  Propried Remote Ster Colocation - Remote Ster - Application Fee Colocation - Remote Ster - Application Fee Colocation - Remote Ster - Application Fee Colocation - Remote Ster - Application Fee Colocation - Remote Ster - Application Fee Colocation - Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation in the Remote Ster - Space Availability Report of Physical Colocation - Space Ster - Space Availability Report of Physical Colocation - Space Ster - Space Availability Report and Physical Colocation - Space  |  |                                       |   |                               |  |                                    |                   |          |               | 86  | 13.8     | 36.47          |                   | SPTOM            | AMTES                 |                   | , !           | llocation - Maintenance in CO - Overtime, per half hour    |          |
| Entrance Cable   Virtual Collocation - Cable Installation Charge, per cable   AMTFS   ESPCX   859.71   22.49   |  | _                                     |   | -                             |  |                                    |                   |          |               | .00 | 10.0.    | 00.11          |                   | 0 0              | 7                     | , t               |               | accadent manifestation in Co. Storamo, per namino a        |          |
| Entrance Cable   Virtual Collocation - Cable Installation Charge, per cable   AMTFS   ESPCX   859.71   22.49   |  |                                       |   |                               |  |                                    |                   |          |               | 98  | 16.98    | 45.02          |                   | SPTPM            | AMTES                 |                   | , !           | llocation - Maintenance in CO - Premium per half hour      |          |
| Virtual Collocation - Cabble Installation Charge, per cabble   AMITES   ESPCX   859,71   22.49   |  |                                       |   |                               |  |                                    |                   |          |               | .00 | 10.00    | 10.02          |                   | O                | 7                     |                   |               | ilodatori mamorianoo ii oo i roman por naii nodi           | Entran   |
| Virtual Collocation - Cable Support Structure, per cable   AMTES   ESPSX   14.97   |  |                                       |   |                               |  |                                    |                   |          | 22.49         |     |          | 859.71         |                   | ESPCX            | AMTES                 | T 7               | $\overline{}$ | bllocation - Cable Installation Charge, per cable          |          |
| Physical Collocation in the Remote Site Obligation Fee CLORS PETRA 307.70 168.22   |  | _                                     |   | _                             |  |                                    |                   |          |               |     |          | 000.7 1        | 14.97             |                  |                       |                   | -             |  |          |
| Physical Colocation in the Remote Site - Application Fee   CLORS   PETRA   307.70   168.22   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   |               |  | LLOCATIO |
| Physical Collocation in the Remote Site - Application Fee  |  |                                       |   |                               |  |                                    | l l               | l l      |               |     |          |                |                   |                  |                       |                   |               |  |          |
| Physical Collocation in the Remote Site - Security Access - Key  Physical Collocation in the Remote Site - Space Availability Report per Premises Requested  CLORS  PESR  115.87  Physical Collocation in the Remote Site - Space Availability Report per Premises Requested  Physical Collocation in the Remote Site - Remote Site - CLU Code Request, per CLU Code Requested  CLORS  Remote Site DLEC Data (BRSDD), per Compact Disk, per CO CLORS  PESR  Remote Site DLEC Data (BRSDD), per Compact Disk, per CO CLORS  PETRR  233.38  Power, DC Power Provisioning (Alabama Only ICB Rate) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Covertine - outside of normally scheduled work day, per half hour CLORS  PETRT  16.93  10.73  PETOT  22.05  13.86  PETOT  22.05  13.86  PETOT  22.05  13.86  PETOT  22.05  13.86  PETOT  22.05  13.86  PETRD  NOTE: IF Security Escort Collocation - Real Estate, per square foot CLORS  PETRT  0.134  Remote Site -Adjacent Collocation - AC Power, per breaker amp CLORS  PETRT  0.134  Remote Site -Adjacent Collocation - AC Power, per breaker amp CLORS  PETRT  0.134  Remote Site -Adjacent Collocation - AC Power, per breaker amp CLORS  PETRT  0.134  Remote Site -Adjacent Collocation - AC Power, per breaker amp CLORS  PETRT  0.134  Remote Site -Adjacent Collocation - AC Power, per breaker amp CLORS  PETRS  6.27  NOTE: If Security Escort and/or Add Engineering Tees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Collocation in the Remote Site - Application Fee VETRS  VETRS  VETRS  VETRS  VETRS  VETRS  VETRC  201.42  |  |                                       |   |                               |  |                                    |                   |          | 168.22        |     |          | 307.70         |                   | PE1RA            | CLORS                 | (                 |               | Collocation in the Remote Site - Application Fee           |          |
| Physical Collocation in the Remote Site - Space Availability Report per Permises Requested CLORS PEISR 115.87  |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                | 201.42            | PE1RB            | CLORS                 | - (               | -             |  |          |
| Physical Collocation in the Remote Site - Space Availability Report per Permises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Requested Physical Collocation in the Remote Site Lett Code Requested CLORS PETRE 37.56 Remote Site Deta (RRSDD), per Compact Disk, per CO CLORS PETRE 233.38 Power, per CLLI Code Requested Power, Dever, Dever Provisioning (Alabama Only ICB Rate) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLORS PETRE 16.93 10.73 Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour CLORS PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 13.86 PETOT 22.05 PET |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | $\Box$        | · · ·  |          |
| Physical Collocation in the Remote Site - Space Availability Report per Premises Requested Physical Collocation in the Remote Site - Remote Site CLUI Code Request, per CLU Code Requested CLORS PETRE 37.56 Remote Site DLEC Data (RRSDD), per Compact Disk, per CO CLORS PETRE 37.56 Remote Site DLEC Data (RRSDD), per Compact Disk, per CO CLORS PETRE 38.38 Power, DC Power Provisioning (Alabama Only ICB Rate) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLORS PETRE 16.93 PETRE 16.93 10.73 Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour CLORS PETRT 16.98 PETRT 16.9 |  |                                       |   |                               |  |                                    |                   |          |               |     |          | 13.10          |                   | PE1RD            | CLORS                 |                   | , !           | Collocation in the Remote Site - Security Access - Key     |          |
| per Premises Requested CLORS PETSR 115.87   115.87   Physical Colocation in the Remote Site - Pemote Site CLLI Code Request. per CLLI Code Requested CLORS PETSR 37.56   CLORS PETSR 37.76   CLORS PETSR 37.56   CLORS PETSR 37.76   CLORS PETSR 37.56 |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | $\Box$        |  |          |
| Reguest, per CLUL Code Requested CLORS PE1RE 37.56   |  |                                       |   |                               |  |                                    |                   |          |               |     |          | 115.87         |                   | PE1SR            | CLORS                 |                   | , !           |  |          |
| Remote Site DLEC Data (BRSDD), per Compact Disk, per CO CLORS PE1RR 233.38   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   | $\neg \neg$   | Collocation in the Remote Site - Remote Site CLLI Code     |          |
| Power, DC Power Provisioning (Alabama Only LOB Rate) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour CLORS PE10T 22.05 13.86 Pity Scheduled work day, per half hour CLORS PE10T 27.17 16.98  Adjacent Remote Site Collocation Remote Site Collocation Remote Site Collocation - Real Estate, per square foot CLORS PE1RU 755.62 755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134 Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27  NOTE: If Security Escort and/or Add'I Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       |   |                               |  |                                    |                   |          |               |     |          | 37.56          |                   | PE1RE            | CLORS                 |                   | , !           | per CLLI Code Requested                                    |          |
| Power, DC Power Provisioning (Alabama Only ICB Rate) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour CLORS PE10T 22.05 13.86  PE19T 27.17 16.98  Adjacent Remote Site Collocation Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee CLORS PE1RU 755.62 755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134 Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27  NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site - Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       | ·   |                               |  |                                    |                   |          |               |     |          | 233.38         |                   | PE1RR            | CLORS                 | (                 |               | Site DLEC Data (BRSDD), per Compact Disk, per CO           |          |
| Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Adjacent Remote Site Collocation  Remote Site Collocation - Application Fee  CLORS  PE1PT  27.17  16.98  Adjacent Remote Site Collocation  Remote Site-Adjacent Collocation-Application Fee  CLORS  PE1RU  755.62  755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot  CLORS  PE1RT  0.134  Remote Site-Adjacent Collocation - AC Power, per breaker amp  CLORS  PE1RS  6.27  NOTE: If Security Escort and/or Add't Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  VE1RS  VE1RB  307.70  307.70  168.22  168.22  168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  VE1RS  VE1RC  201.42  |  |                                       | 1   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | 1                     |                   |               | C Power Provisioning (Alabama Only ICB Rate)               |          |
| Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | 1                     | ıΤ                | , =7          | Collocation - Security Escort for Basic Time - normally    |          |
| normally scheduled working hours on a scheduled work day, per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Adjacent Remote Site Collocation  Remote Site Collocation-Application Fee CLORS PE1PT 27.17 16.98  Remote Site-Adjacent Collocation-Application Fee CLORS PE1RU 755.62 755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134  Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27  NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       | 1   | $\perp$                       |  |                                    |                   |          |               | .73 | 10.73    | 16.93          |                   | PE1BT            | CLORS                 |                   |               |  |          |
| normally scheduled working hours on a scheduled work day, per half hour CLORS PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 13.86 PE1OT 22.05 PE1OT 22.05 PE1OT 22.05 PE1OT 22.05 13.86 PE1OT 22.05 PE1OT 22.05 PE1OT 22.05 PE1OT 22.05 13.86 PE1OT 22.05 PE1OT  |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | 1                     | ıΤ                | , =7          |  |          |
| Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  Adjacent Remote Site Collocation  Remote Site-Adjacent Collocation-Application Fee CLORS PE1RU 755.62 755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RU 755.62 755.62  Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134  Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27  NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | i                     |                   | , !           | scheduled working hours on a scheduled work day, per       |          |
| Of scheduled work day, per half hour   |  |                                       | 1   | $\perp$                       |  |                                    |                   |          |               | .86 | 13.86    | 22.05          |                   | PE1OT            | CLORS                 |                   |               |  |          |
| Adjacent Remote Site Collocation  Remote Site-Adjacent Collocation-Application Fee CLORS PE1RU 755.62 755.62   |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  | 1                     | , 🗆               | , 🗂           |  |          |
| Remote Site-Adjacent Collocation-Application Fee   |  |                                       | <u>.                                    </u>                |                               |  |                                    |                   |          |               | .98 | 16.98    | 27.17          |                   | PE1PT            | CLORS                 |                   |               |  | L        |
| Remote Site-Adjacent Collocation - Real Estate, per square foot CLORS PE1RT 0.134  Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27  NOTE: If Security Escort and/or Add'I Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22 Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       |   |                               |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   |               |  | Adjace   |
| Remote Site-Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27 SOUTH REMOTE SITE - Adjacent Collocation - AC Power, per breaker amp CLORS PE1RS 6.27 SOUTH REMOTE SITE - Adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee VE1RS VE1RB 307.70 307.70 168.22 168.22 SOUTH REMOTE SITE - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       |   |                               |  |                                    |                   |          |               | .62 | 755.62   | 755.62         |                   | PE1RU            | CLORS                 | (                 |               | Site-Adjacent Collocation-Application Fee                  |          |
| Remote Site-Adjacent Collocation - AC Power, per breaker amp  NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  VE1RS  VE1RB  307.70  307.70  168.22  168.22   |  |                                       |   |                               |  |                                    |                   |          | T             | T   |          |                |                   |                  | 1                     | ıΤ                | , 7           |  |          |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  VE1RS  VE1RB  307.70  307.70  168.22  168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  VE1RS  VE1RC  201.42   | L  |                                       | ·   |                               |  |                                    |                   |          |               |     |          |                | 0.134             | PE1RT            | CLORS                 |                   |               | Site-Adjacent Collocation - Real Estate, per square foot   |          |
| NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.  Virtual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  VE1RS  VE1RB  307.70  307.70  168.22  168.22  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  VE1RS  VE1RC  201.42   |  |                                       |   |                               |  |                                    |                   |          | Т             |     |          |                | T                 |                  | 1                     | ıΓ                | , Т           |  |          |
| Virtual Remote Site Collocation           Virtual Remote Site Collocation           Virtual Collocation in the Remote Site - Application Fee         VE1RS         VE1RB         307.70         168.22         168.22           Virtual Collocation in the Remote Site - Per Bay/Rack of Space         VE1RS         VE1RC         201.42         168.22         168.22  | L  |                                       |   | $\bot$                        |  |                                    |                   |          |               |     |          |                |                   |                  |                       |                   |               |  |          |
| Virtual Collocation in the Remote Site - Application Fee         VE1RS         VE1RB         307.70         307.70         168.22         168.22           Virtual Collocation in the Remote Site - Per Bay/Rack of Space         VE1RS         VE1RC         201.42   |  |                                       |   |                               |  |                                    |                   |          |               |     | ates.    | appropriate ra | es will negotiate | ation, the Parti | nt remote site colloc | djacent           | ary for a     |  |          |
| Virtual Collocation in the Remote Site - Per Bay/Rack of Space VE1RS VE1RC 201.42  |  |                                       |   |                               |  |                                    |                   |          |               |     | •        |                |                   |                  |                       |                   |               |  | Virtual  |
|  |  |                                       |   |                               |  |                                    |                   | 168.22   | 168.22        | .70 | 307.70   | 307.70         |                   | VE1RB            | VE1RS                 | ١                 |               | ollocation in the Remote Site - Application Fee            |          |
|  |  |                                       |   |                               |  |                                    |                   |          | Т             |     |          |                |                   |                  | 1                     | ı                 | , Т           |  |          |
|  |  |                                       | ·   |                               |  |                                    |                   |          |               |     |          |                | 201.42            | VE1RC            | VE1RS                 | <u> </u>          |               |  |          |
|  |  |                                       |   |                               |  |                                    |                   |          | Т             |     |          |                |                   |                  | 1                     | ı                 | , Т           | ollocation in the Remote Site - Space Availability Report  |          |
| per Premises requested VE1RS VE1RR 115.87 115.87   |  |                                       | ·   |                               |  |                                    |                   |          |               | .87 | 115.8    | 115.87         |                   | VE1RR            | VE1RS                 | <u> </u>          |               |  |          |
| Virtual Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested  VE1RS  VE1RL  37.56  37.56  |  |                                       |   |                               |  |                                    |                   |          | Т             |     |          |                | T                 |                  | 1                     | ı                 | , 7           |  |          |

| COLL  | OCAT  | ION - Alabama  |         |      |                                      |       |       |          |           |              |            |       |                       | Att: 4 Exh: B  |                         |   |          |
|-------|-------|--|---------|------|--------------------------------------|-------|-------|----------|-----------|--------------|------------|-------|-----------------------|--|-------------------------|---|----------|
| CATE  |       | RATE ELEMENTS  | Interim | Zone | BCS                                  | usoc  |       |          | RATES(\$) |              |            |       | Submitted<br>Manually | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge - | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|       |       |  |         |      |                                      |       | D     | Nonrec   | urring    | Nonrecurring | Disconnect |       | •                     | oss  | Rates(\$)               | •   |          |
|       |       |  |         |      |                                      |       | Rec   | First    | Add'l     | First        | Add'l      | SOMEC | SOMAN                 | SOMAN  | SOMAN                   | SOMAN   | SOMAN    |
| ADJAC | ENT C | DLLOCATION   |         | 1    |                                      |       |       |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - Space Charge per Sq. Ft.  |         |      | CLOAC                                | PE1JA | 0.14  |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - Electrical Facility Charge per Linear Ft.   |         |      | CLOAC                                | PE1JC | 5.41  |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 2-Wire Cross-Connects   |         |      | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN | PE1JE | 0.02  | 12.30    | 11.80     | 6.03         | 5.44       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 4-Wire Cross-Connects   |         |      | UEA,UHL,UDL,UCL                      | PE1JF | 0.04  | 12.39    | 11.87     | 6.39         | 5.73       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - DS1 Cross-Connects  |         |      |                                      | PE1JG | 1.03  | 22.03    | 15.93     | 6.40         | 5.79       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - DS3 Cross-Connects  |         |      | UE3                                  | PE1JH | 13.95 | 20.89    | 15.20     | 7.38         | 5.92       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 2-Fiber Cross-Connect   |         |      | CLOAC                                | PE1JJ | 2.36  | 20.89    | 15.20     | 7.38         | 5.92       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 4-Fiber Cross-Connect   |         |      | CLOAC                                | PE1JK | 4.52  | 25.55    | 19.86     | 9.71         | 8.25       |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - Application Fee   |         |      | CLOAC                                | PE1JB |       | 1,576.69 |           | 0.51         |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp                                |         |      | CLOAC                                | PE1JL | 4.91  |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp                                |         |      | CLOAC                                | PE1JM | 9.84  |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp                                 |         |      | CLOAC                                | PE1JN | 14.74 |          |           |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp                                 |         |      | CLOAC                                | PE1JO | 34.06 |          | •         |              |            |       |                       |  |                         |   |          |
|       |       | Adjacent Collocation - DC power provisioning (Alabama Only Mandate ICB)  Note: ICB means Individual Case Basis |         |      |                                      |       |       |          |           |              |            |       |                       |  |                         |   |          |

| COLLC             | CATI     | ON - Florida   |          |          |  |                |                |                 |                 |                       |                     |   |   | Att: 4 Exh: B  |  |   |   |
|-------------------|----------|--|----------|----------|--|----------------|----------------|-----------------|-----------------|-----------------------|---------------------|---|---|--|--|---|---|
| CATEGO            |          | RATE ELEMENTS  | Interim  | Zone     | BCS  | usoc           |                |                 | RATES(\$)       |                       |                     | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                   |          |  |          |          |  |                | Rec            | Nonrec<br>First | urring<br>Add'l | Nonrecurring<br>First | Disconnect<br>Add'l | SOMEC                                     | SOMAN   | OSS<br>SOMAN   | Rates(\$)<br>SOMAN   | SOMAN   | SOMAN   |
|                   |          |  |          |          |  |                |                | THIST           | Auu i           | 11131                 | Auu                 | SOME                                      | JOINAIN                                       | JOHAN  | SOWAN  | JOINAIN   | JONAN   |
| PHYSIC/           | AL COL   | LOCATION   |          |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
| F                 | Applicat |  |          |          |  |                |                |                 |                 |                       |                     |   |   |  | 1  |   |   |
|                   |          | Physical Collocation - Initial Application Fee   |          |          | CLO  | PE1BA          |                | 2,785.00        |                 | 1.20<br>1.20          |                     |   |   |  |  |   |   |
| -+                |          | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect, | 1        |          | CLO  | PE1CA          |                | 2,236.00        |                 | 1.20                  |                     |   |   |  |  |   |   |
|                   |          | Application Fee, per application   |          |          | CLO  | PE1DT          |                | 564.81          |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Power Reconfiguration Only, Application   |          |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Fee  |          |          | CLO  | PE1PR          |                | 409.50          |                 |                       |                     |   |   |  |  |   |   |
| -                 |          | Physical Collocation Administrative Only - Application Fee   |          | <u> </u> | CLO  | PE1BL          |                | 760.91          |                 | 1.20                  |                     |   |   |  |  |   |   |
|                   |          | reparation Physical Collocation - Floor Space, per sq feet   | 1        |          | CLO  | PE1PJ          | 5.28           |                 |                 |                       |                     |   |   |  |  | 1   | 1   |
| <del>  </del> -   |          | Physical Collocation - Space Enclosure, welded wire, first 50  | <b>†</b> |          | 1  |                | 5.25           |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | square feet  |          |          | CLO  | PE1BX          | 171.12         |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Space enclosure, welded wire, first 100 square feet   |          |          | CLO  | PE1BW          | 189.73         |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Space enclosure, welded wire, each  |          |          | CLO  | I LIDW         | 109.73         |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | additional 50 square feet  |          |          | CLO  | PE1CW          | 18.61          |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Space Preparation - C.O. Modification per   |          |          | 01.0   | DE401/         | 0.00           |                 |                 |                       |                     |   |   |  |  |   |   |
| -+                |          | square ft. Physical Collocation - Space Preparation, Common Systems  | 1        |          | CLO  | PE1SK          | 2.38           |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Modifications-Cageless, per square foot  |          |          | CLO  | PE1SL          | 2.50           |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Space Preparation - Common Systems  |          |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
| $\vdash$          |          | Modifications-Caged, per cage  | -        |          | CLO  | PE1SM          | 84.93          |                 |                 |                       |                     |   |   |  |  |   |   |
| i l               |          | Physical Collocation - Space Preparation - Firm Order Processing   |          |          | CLO  | PE1SJ          |                | 287.36          |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Space Availability Report, per Central Office   | e        |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Requested  |          |          | CLO  | PE1SR          |                | 572.66          |                 |                       |                     |   |   |  |  |   |   |
|                   | ower     | Physical Collocation - Power, -48V DC Power - per Fused Amp  | 1        | 1        |  | 1              | 1              | 1               |                 |                       |                     |   |   |  |  | ı   | 1   |
|                   |          | Requested  |          |          | CLO  | PE1PL          | 7.80           |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Power, 120V AC Power, Single Phase, per   |          |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Breaker Amp  |          |          | CLO  | PE1FB          | 5.26           |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation - Power, 240V AC Power, Single Phase, per<br>Breaker Amp                                      |          |          | CLO  | PE1FD          | 10.53          |                 |                 |                       |                     |   |   |  |  |   |   |
| -                 |          | Physical Collocation - Power, 120V AC Power, Three Phase, per  |          |          | CLO  | ILIID          | 10.55          |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Breaker Amp  |          |          | CLO  | PE1FE          | 15.80          |                 |                 |                       |                     |   |   |  |  |   |   |
| ı                 |          | Physical Collocation - Power, 277V AC Power, Three Phase, per  |          |          |  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Breaker Amp Physical Collocation - Power - DC power, per Used Amp  |          |          | CLO<br>CLO   | PE1FG<br>PE1FN | 36.47<br>10.69 |                 |                 |                       |                     |   |   |  |  |   |   |
| (                 |          | onnects (Cross Connects, Co-Carrier Cross Connects, and Po   | rts)     |          | CLO  | II E II IN     | 10.03          | ļ               |                 | !                     |                     |   |   |  |  | ļ   |   |
| ľ                 | Ī        | , , , , , , , , , , , , , , , , , , ,  |          |          | UEANL,UEQ,UNCN   |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          |  |          |          | X, UEA, UCL, UAL,  | DE 4D-         |                |                 |                 |                       |                     |   |   |  |  |   |   |
| $\rightarrow$     |          | Physical Collocation - 2-wire cross-connect, loop, provisioning  | 1        | -        | UHL, UDN, UNCVX<br>UEA, UHL, UNCVX,                              | PE1P2          | 0.0208         | 7.32            | 5.37            | 4.58                  | 2.71                |   |   |  |  |   |   |
| ı I               |          | Physical Collocation - 4-wire cross-connect, loop, provisioning  |          |          | UNCDX, UCL, UDL  | PE1P4          | 0.0416         | 8.00            | 5.75            | 5.00                  | 2.69                |   |   |  |  |   |   |
|                   |          | ,  |          |          | WDS1L, WDS1S,  | 1              | 3.0 0          | 0.00            | 50              | 0.00                  | 2.50                |   |   |  |  |   |   |
|                   |          |  |          |          | UXTD1, ULDD1,  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          |  |          |          | USLEL, UNLD1,  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          |  |          |          | U1TD1, UNC1X,<br>UEPSR, UEPSB,                                   |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          |  |          |          | UEPSE, UEPSP,  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          | Physical Collocation -DS1 Cross-Connect for Physical   |          |          | USL, UEPEX,  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
| $\longrightarrow$ |          | Collocation, provisioning  | <u> </u> | -        | UEPDX<br>UE3, U1TD3,   | PE1P1          | 0.3786         | 7.88            | 6.25            | 1.35                  | 0.9899              |   |   |  |  | -   |   |
|                   |          |  |          |          | UXTD3, UXTS1,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3, |                |                |                 |                 |                       |                     |   |   |  |  |   |   |
|                   |          |  | 1        | 1        | UEPEX, UEPDX,  | 1              |                |                 |                 | 1                     |                     |   |   |  |  |   |   |
| ļ                 |          |  |          |          | UEPSR, UEPSB,  |                |                |                 |                 |                       |                     |   |   |  |  |   |   |

| COLLOCAT | ION - Florida   |           |           |  |                |              |              |                |               |                       |   |   | Att: 4 Exh: B  |  |   |   |
|----------|---|-----------|-----------|--|----------------|--------------|--------------|----------------|---------------|-----------------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS   | Interim   | Zone      | BCS  | usoc           |              |              | RATES(\$)      |               |                       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |   |           |           |  |                | Rec          |              | curring        | Nonrecurring  |                       | 22152                                     |   |  | Rates(\$)  |   |   |
|          | Physical Collocation - 2-Fiber Cross-Connect  |           |           | CLO, ULDO3,<br>ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF   | PE1F2          | 1.71         | First 28.26  | Add'I<br>25.85 | First 13.78   | <b>Add'I</b><br>11.01 | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|          | Physical Collocation - 4-Fiber Cross-Connect  |           |           | ULDO3, ULD12,<br>ULD48, U1TO3,<br>U1T12, U1T48,<br>UDLO3, UDL12,<br>UDF, UDFCX | PE1F4          | 3.34         | 37.92        | 35.51          | 18.20         | 15.44                 |   |   |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.  |           |           | CLO  | PE1ES          | 0.0008       |              |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.   |           |           | CLO  | PE1DS          | 0.0012       |              |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation 2-Wire Cross Connect, Port   |           |           | UEPSR, UEPSP,<br>UEPSE, UEPSB,<br>UEPSX, UEP2C                                 | PE1R2          | 0.0208       | 7.32         | 5.37           | 4.58          | 2.71                  |   |   |  |  |   |   |
| 0        | Physical Collocation 4-Wire Cross Connect, Port   |           |           | UEPEX, UEPDD   | PE1R4          | 0.0416       | 8.00         | 5.75           | 5.00          | 2.69                  |   |   |  |  |   |   |
| Securit  | Physical Collocation - Security Escort for Basic Time - normally  |           |           |  | 1              |              |              |                |               |                       |   |   |  |  |   |   |
|          | scheduled work, per half hour   |           |           | CLO  | PE1BT          |              | 33.65        | 22.05          |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Security Escort for Overtime - outside of<br>normally scheduled working hours on a scheduled work day, per<br>half hour  |           |           | CLO  | PE1OT          |              | 44.63        | 28.89          |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour<br>Physical Collocation - Security Access System - Security System                       |           |           | CLO  | PE1PT          |              | 55.62        | 35.73          |               |                       |   |   |  |  |   |   |
|          | per Central Office, per Sq. Ft.   |           |           | CLO  | PE1AY          | 0.0101       |              |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State   |           |           | CLO  | PE1A1          |              | 38.95        |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation-Security Access System-Administrative<br>Change, existing Access Card, per Request, per State, per Card<br>Physical Collocation - Security Access System - Replace Lost or |           |           | CLO  | PE1AA          |              | 8.84         |                |               |                       |   |   |  |  |   |   |
|          | Stolen Card, per Card   |           |           | CLO  | PE1AR          |              | 28.78        |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Security Access - Initial Key, per Key   |           |           | CLO  | PE1AK          |              | 23.28        |                |               |                       |   |   |  |  |   |   |
| CFA      | Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key   |           |           | CLO  | PE1AL          |              | 23.28        |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - CFA Information Resend Request, per<br>premises, per arrangement, per request<br>Records - Note: The rates in the First & Additional columns will a                      | otually h | no billod | CLO  | PE1C9          | raspastivaly | 79.52        |                |               |                       |   |   |  |  |   |   |
| Cable    | Physical Collocation - Cable Records, per request   | Luany L   | , Dillet  | CLO  | PE1CR          | I            | 1515.00      | S 973.64       | 256.35        |                       |   |   |  |  |   |   |
|          | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  |           |           | CLO  | PE1CD          |              | 646.84       | 0 010.01       | 362.41        |                       |   |   |  |  |   |   |
|          | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  |           |           | CLO<br>CLO   | PE1CO<br>PE1C1 |              | 9.11<br>4.52 |                | 10.80<br>5.35 |                       |   |   |  |  |   |   |
|          | Physical Collocation, Cable Records, DS3, per T3 TIE  |           |           | CLO  | PE1C3          |              | 15.81        |                | 18.73         |                       |   |   |  |  |   |   |
|          | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  |           |           | CLO  | PE1CB          |              | 169.96       |                | 149.97        |                       |   |   |  |  |   |   |
| Virtual  | Physical Collocation, Cable Records,CAT5/RJ45<br>to Physical  | <u> </u>  | <u> </u>  | CLO  | PE1C5          |              | 4.52         |                | 5.35          |                       | l   |   |  |  |   |   |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,                                   |           |           | CLO  | PE1BV          |              | 33.00        |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,  |           |           | CLO  | PE1BO          |              | 33.00        |                |               |                       |   |   |  |  |   |   |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation Relocation,  |           |           | CLO  | PE1B1          |              | 52.00        |                |               |                       |   |   |  |  |   |   |
|          | per DS3 Circuit   |           |           | CLO  | PE1B3          |              | 52.00        |                |               |                       |   |   |  |  |   |   |

| COLLOCAT    | TION - Florida   |         |      |   |         |          |          |           |              |        |   |           | Att: 4 Exh: B  |  |   |   |
|-------------|--|---------|------|---|---------|----------|----------|-----------|--------------|--------|---|-----------|--|--|---|---|
| CATEGORY    | RATE ELEMENTS  | Interim | Zone | BCS   | usoc    |          |          | RATES(\$) |              |        | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|             |  |         |      |   |         | Rec      | Nonre    |           | Nonrecurring |        |   |           |  | Rates(\$)  |   |   |
|             | Discription   College State   Vistoria   Discription   College State   Discription   |         |      |   |         |          | First    | Add'l     | First        | Add'l  | SOMEC                                     | SOMAN     | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|             | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit   |         |      | CLO   | PE1BR   |          | 22.51    |           |              |        |   |           |  |  |   |   |
|             | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit   |         |      | CLO   | PE1BP   |          | 22.51    |           |              |        |   |           |  |  |   |   |
|             | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit   |         |      | CLO   | PE1BS   |          | 32.73    |           |              |        |   |           |  |  |   |   |
|             | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit   |         |      | CLO   | PE1BE   |          | 32.73    |           |              |        |   |           |  |  |   |   |
| Entran      | ce Cable   |         |      | ı   |         | 1        |          |           |              | 1      | 1   |           |  |  |   |   |
|             | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable   |         |      | CLO   | PE1PM   | 5.19     |          |           |              |        |   |           |  |  |   |   |
|             | Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)   |         |      | CLO   | PE1EC   |          | 994.12   |           | 43.84        |        |   |           |  |  |   |   |
|             | Physical Collocation - Fiber Entrance Cable Installation, per Fiber  |         |      | CLO   | PE1ED   |          | 7.43     |           |              |        |   |           |  |  |   |   |
| VIRTUAL COL |  |         |      |   |         |          |          |           |              |        |   |           |  |  |   |   |
| Applica     |  |         |      | AMTFS   | EAF     |          | 1,241.00 |           | 1.00         | 1      | 1   |           |  |  |   |   |
| -           | Virtual Collocation - Application Fee  |         |      | AMIFS   | EAF     | <b> </b> | 1,241.00 |           | 1.20         |        |   |           |  |  |   |   |
|             | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,<br>Application Fee, per application                              |         |      | AMTFS   | VE1CA   |          | 564.81   |           |              | 1      |   |           |  |  |   |   |
|             | Virtual Collocation Administrative Only - Application Fee  |         |      | AMTFS   | VE1AF   |          | 760.91   |           | 1.20         |        |   |           |  |  |   |   |
| Space       | Preparation  |         |      |   |         |          |          | •         | •            | •      | •   |           |  | •  | •   |   |
|             | Virtual Collocation - Floor Space, per sq. ft.   |         |      | AMTFS   | ESPVX   | 5.28     |          |           |              |        |   |           |  |  |   |   |
| Power       |  |         | 1    | AMTFS   | ESPAX   | 6.95     |          |           | 1            | 1      |   |           |  |  |   |   |
|             | Virtual Collocation - Power, per fused amp Virtual Collocation - Power, DC power, per Used Amp                                   |         |      | AMTFS   | VE1PF   | 10.69    |          |           |              |        |   |           |  |  |   |   |
| Cross       | Connects (Cross Connects, Co-Carrier Cross Connects, and Po  | rts)    | 1    | 7 W 11 0  | 102111  | 10.00    |          |           |              | 1      | 1   |           |  |  |   |   |
|             | Virtual Collocation - 2-wire cross-connect, loop, provisioning   |         |      | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX<br>UEA, UHL, UCL,               | UEAC2   | 0.0201   | 7.32     | 5.37      | 4.58         | 2.71   |   |           |  |  |   |   |
|             | Virtual Collocation - 4-wire cross-connect, loop, provisioning   |         |      | UDL, UNCVX,<br>UNCDX  | UEAC4   | 0.0403   | 8.00     | 5.75      | 5.00         | 2.69   |   |           |  |  |   |   |
|             | Virtual collocation - Special Access & UNE, cross-connect per  |         |      | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,                                      |         |          |          |           |              |        |   |           |  |  |   |   |
|             | DS1  |         |      | UEPEX, UEPDX<br>USL, UE3, U1TD3,  | CNC1X   | 0.3786   | 7.88     | 6.26      | 1.35         | 0.9915 |   |           |  |  |   | <u> </u>  |
|             | Virtual collocation - Special Access & UNE, cross-connect per DS3  |         |      | UXTS1, UXTD3,<br>UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,<br>UNLD3, XDEST | CND3X   | 4.16     | 32.40    | 31.03     | 11.15        | 10.98  |   |           |  |  |   |   |
|             | Virtual Collocation - 2-Fiber Cross Connects   |         |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF                              | CNC2F   | 1.75     | 28.26    | 25.85     | 13.78        | 11.01  |   |           |  |  |   |   |
|             |  |         |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,   |         |          |          |           |              |        |   |           |  |  |   |   |
|             | Virtual Collocation - 4-Fiber Cross Connects   |         |      | ULD12, ULD48, UDF   | CNC4F   | 3.50     | 37.92    | 35.51     | 18.20        | 15.44  |   |           |  |  |   |   |
|             | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable       |         |      | AMTFS   | VE1CB   | 0.0008   |          |           |              |        |   |           |  |  |   |   |
|             | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable |         |      | AMTES   | VE1CD   | 0.0012   |          |           |              |        |   |           |  |  |   |   |
|             | Copper State Support Structure, per micar (100t, per cable   |         |      | UEPSX, UEPSB,<br>UEPSE, UEPSP,  | V L 10D | 0.0012   |          |           |              |        |   |           |  |  |   |   |
| 1 1         |  |         |      |   |         |          |          |           |              |        |   |           |  |  |   |   |

| COLLOCAT   | TION - Florida  |            |          |                       | •               | •  |                | •         | •              | •      |        |   | Att: 4 Exh: B  | •  | •   |  |
|------------|---|------------|----------|-----------------------|-----------------|--|----------------|-----------|----------------|--------|--------|---|--|--|---|--|
| CATEGORY   | RATE ELEMENTS   | Interim    | Zone     | BCS                   | USOC            |  | Nonrec         | RATES(\$) | Nonrecurring   | Disson |        | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -   |
|            |   |            |          |                       |                 | Rec  | First          | Add'l     | First          | Add'l  | SOMEC  | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN  |
|            | Virtual Collocation 4-Wire Cross Connect, Port  |            |          | UEPDD, UEPEX          | VE1R4           | 0.0403   | 8.00           | 5.75      | 5.00           | 2.69   | JONILO | JONAN   | JOWAN  | JONAN  | JOINAIN   | JOWAN  |
| CFA        | Virtual Collocation 4-Wife Closs Collifect, 1 Oit   |            |          | OLI DD, OLI LX        | VL IIV4         | 0.0403   | 0.00           | 3.73      | 5.00           | 2.03   |        |   | 1  |  | l   | <u> </u>   |
| 0.71       | Virtual Collocation - CFA Information Resend Request, per                                       |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Premises, per Arrangement, per request  |            |          | AMTFS                 | VE1QR           |  | 79.52          |           |                |        |        |   |  |  |   |  |
| Cable      | Records - Note: The rates in the First & Additional columns will a                              | ctually b  | e billed |                       |                 | spectively                                       |                |           |                |        |        |   |  |  |   |  |
|            | Virtual Collocation Cable Records - per request   |            |          | AMTFS                 | VE1BA           |  | 1515.00        | S 973.64  | 256.35         |        |        |   |  |  |   |  |
|            | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record                              |            |          | AMTFS                 | VE1BB           |  | 646.84         |           | 362.41         |        |        |   |  |  |   |  |
|            | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100                                  |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | pair  |            |          | AMTFS                 | VE1BC           |  | 9.11           |           | 10.80          |        |        |   |  |  |   |  |
|            | Virtual Collocation Cable Records - DS1, per T1TIE  |            |          | AMTFS                 | VE1BD           |  | 4.52           |           | 5.35           |        |        |   |  |  |   | ļ  |
|            | Virtual Collocation Cable Records - DS3, per T3TIE  |            |          | AMTFS                 | VE1BE           |  | 15.81          |           | 18.73          |        |        |   |  |  |   |  |
|            | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber                                   |            |          | AMTEC                 | VEADE           |  | 400.00         |           | 440.07         |        |        |   |  |  |   |  |
|            | records   |            |          | AMTFS<br>AMTFS        | VE1BF<br>VE1B5  | -  | 169.96<br>4.52 |           | 149.97<br>5.35 |        |        |   |  |  |   | <b></b>  |
| Securi     | Virtual Collocation Cable Records - CAT 5/RJ45  |            |          | AMIFS                 | VE1B5           |  | 4.52           |           | 5.35           | ļ      |        |   |  |  | ļ   | <u> </u>   |
| Securi     | Virtual collocation - Security escort, basic time, normally scheduled                           |            |          |                       |                 |  | ı              |           |                | 1      |        |   |  |  | 1   |  |
|            | work hours  | l          |          | AMTFS                 | SPTBX           |  | 33.65          | 22.05     |                |        |        |   |  |  |   |  |
| -          | Virtual collocation - Security escort, overtime, outside of normally                            |            |          | AWITTO                | OI TEX          | 1  | 00.00          | 22.00     |                |        |        |   |  |  |   | †  |
|            | scheduled work hours on a normal working day  |            |          | AMTFS                 | SPTOX           |  | 44.63          | 28.89     |                |        |        |   |  |  |   |  |
|            | Virtual collocation - Security escort, premium time, outside of a                               |            |          | 7 444 1 1 0           | 0. 10%          |  | 11.00          | 20.00     |                |        |        |   |  |  |   |  |
|            | scheduled work day  |            |          | AMTFS                 | SPTPX           |  | 55.62          | 35.73     |                |        |        |   |  |  |   |  |
| Mainte     | enance  |            |          | •                     | •               |  | •              |           | •              |        |        |   |  | •  |   |  |
|            | Virtual collocation - Maintenance in CO - Basic, per half hour                                  |            |          | AMTFS                 | CTRLX           |  | 54.05          | 22.05     |                |        |        |   |  |  |   |  |
|            |   |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Virtual collocation - Maintenance in CO - Overtime, per half hour                               |            |          | AMTFS                 | SPTOM           |  | 72.18          | 28.89     |                |        |        |   |  |  |   |  |
|            |   |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Virtual collocation - Maintenance in CO - Premium per half hour                                 |            |          | AMTFS                 | SPTPM           |  | 90.31          | 35.73     |                |        |        |   |  |  |   |  |
| Entran     | nce Cable   |            |          | 1                     | I               |  |                |           |                |        | 1      |   | 1  | 1  |   | ,  |
|            | Virtual Collocation - Cable Installation Charge, per cable                                      |            |          | AMTES                 | ESPCX           | 4.54   | 1,473.00       |           | 43.84          |        |        |   |  |  |   |  |
| COLLOCATIO | Virtual Collocation - Cable Support Structure, per cable IN IN THE REMOTE SITE                  |            |          | AMTFS                 | ESPSX           | 4.54   |                |           |                |        |        |   |  |  |   | <del> </del>                                     |
|            | cal Remote Site Collocation   |            |          |                       | 1               | 11   | I              |           |                | I.     |        |   |  |  | I   | <u> </u>   |
| ,          | Physical Collocation in the Remote Site - Application Fee                                       |            |          | CLORS                 | PE1RA           |  | 612.23         |           | 270.35         |        |        |   |  |  |   |  |
|            | Cabinet Space in the Remote Site per Bay/ Rack  |            |          | CLORS                 | PE1RB           | 154.59   |                |           |                |        |        |   |  |  |   | 1  |
|            |   |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Physical Collocation in the Remote Site - Security Access - Key                                 |            |          | CLORS                 | PE1RD           |  | 23.28          |           |                |        |        |   |  |  |   |  |
|            | Physical Collocation in the Remote Site - Space Availability Report                             |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | per Premises Requested  |            |          | CLORS                 | PE1SR           |  | 223.91         |           |                |        |        |   |  |  |   |  |
|            | Physical Collocation in the Remote Site - Remote Site CLLI Code                                 |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Request, per CLLI Code Requested  |            |          | CLORS                 | PE1RE           | <b></b>  | 73.39          |           |                |        |        |   |  |  |   | <u> </u>   |
| -+         | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO   | <u> </u>   |          | CLORS                 | PE1RR           | +  | 208.02         |           |                | 1      |        |   |  |  |   | <del>                                     </del> |
|            | Physical Collocation - Security Escort for Basic Time - normally                                | l          |          | CLORS                 | PE1BT           |  | 33.65          | 22.05     |                |        |        |   |  |  | l   |  |
|            | scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of |            |          | CLUKS                 | FEIDI           | + +  | 33.05          | 22.05     |                |        |        |   |  |  |   | <del>                                     </del> |
| 1          | normally scheduled working hours on a scheduled work day, per                                   | l          |          |                       | 1               |  |                |           |                |        |        |   |  |  | l   |  |
| 1          | half hour   | l          |          | CLORS                 | PE1OT           |  | 44.63          | 28.89     |                |        |        |   |  |  | 1   | 1  |
|            | Physical Collocation - Security Escort for Premium Time - outside                               |            |          |                       | 1 2.0.          | <del>                                     </del> | 44.00          | 20.03     |                | 1      |        |   |  |  | 1   |  |
|            | of scheduled work day, per half hour  |            |          | CLORS                 | PE1PT           | ]  | 55.62          | 35.73     |                |        |        |   |  |  |   |  |
| Adjace     | ent Remote Site Collocation   |            |          | 10-0110               | 1               | l l  |                |           |                | ı      |        |   | l l  |  | ı   |  |
|            | Remote Site-Adjacent Collocation-Application Fee  |            |          | CLORS                 | PE1RU           |  | 755.62         | 755.62    |                |        |        |   |  |  |   |  |
|            |   |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |
|            | Remote Site-Adjacent Collocation - Real Estate, per square foot                                 |            |          | CLORS                 | PE1RT           | 0.134  |                |           |                |        |        |   |  |  |   | <u> </u>   |
| 1          |   | l          |          |                       | L               |  |                |           |                |        |        |   |  |  |   |  |
|            | Remote Site-Adjacent Collocation - AC Power, per breaker amp                                    |            | L        | CLORS                 | PE1RS           | 6.27   |                |           |                |        |        |   |  |  | l   |  |
|            | :: If Security Escort and/or Add'I Engineering Fees become necess                               | sary for a | adjacei  | nt remote site colloc | ation, the Part | ies will negotiate                               | appropriate ra | tes.      |                |        |        |   |  |  |   |  |
| Virtual    | Remote Site Collocation   Virtual Collocation in the Remote Site - Application Fee              |            |          | VE1RS                 | VE1RB           | т т  | 612.23         |           | 270.35         | ı      |        |   |  |  | ı   | 1  |
|            | virtual Collocation in the Nemote Site - Application Fee  |            |          | VEINO                 | VEIRD           | + +  | 012.23         |           | 210.35         | 1      |        |   |  |  | 1   | <del>                                     </del> |
|            | Virtual Collocation in the Remote Site - Per Bay/Rack of Space                                  |            |          | VE1RS                 | VE1RC           | 154.59   |                |           |                |        |        |   |  |  |   |  |
|            | Virtual Collocation in the Remote Site - Space Availability Report                              |            | <b>+</b> |                       | VEINO           | 134.39   |                |           |                |        |        |   |  |  | 1   | <del>                                     </del> |
|            | per Premises requested  | l          |          | VE1RS                 | VE1RR           |  | 223.91         |           |                |        |        |   |  |  |   |  |
|            | n · · · · · · · · · · · · · · · · · · ·   |            | -        | L                     | +               |  | ,              |           |                |        |        |   |  |  | l   | <b>†</b>   |
|            | Virtual Collocation in the Remote Site - Remote Site CLLI Code                                  |            |          |                       |                 |  |                |           |                |        |        |   |  |  |   |  |

| COLLO  | OCATION - Florida  |         |      |                                      |       |        |          |           |              |            |       |   | Att: 4 Exh: B  |           |   |                                     |
|--------|--|---------|------|--------------------------------------|-------|--------|----------|-----------|--------------|------------|-------|---|--|-----------|---|-------------------------------------|
| CATEGO | GORY RATE ELEMENTS   | Interim | Zone | BCS                                  | usoc  |        |          | RATES(\$) |              |            |       | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -<br>Manual Svc<br>Order vs. |
|        |  |         |      |                                      |       | D      | Nonrec   | urring    | Nonrecurring | Disconnect |       |   | oss  | Rates(\$) |   |                                     |
|        |  |         |      |                                      |       | Rec    | First    | Add'l     | First        | Add'l      | SOMEC | SOMAN   | SOMAN  | SOMAN     | SOMAN   | SOMAN                               |
| ADJACE | CENT COLLOCATION   |         |      |                                      |       |        |          |           |              |            |       |   |  |           |   | 1                                   |
|        | Adjacent Collocation - Space Charge per Sq. Ft.                                    |         |      | CLOAC                                | PE1JA | 0.1666 |          |           |              |            |       |   |  |           |   | 1                                   |
|        | Adjacent Collocation - Electrical Facility Charge per Linear Ft.                   |         |      | CLOAC                                | PE1JC | 4.62   |          |           |              |            |       |   |  |           |   | 1                                   |
|        | Adjacent Collocation - 2-Wire Cross-Connects                                       |         |      | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN | PE1JE | 0.0194 | 7.32     | 5.37      | 4.58         | 2.71       |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 4-Wire Cross-Connects                                       |         |      | UEA,UHL,UDL,UCL                      | PE1JF | 0.0388 | 8.00     | 5.75      | 5.00         | 2.69       |       |   |  |           |   |                                     |
|        | Adjacent Collocation - DS1 Cross-Connects  |         |      | USL                                  | PE1JG | 0.3708 | 7.88     | 6.26      | 1.35         | 0.9915     |       |   |  |           |   |                                     |
|        | Adjacent Collocation - DS3 Cross-Connects  |         |      | UE3                                  | PE1JH | 4.14   | 32.40    | 31.03     | 11.15        | 10.98      |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 2-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JJ | 1.70   | 28.26    | 25.85     | 13.78        | 11.01      |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 4-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JK | 3.33   | 37.92    | 35.51     | 18.20        | 15.44      |       |   |  |           |   |                                     |
|        | Adjacent Collocation - Application Fee   |         |      | CLOAC                                | PE1JB |        | 2,763.00 |           | 1.02         |            |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 120V, Single Phase Standby Power Rate<br>per AC Breaker Amp |         |      | CLOAC                                | PE1JL | 5.26   |          |           |              |            |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 240V, Single Phase Standby Power Rate<br>per AC Breaker Amp |         |      | CLOAC                                | PE1JM | 10.53  |          |           |              |            |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 120V, Three Phase Standby Power Rate<br>per AC Breaker Amp  |         |      | CLOAC                                | PE1JN | 15.80  |          |           |              |            |       |   |  |           |   |                                     |
|        | Adjacent Collocation - 277V, Three Phase Standby Power Rate<br>per AC Breaker Amp  |         |      | CLOAC                                | PE1JO | 36.47  |          |           |              |            |       |   |  |           |   |                                     |
| ł      | Adjacent Collocation - Cable Support Structure per Entrance Cab                    | ole     |      | CLOAC                                | PE1JP | 5.19   |          |           |              |            |       |   |  |           |   |                                     |

| COLLOCA        | ATION - Georgia  |          |      |   |                |              |                  |           |              |            |   |   | Att: 4 Exh: B   |  |   |   |
|----------------|--|----------|------|---|----------------|--------------|------------------|-----------|--------------|------------|---|---|---|--|---|---|
| CATEGORY       |  | Interim  | Zone | BCS   | usoc           |              |                  | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                |  |          |      |   |                | Do-          | Nonred           | curring   | Nonrecurring | Disconnect |   |   | oss   | Rates(\$)  |   |   |
|                |  |          |      |   |                | Rec          | First            | Add'l     | First        | Add'l      | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN   |
| DI 11/010 41 4 |  |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | COLLOCATION<br>ication   |          |      |   |                | l l          |                  |           |              | l          |   |   |   |  |   |   |
| Аррі           | Physical Collocation - Initial Application Fee   |          |      | CLO   | PE1BA          |              | 1,284.72         |           | 0.59         |            |   |   |   |  |   |   |
|                | Physical Collocation - Subsequent Application Fee  |          |      | CLO   | PE1CA          |              | 1,084.41         |           | 0.59         |            |   |   |   |  |   |   |
|                | Physical Collocation - Co-Carrier Cross Connects/Direct Connect,   |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Application Fee, per application  Physical Collocation Administrative Only - Application Fee                   |          |      | CLO<br>CLO  | PE1DT<br>PE1BL |              | 583.18<br>740.83 |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Application Cost, Simple Augment  |          |      | CLO   | PE1KS          |              | 594.05           |           | 1.21         |            |   |   |   |  |   |   |
|                | Physical Collocation - Application Cost, Minor Augment   |          |      | CLO   | PE1KM          |              | 832.95           |           | 1.21         |            |   |   |   |  |   |   |
|                | Physical Collocation - Application Cost, Intermediate Augment  |          |      | CLO   | PE1K1          |              | 1,057.00         |           | 1.21         |            |   |   |   |  |   |   |
| 0              | Physical Collocation - Application Cost - Major Augment  |          |      | CLO   | PE1KJ          |              | 2,408.00         |           | 1.21         |            |   |   |   |  |   |   |
| Space          | ee Preparation Physical Collocation - Floor Space, per sq feet   | 1        |      | CLO   | PE1PJ          | 4.71         |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Pioor Space, per sq reet  Physical Collocation - Space Enclosure, welded wire, first 50 |          |      |   |                | 4./1         |                  |           |              |            |   |   |   |  |   |   |
|                | square feet  |          |      | CLO   | PE1BX          | 144.71       |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Space enclosure, welded wire, first 100   |          |      | 01.0  | DE 48144       |              |                  |           |              |            |   |   |   |  |   |   |
|                | square feet Physical Collocation - Space enclosure, welded wire, each  |          |      | CLO   | PE1BW          | 167.00       |                  |           | +            |            |   |   |   |  |   |   |
|                | additional 50 square feet  |          |      | CLO   | PE1CW          | 16.38        |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Space Preparation - C.O. Modification per   |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | square ft.   |          |      | CLO   | PE1SK          | 2.10         |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Space Preparation, Common Systems   |          |      | 01.0  | DE 401         |              |                  |           |              |            |   |   |   |  |   |   |
| -              | Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems              |          |      | CLO   | PE1SL          | 2.27         |                  |           |              |            |   |   |   |  |   |   |
|                | Modifications-Caged, per cage  |          |      | CLO   | PE1SM          | 77.24        |                  |           |              |            |   |   |   |  |   |   |
|                |  |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Space Preparation - Firm Order Processing   |          |      | CLO   | PE1SJ          |              | 140.96           |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Space Availability Report, per Central Office Requested                                 |          |      | CLO   | PE1SR          |              | 248.50           |           |              |            |   |   |   |  |   |   |
| Pow            |  | l .      |      | CLO   | FEISK          | L            | 246.50           |           |              | l          |   |   |   |  |   |   |
|                | Physical Collocation - Power, -48V DC Power - per Fused Amp  |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Requested  |          |      | CLO   | PE1PL          | 4.84         |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Power, 120V AC Power, Single Phase, per   |          |      | CLO   | PE1FB          | F 16         |                  |           |              |            |   |   |   |  |   |   |
|                | Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per                                     | 1        |      | CLO   | PETFB          | 5.16         |                  |           |              |            |   |   |   |  |   |   |
|                | Breaker Amp  |          |      | CLO   | PE1FD          | 10.34        |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Power, 120V AC Power, Three Phase, per  |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Breaker Amp  |          |      | CLO   | PE1FE          | 15.50        |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Power, 277V AC Power, Three Phase, per<br>Breaker Amp                                   |          |      | CLO   | PE1FG          | 35.79        |                  |           |              |            |   |   |   |  |   |   |
| $\vdash$       | Physical Collocation - Power - DC power using a CLEC BDFB, per   | l        |      | OLO   | I.E ILA        | 35.79        |                  |           | +            | <b> </b>   |   |   |   |  |   |   |
|                | Used Amp   |          |      | CLO   | PE1PW          | 6.45         |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Power, -48V DC Power using a CLEC   |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | BDFB - per Fused Amp Requested  Physical Collocation-Physical Meter Reading Expense                            | -        |      | CLO<br>CLO  | PE1PX<br>PE1FL | 4.31<br>5.00 |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - Power - DC power, per Used Amp  | <u> </u> |      | CLO   | PE1FL<br>PE1FN | 7.24         |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation-Additional Meter Reading Trip Charge, per   |          |      |   |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Central Office per Occurrence  |          |      | CLO   | PE1FM          |              | 15.00            |           |              |            |   |   |   |  |   |   |
| Cros           | s Connects (Cross Connects, Co-Carrier Cross Connects, and Por   | ts)      |      | LIEANII LIEO  | 1              |              |                  |           | 1            | ı          |   |   |   |  |   |   |
|                |  |          |      | UEANL,UEQ,<br>UNCNX, UEA, UCL,  |                |              |                  |           |              |            |   |   |   |  |   |   |
|                |  |          |      | UAL, UHL, UDN,  |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - 2-wire cross-connect, loop, provisioning  |          |      | UNCVX   | PE1P2          | 0.0202       |                  |           |              |            |   |   |   |  |   |   |
|                |  | l        |      | UEA, UHL, UNCVX,  |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation - 4-wire cross-connect, loop, provisioning  | -        |      | UNCDX, UCL, UDL<br>WDS1L, WDS1S,  | PE1P4          | 0.0403       |                  |           | 1            |            |   |   |   |  |   |   |
|                |  |          |      | UXTD1, ULDD1,<br>USLEL, UNLD1,<br>U1TD1, UNC1X,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP, |                |              |                  |           |              |            |   |   |   |  |   |   |
|                | Physical Collocation -DS1 Cross-Connect for Physical   |          |      | USL, UEPEX,   | DE4D4          | 0.000=       |                  |           |              |            |   |   |   |  |   |   |
|                | Collocation, provisioning  | l        |      | UEPDX   | PE1P1          | 0.3807       |                  |           | 1            | l          |   |   |   |  |   |   |

| COLLOCAT | ION - Georgia   |           |          |  |                |                  |                 |                 |                       |          |   |           | Att: 4 Exh: B  |  |   |   |
|----------|---|-----------|----------|--|----------------|------------------|-----------------|-----------------|-----------------------|----------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS   | Interim   | Zone     | BCS  | USOC           |                  | N               | RATES(\$)       |                       | Diagonal | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |   |           |          |  | -              | Rec              | Nonrec<br>First | urring<br>Add'l | Nonrecurring<br>First | Add'l    | COMEC                                     | SOMAN     | SOMAN  | Rates(\$)<br>SOMAN   | SOMAN   | SOMAN   |
|          | Physical Collocation - DS3 Cross-Connect, provisioning  |           |          | UE3, U1TD3,<br>UXTD3, UXTS1,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3,<br>UEPEX, UEPDX,<br>UEPSB, UEPSB,<br>UEPSB, UEPSB, | PE1P3          | 4.15             | 11134           | Addi            | 11130                 | Addi     | Somes                                     | Some      | COMPAN   | SOME   | SOME  | SOMPLY  |
|          | Physical Collocation - 2-Fiber Cross-Connect  |           |          | CLO, ULDO3,<br>ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF<br>ULDO3, ULD12,                                      | PE1F2          | 1.76             |                 |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - 4-Fiber Cross-Connect  |           |          | ULDU3, ULD12,<br>ULD48, U1TO3,<br>U1T12, U1T48,<br>UDLO3, UDL12,<br>UDF, UDFCX   | PE1F4          | 3.38             |                 |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.  |           |          | CLO  | PE1ES          | 0.001            |                 |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.   |           |          | CLO<br>UEPSR, UEPSP,   | PE1DS          | 0.0015           |                 |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port   |           |          | UEPSK, UEPSB,<br>UEPSX, UEP2C<br>UEPEX, UEPDD  | PE1R2<br>PE1R4 | 0.0202<br>0.0403 |                 |                 |                       |          |   |           |  |  |   |   |
| Securit  |   |           | l        | UEPEX, UEPDD   | PE IK4         | 0.0403           |                 |                 |                       |          | 1   |           |  |  | l .   |   |
| Securi   | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  |           |          | CLO  | PE1BT          |                  | 16.51           | 10.82           |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour  |           |          | CLO  | PE1OT          |                  | 21.90           | 14.17           |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour  |           |          | CLO  | PE1PT          |                  | 27.29           | 17.53           |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.   |           |          | CLO  | PE1AY          | 0.011            |                 |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State   |           |          | CLO  | PE1A1          |                  | 21.98           |                 |                       |          |   |           |  |  |   |   |
|          | Physical Collocation - Security Access System - New Access Card Deactivation, per Card  |           |          | CLO  | PE1A4          |                  | 8.72            | 8.72            |                       |          |   |           |  |  |   | <u> </u>  |
|          | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or |           |          | CLO  | PE1AA          |                  | 5.37            |                 |                       |          |   |           |  |  |   |   |
|          | Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key   |           |          | CLO<br>CLO   | PE1AR<br>PE1AK | -                | 16.99<br>13.19  |                 |                       |          | ļ   |           |  |  |   | <del>                                     </del>                                |
|          | Physical Collocation - Security Access - Hittal Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or  Stolen Key, per Key  |           |          | CLO  | PE1AL          |                  | 13.19           |                 |                       |          |   |           |  |  |   |   |
| CFA      | Physical Collocation - CFA Information Resend Request, per  |           |          |  |                |                  |                 |                 |                       |          |   |           |  |  |   |   |
| Cablo    | premises, per arrangement, per request Records - Note: The rates in the First & Additional columns will a   | ctually b | o billos | CLO  | PE1C9          | respectively     | 77.42           |                 |                       |          | 1   |           |  |  | <u> </u>  |   |
| Capie    | Physical Collocation - Cable Records, per request   | Cluaily L | , Dillet | CLO  | PE1CR          | Copectively      | I 742.92        | S 477.59        | 125.63                |          |   |           |  |  |   |   |
|          | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  |           |          | CLO  | PE1CD          |                  | 317.29          |                 | 177.60                |          |   |           |  |  |   |   |
|          | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  |           |          | CLO<br>CLO   | PE1CO<br>PE1C1 |                  | 4.47<br>2.22    |                 | 5.29<br>2.62          |          |   |           |  |  |   | 1   |
|          | Physical Collocation, Cable Records, DS1, per 11 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable                    |           |          | CLO  | PE1C3          |                  | 7.76            |                 | 9.18                  |          |   |           |  |  |   |   |
|          | record (maximum 99 records) Physical Collocation, Cable Records,CAT5/RJ45   |           |          | CLO<br>CLO   | PE1CB<br>PE1C5 |                  | 83.37<br>2.22   |                 | 73.49<br>2.62         |          |   |           |  |  |   | <del>                                     </del>                                |

| COLLOCAT                | ION - Georgia   |          |          |  |                |        |        |           |              |            |   |   | Att: 4 Exh: B  |  |   | -   |
|-------------------------|---|----------|----------|--|----------------|--------|--------|-----------|--------------|------------|---|---|--|--|---|---|
| CATEGORY                |   | Interim  | Zone     | BCS  | usoc           |        |        | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic<br>Disc Add'l |
|                         |   |          |          |  |                |        | Nonre  | curring   | Nonrecurring | Disconnect |   |   | OSS  | Rates(\$)  |   |   |
|                         |   |          |          |  |                | Rec    | First  | Add'l     | First        | Add'l      | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| Virtual                 | to Physical   |          |          | ,  |                | •      | 1      |           |              |            |   |   | 1  |  |   |   |
|                         | Physical Collocation - Virtual to Physical Collocation Relocation,<br>per Voice Grade Circuit                                       |          |          | CLO  | PE1BV          |        | 33.00  |           |              |            |   |   |  |  |   |   |
|                         | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit  |          |          | CLO  | PE1BO          |        | 33.00  |           |              |            |   |   |  |  |   | 1   |
|                         | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit  |          |          | CLO  | PE1B1          |        | 52.00  |           |              |            |   |   |  |  |   |   |
|                         | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit  |          |          | CLO  | PE1B3          |        | 52.00  |           |              |            |   |   |  |  |   |   |
|                         | Physical Collocation - Virtual to Physical Collocation In-Place, Per  |          |          | 01.0   | DEADD          |        | 00.50  |           |              |            |   |   |  |  |   |   |
|                         | Voice Grade Circuit Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit                                  |          |          | CLO  | PE1BR<br>PE1BP |        | 22.59  |           |              |            |   |   |  |  |   |   |
|                         | DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit  |          |          | CLO  | PE1BP          |        | 32.85  |           | †            |            |   |   |  |  |   |   |
|                         | DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit  |          |          | CLO  | PE1B5          |        | 32.85  |           | 1            |            |   |   |  |  |   |   |
| Entran                  | ce Cable  | <u> </u> |          | CLO  | FEIBE          | ı.     | 32.00  |           | I            | l          |   | l   |  | l  |   |   |
|                         | Physical Collocation - Fiber Cable Installation, Pricing, non-  |          |          |  |                |        |        |           |              |            |   |   |  |  |   |   |
|                         | recurring charge, per Entrance Cable Physical Collocation - Fiber Cable Support Structure, per Entrance                             |          |          | CLO  | PE1BD          |        | 736.20 |           | 21.49        |            |   |   |  |  |   |   |
|                         | Cable Physical Collocation, Entrance Cable Support Structure, Copper,   |          | -        | CLO  | PE1PM          | 7.37   |        |           |              |            |   |   |  |  |   | <del>                                     </del>                              |
|                         | per each 100 pairs or fraction thereof (CO Manhole to Collocation Space)  |          |          | CLO  | PE1EE          | 0.2686 |        |           |              |            |   |   |  |  |   |   |
|                         | Physical Collocation, Entrance Cable Installation, Copper, per<br>Cable (CO Manhole to Collocation Space)                           |          |          | CLO  | PE1EF          |        | 754.41 |           | 21.49        |            |   |   |  |  |   |   |
|                         | Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space) |          |          | CLO  | PE1EG          |        | 9.11   |           |              |            |   |   |  |  |   |   |
| MIDTIM COL              | Physical Collocation - Fiber Entrance Cable Installation, per Fiber   |          |          | CLO  | PE1ED          |        | 3.90   |           |              |            |   |   |  |  |   |   |
| VIRTUAL COLI<br>Applica |   | l        |          |  |                |        |        |           |              |            |   | l   |  | l  |   |   |
| 7 45500                 | Virtual Collocation - Application Fee   |          |          | AMTFS  | EAF            |        | 608.92 |           | 0.59         |            |   |   |  |  |   |   |
|                         | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,<br>Application Fee, per application                                 |          |          | AMTFS  | VE1CA          |        | 583.18 |           |              |            |   |   |  |  |   |   |
| Cmc                     | Virtual Collocation Administrative Only - Application Fee   |          |          | AMTFS  | VE1AF          |        | 609.52 |           |              |            |   |   |  |  |   |   |
| Space                   | Preparation Virtual Collocation - Floor Space, per sq. ft.  | 1        |          | AMTFS  | ESPVX          | 4.71   |        |           | 1            |            |   |   |  |  |   |   |
| Power                   |   |          |          |  |                |        |        |           |              |            |   |   |  |  |   |   |
| C-0.5 - 1               | Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and Por                             | tc)      | <u> </u> | AMTFS  | ESPAX          | 4.84   |        |           | 1            | <u> </u>   | <u> </u>                                  | l   |  | <u> </u>   |   |   |
| Cross                   | connects (Cross Connects, Co-Carrier Cross Connects, and Por  | ts)      |          | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,            |                |        |        |           |              |            |   |   |  |  |   |   |
|                         | Virtual Collocation - 2-wire cross-connect, loop, provisioning  |          |          | UNCDX, UNCNX<br>UEA, UHL, UCL,                               | UEAC2          | 0.0192 |        |           | 1            |            |   |   |  |  |   |   |
|                         | Virtual Collocation - 4-wire cross-connect, loop, provisioning  |          |          | UDL, UNCVX,<br>UNCDX   | UEAC4          | 0.0385 |        |           |              |            |   |   |  |  |   |   |
|                         | Virtual collocation - Special Access & UNE, cross-connect per   |          |          | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL, |                |        |        |           |              |            |   |   |  |  |   |   |
|                         | DS1   |          |          | UEPEX, UEPDX<br>USL, UE3, U1TD3,                             | CNC1X          | 0.3807 |        |           |              |            |   |   |  |  |   |   |
|                         | Visual collegation Coopiel Access 9 UNIT group  |          |          | UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,              |                |        |        |           |              |            |   |   |  |  |   |   |
|                         | Virtual collocation - Special Access & UNE, cross-connect per<br>DS3  |          |          | ULDS1, UDLSX,<br>UNLD3, XDEST                                | CND3X          | 4.15   |        |           |              |            |   |   |  |  |   | İ   |

| COLLO  | CATI     | ION - Georgia  |           |      |  |                |            |               |           |               |       |   |   | Att: 4 Exh: B   |  |   |   |
|--|----------|--|-----------|------|--|----------------|------------|---------------|-----------|---------------|-------|---|---|---|--|---|---|
| CATEGO   |          | RATE ELEMENTS  | Interim   | Zone | BCS  | usoc           |            |               | RATES(\$) |               |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|  |          |  |           |      |  |                | Rec        | Nonrec        |           | Nonrecurring  |       |   |   |   | Rates(\$)  |   |   |
|  |          |  |           |      |  |                | 1100       | First         | Add'l     | First         | Add'l | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN   |
|  |          | Virtual Collocation - 2-Fiber Cross Connects   |           |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF | CNC2F          | 1.76       |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation - 4-Fiber Cross Connects   |           |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF | CNC4F          | 3.53       |               |           |               |       |   |   |   |  |   |   |
|  |          | Thad concaton in bot cross connecto  |           |      | 025 12, 025 10, 051  | 0.10           | 0.00       |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable       |           |      | AMTFS  | VE1CB          | 0.001      |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable |           |      | AMTFS  | VE1CD          | 0.0015     |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation 2-Wire Cross Connect, Port   |           |      | UEPSX, UEPSB,<br>UEPSE, UEPSP,<br>UEPSR, UEP2C                       | VE1R2          | 0.0192     |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation 4-Wire Cross Connect, Port   |           |      |  | VE1R4          | 0.0385     |               |           |               |       |   |   |   |  |   |   |
|  | CFA      |  |           |      |  |                |            |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation - CFA Information Resend Request, per<br>Premises, per Arrangement, per request                              |           |      | AMTFS  | VE1QR          |            | 77.42         |           |               |       |   |   |   |  |   |   |
|  |          | ecords - Note: The rates in the First & Additional columns will a  | ctually b |      |  |                | spectively |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation Cable Records - per request  |           |      | AMTFS  | VE1BA          |            | 1 742.92      | S 477.59  | 125.63        |       |   |   |   |  |   |   |
|  |          | Virtual Collocation Cable Records - VG/DS0 Cable, per cable record   |           |      | AMTFS  | VE1BB          |            | 317.29        |           | 177.60        |       |   |   |   |  |   |   |
|  |          | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair  |           |      | AMTFS  | VE1BC          |            | 4.47          |           | 5.29          |       |   |   |   |  |   |   |
|  |          | Virtual Collocation Cable Records - DS1, per T1TIE   |           |      | AMTES  | VE1BD          |            | 2.22<br>7.76  |           | 2.62          |       |   |   |   |  |   |   |
|  |          | Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber                 |           |      | AMTES  | VE1BE          |            |               |           | 9.18          |       |   |   |   |  |   |   |
| -  |          | records Virtual Collocation Cable Records - CAT 5/RJ45   |           |      | AMTFS<br>AMTFS   | VE1BF<br>VE1B5 |            | 83.37<br>2.22 |           | 73.49<br>2.62 |       |   |   |   |  |   | <b>—</b>  |
|  | Security |  |           |      | AWITTO   | VLIDO          |            | 2.22          |           | 2.02          |       | 1   |   |   |  |   |   |
|  |          | Virtual collocation - Security escort, basic time, normally scheduled work hours   |           |      | AMTFS  | SPTBX          |            | 16.51         | 10.82     |               |       |   |   |   |  |   |   |
|  |          | Virtual collocation - Security escort, overtime, outside of normally scheduled work hours on a normal working day                |           |      | AMTFS  | SPTOX          |            | 21.90         | 14.17     |               |       |   |   |   |  |   |   |
|  |          | Virtual collocation - Security escort, premium time, outside of a scheduled work day   |           |      | AMTFS  | SPTPX          |            | 27.29         | 17.53     |               |       |   |   |   |  |   |   |
|  | Mainten  |  |           |      |  |                | ,          |               | 1         | •             | 1     |   |   |   |  |   |   |
|  |          | Virtual collocation - Maintenance in CO - Basic, per half hour   |           |      | AMTFS  | CTRLX          |            | 26.52         | 10.82     |               |       |   |   |   |  |   |   |
|  |          | Virtual collocation - Maintenance in CO - Overtime, per half hour  |           |      | AMTFS  | SPTOM          |            | 35.41         | 14.17     |               |       |   |   |   |  |   |   |
| <u> </u>   |          | Virtual collocation - Maintenance in CO - Premium per half hour  | l         |      | AMTFS  | SPTPM          |            | 44.30         | 17.53     | 1             |       |   |   |   |  |   | <u> </u>  |
| <del>                                     </del> | ntranc   | e Cable Virtual Collocation - Cable Installation Charge, per cable   | l         |      | AMTFS  | ESPCX          | 1          | 736.20        |           | 21.49         |       |   |   |   |  |   |   |
| $\vdash$   |          | Virtual Collocation - Cable Installation Charge, per cable  Virtual Collocation - Cable Support Structure, per cable             |           |      | AMTFS  | ESPSX          | 7.74       | 700.20        |           | 21.49         |       |   |   |   |  |   |   |
|  |          | Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)      |           |      | AMTFS  | VE1EE          | 0.235      |               |           |               |       |   |   |   |  |   |   |
|  |          | Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)  |           |      | AMTFS  | VE1EE<br>VE1EF | 0.235      | 754.41        |           | 21.49         |       |   |   |   |  |   |   |
|  |          | Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)           |           |      | AMTFS  | VE1EG          |            | 9.11          |           |               |       |   |   |   |  |   |   |
|  |          | IN THE REMOTE SITE   | l         |      |  | 1              | I          |               |           | l             |       |   |   |   |  |   |   |
|  | rnysica  | Physical Collocation in the Remote Site - Application Fee  | 1         |      | CLORS  | PE1RA          | 1          | 300.31        |           | 132.49        |       |   |   |   |  |   |   |
|  |          | Cabinet Space in the Remote Site per Bay/ Rack   |           |      | CLORS  | PE1RB          | 148.11     | 300.31        |           | 132.49        |       |   |   |   |  |   |   |
|  |          | Physical Collocation in the Remote Site - Security Access - Key  |           |      | CLORS  | PE1RD          |            | 13.19         |           |               |       |   |   |   |  |   |   |

| COLLOCA  | ATION - Georgia   |          |         |                                      |               |                    |                 | -         |              |            |       |   | Att: 4 Exh: B  |  |   |   |
|----------|---|----------|---------|--------------------------------------|---------------|--------------------|-----------------|-----------|--------------|------------|-------|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS   | Interim  | Zone    | BCS                                  | usoc          |                    |                 | RATES(\$) |              |            |       | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |   |          |         |                                      |               | Rec                | Nonrec          | urring    | Nonrecurring | Disconnect |       |   | oss  | Rates(\$)  |   |   |
|          |   |          |         |                                      |               | Kec                | First           | Add'l     | First        | Add'l      | SOMEC | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|          | Physical Collocation in the Remote Site - Space Availability Report per Premises Requested  | t        |         | CLORS                                | PE1SR         |                    | 109.83          |           |              |            |       |   |  |  |   |   |
|          | Physical Collocation in the Remote Site - Remote Site CLLI Code<br>Request, per CLLI Code Requested                               |          |         | CLORS                                | PE1RE         |                    | 36.00           |           |              |            |       |   |  |  |   |   |
|          | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO   |          |         | CLORS                                | PE1RR         |                    | 116.71          |           |              |            |       |   |  |  |   |   |
|          | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour                                    |          |         | CLORS                                | PE1BT         |                    | 16.51           | 10.82     |              |            |       |   |  |  |   |   |
|          | Physical Collocation - Security Escort for Overtime - outside of<br>normally scheduled working hours on a scheduled work day, per |          |         |                                      |               |                    |                 |           |              |            |       |   |  |  |   |   |
|          | half hour  Physical Collocation - Security Escort for Premium Time - outside  |          |         | CLORS                                | PE1OT         |                    | 21.90           | 14.17     |              |            |       |   |  |  |   |   |
|          | of scheduled work day, per half hour  |          |         | CLORS                                | PE1PT         |                    | 27.29           | 17.53     |              |            |       |   |  |  |   | i   |
| Δdia     | cent Remote Site Collocation  | <u> </u> | l       | CLORG                                | 1 - 11 1      | lI                 | 21.23           | 17.55     |              |            | L     | lI  |  |  |   |   |
| лији     | Remote Site-Adjacent Collocation-Application Fee  |          |         | CLORS                                | PE1RU         |                    | 755.62          | 755.62    |              |            |       |   |  |  |   |   |
|          | Remote Site-Adjacent Collocation - Real Estate, per square foot   |          |         | CLORS                                | PE1RT         | 0.134              | 700.02          | 700.02    |              |            |       |   |  |  |   |   |
|          |   |          |         | CLORS                                | PE1RS         | 6.27               |                 |           |              |            |       |   |  |  |   |   |
| NOT      | Remote Site-Adjacent Collocation - AC Power, per breaker amp E: If Security Escort and/or Add'l Engineering Fees become neces     | conv for | adiaco  |                                      |               |                    | annronriato ra  | hon       |              |            | l .   |   |  |  |   |   |
|          | al Remote Site Collocation  | sary for | aujacei | nt remote site collocat              | ion, the Part | ies will negotiate | е арргорпате га | ies.      |              |            |       |   |  |  |   |   |
| VIIC     | Virtual Collocation in the Remote Site - Application Fee  | 1        | 1       | VE1RS                                | VE1RB         | 1                  | 300.31          |           | 132.49       |            | I     | 1   |  |  |   |   |
|          |   |          |         |                                      |               | 440.44             | 000.01          |           | 102.10       |            |       |   |  |  |   |   |
|          | Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report |          |         | VE1RS                                | VE1RC         | 148.11             |                 |           |              |            |       |   |  |  |   |   |
|          | per Premises requested  |          |         | VE1RS                                | VE1RR         |                    | 109.83          |           |              |            |       |   |  |  |   |   |
|          | Virtual Collocation in the Remote Site - Remote Site CLLI Code<br>Request, per CLLI Code Requested                                |          |         | VE1RS                                | VE1RL         |                    | 36.00           |           |              |            |       |   |  |  |   |   |
| ADJACENT | COLLOCATION   |          |         |                                      |               |                    |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - Space Charge per Sq. Ft.   |          |         | CLOAC                                | PE1JA         | 0.1725             |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - Electrical Facility Charge per Linear Ft.  |          |         | CLOAC                                | PE1JC         | 4.12               |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 2-Wire Cross-Connects  |          |         | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN | PE1JE         | 0.0176             |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 4-Wire Cross-Connects  |          |         | UEA.UHL.UDL.UCL                      |               | 0.0353             |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - DS1 Cross-Connects   |          |         | USL                                  | PE1JG         | 0.3686             |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - DS3 Cross-Connects   |          |         | UE3                                  | PE1JH         | 4.83               |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 2-Fiber Cross-Connect  |          |         | CLOAC                                | PE1JJ         | 1.69               |                 |           |              |            |       |   |  |  |   | -   |
|          | Adjacent Collocation - 4-Fiber Cross-Connect  |          |         | CLOAC                                | PE1JK         | 3.31               |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - Application Fee  |          |         | CLOAC                                | PE1JB         |                    | 1,380.83        |           | 0.50         |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 120V, Single Phase Standby Power Rate  |          |         |                                      |               |                    |                 |           |              |            |       |   |  |  | _   |   |
|          | per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate   | -        | -       | CLOAC                                | PE1JL         | 5.16               | +               |           |              |            | -     |   |  |  |   |   |
|          | per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate  |          |         | CLOAC                                | PE1JM         | 10.34              |                 |           |              |            | ļ     |   |  |  |   |   |
|          | per AC Breaker Amp  |          |         | CLOAC                                | PE1JN         | 15.50              |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 277V, Three Phase Standby Power Rate<br>per AC Breaker Amp   |          |         | CLOAC                                | PE1JO         | 35.79              |                 |           |              |            |       |   |  |  |   |   |
|          | Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp  |          |         | CLOAC                                | PE1JD         | 35.79              |                 |           |              |            |       |   |  |  |   | Ī   |

| COLLO     | САТ    | ON - Louisiana   |         |      |   |                |        |                      |           |              |            |   |   | Att: 4 Exh: B   |  |   |   |
|-----------|--------|--|---------|------|---|----------------|--------|----------------------|-----------|--------------|------------|---|---|---|--|---|---|
| CATEGO    |        | ON - LOUISIANA RATE ELEMENTS   | Interim | Zone | BCS   | usoc           |        |                      | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
| 1         |        |  |         |      |   |                |        | Nonre                | curring   | Nonrecurring | Disconnect |   |   | oss   | Rates(\$)  |   | L   |
|           |        |  |         |      |   |                | Rec    | First                | Add'l     | First        | Add'l      | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN   |
| 2111/2124 |        | 100.17(0)  |         |      |   |                |        |                      |           |              |            |   |   |   |  |   |   |
|           | pplica | LOCATION   |         |      |   |                | l l    |                      |           | l .          | l          |   |   |   |  |   | L   |
|           |        | Physical Collocation - Initial Application Fee   |         |      | CLO   | PE1BA          |        | 1,837.24             |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Subsequent Application Fee  |         |      | CLO   | PE1CA          |        | 1,533.41             |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Co-Carrier Cross Connects/Direct Connect,   |         |      | CLO   | PE1DT          |        | 583.30               |           |              |            |   |   |   |  |   | ĺ   |
|           |        | Application Fee, per application Physical Collocation Administrative Only - Application Fee  |         |      | CLO   | PE1BL          |        | 741.97               |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Application Cost, Simple Augment  |         |      | CLO   | PE1KS          |        | 596.35               |           | 1.22         |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Application Cost, Minor Augment   |         |      | CLO   | PE1KM          |        | 836.18               |           | 1.22         |            |   |   |   |  |   |   |
| -         |        | Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Application Cost - Major Augment                    |         |      | CLO<br>CLO  | PE1K1<br>PE1KJ |        | 1,061.00<br>2,418.00 |           | 1.22<br>1.22 |            |   |   |   |  |   | <b>—</b>  |
| Sı        |        | Preparation  |         |      | OLO   | I FINS         |        | 4,410.00             |           | 1.22         | l .        | 1   |   | 1   |  |   | -   |
|           |        | Physical Collocation - Floor Space, per sq feet  |         |      | CLO   | PE1PJ          | 5.30   |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space Enclosure, welded wire, first 50 square feet  |         |      | CLO   | PE1BX          | 166.40 |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space enclosure, welded wire, first 100 square feet   |         |      | CLO   | PE1BW          | 184.50 |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet  |         |      | CLO   | PE1CW          | 18.10  |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space Preparation - C.O. Modification per square ft.  |         |      | CLO   | PE1SK          | 2.31   |                      |           |              |            |   |   |   |  |   |   |
|           |        | Modifications-Cageless, per square foot  |         |      | CLO   | PE1SL          | 2.70   |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage  |         |      | CLO   | PE1SM          | 91.60  |                      |           |              |            |   |   |   |  |   |   |
|           |        | iniodinodiloris Caged, per cage  |         |      |   | I L IOW        | 31.00  |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - Space Preparation - Firm Order Processing<br>Physical Collocation - Space Availability Report, per Central Office |         |      | CLO   | PE1SJ          |        | 583.33               |           |              |            |   |   |   |  |   |   |
| D.        |        | Requested  |         |      | CLO   | PE1SR          |        | 1,044.07             |           |              |            |   |   |   |  |   | <u>i                                      </u>                                  |
| P         | ower   | Physical Collocation - Power, -48V DC Power - per Fused Amp  |         |      |   |                |        |                      |           |              |            |   |   |   |  |   |   |
|           |        | Requested Physical Collocation - Power, 120V AC Power, Single Phase, per   |         |      | CLO   | PE1PL          | 8.32   |                      |           |              |            |   |   |   |  |   |   |
|           |        | Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per   |         |      | CLO   | PE1FB          | 5.45   |                      |           |              |            |   |   |   |  |   |   |
|           |        | Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per  |         |      | CLO   | PE1FD          | 10.92  |                      |           |              |            |   |   |   |  |   |   |
|           |        | Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per  |         |      | CLO   | PE1FE          | 16.37  |                      |           |              |            |   |   |   |  |   | -   |
|           |        | Breaker Amp  |         |      | CLO   | PE1FG          | 37.80  |                      |           |              |            |   |   |   |  |   |   |
| Cı        |        | connects (Cross Connects, Co-Carrier Cross Connects, and Por   | ts)     |      | UEANL,UEQ,<br>UNCNX, UEA, UCL,<br>UAL, UHL, UDN,  |                |        |                      |           |              |            |   |   |   |  |   |   |
| $\vdash$  |        | Physical Collocation - 2-wire cross-connect, loop, provisioning  |         |      | UNCVX<br>UEA, UHL, UNCVX,   | PE1P2          | 0.0318 | 11.94                | 11.46     |              |            |   |   |   |  |   |   |
| $\vdash$  |        | Physical Collocation - 4-wire cross-connect, loop, provisioning  |         |      | UNCDX, UCL, UDL<br>WDS1L, WDS1S,  | PE1P4          | 0.0636 | 12.04                | 11.53     |              |            |   |   |   |  |   | <u> </u>  |
|           |        | Physical Collocation -DS1 Cross-Connect for Physical   |         |      | UXTD1, ULDD1,<br>USLEL, UNLD1,<br>U1TD1, UNC1X,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP,<br>USL, UEPEX,    |                |        |                      |           |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - DST Cross-Connect for Physical Collocation, provisioning  |         |      | USC, OEPEX, UEPDX UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, | PE1P1          | 1.04   | 21.39                | 15.47     |              |            |   |   |   |  |   |   |
|           |        | Physical Collocation - DS3 Cross-Connect, provisioning   |         |      | UEPSR, UEPSB,<br>UEPSE, UEPSP   | PE1P3          | 13.21  | 20.28                | 14.76     |              |            |   |   |   |  |   |   |

| COLLOCAT               | TON - Louisiana  |          |          |  |       |        |        |           |              |       |   |       | Att: 4 Exh: B  |  |   |              |
|------------------------|--|----------|----------|--|-------|--------|--------|-----------|--------------|-------|---|-------|--|--|---|--------------|
| CATEGORY               | RATE ELEMENTS  | Interim  | Zone     | BCS  | usoc  |        |        | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -     |
|                        |  |          |          |  |       | Rec    | Nonred |           | Nonrecurring |       |   |       |  | Rates(\$)  |   |              |
| $\vdash$               |  | <b> </b> | <u> </u> |  | ļ     |        | First  | Add'l     | First        | Add'l | SOMEC                                     | SOMAN | SOMAN  | SOMAN  | SOMAN   | SOMAN        |
|                        | Physical Collocation - 2-Fiber Cross-Connect   |          |          | CLO, ULDO3,<br>ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF<br>ULDO3, ULD12,<br>ULD48, U1TO3, | PE1F2 | 2.62   | 20.28  | 14.76     |              |       |   |       |  |  |   |              |
|                        |  |          |          | U1T12, U1T48,  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | L  |          |          | UDLO3, UDL12,  | L     |        |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - 4-Fiber Cross-Connect   |          |          | UDF, UDFCX   | PE1F4 | 4.65   | 24.81  | 19.29     |              |       |   |       |  |  |   | <del> </del> |
|                        | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.                                   |          |          | CLO  | PE1ES | 0.001  |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Co-Carrier Cross Connect/Direct Connect -   |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | Copper/Coax Cable Support Structure, per linear foot, per cable.   |          |          | CLO  | PE1DS | 0.0015 |        |           |              |       |   |       |  |  |   |              |
|                        |  |          |          | UEPSR, UEPSP,  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation 2-Wire Cross Connect, Port  |          |          | UEPSE, UEPSB,<br>UEPSX, UEP2C  | PE1R2 | 0.0318 | 11.94  | 11.46     |              |       |   |       |  |  |   |              |
|                        | Physical Collocation 4-Wire Cross Connect, Port  |          |          | UEPEX, UEPDD   | PE1R4 | 0.0636 | 12.04  | 11.53     |              |       |   |       |  |  |   | <b>†</b>     |
| Securit                | ty   |          |          | , , ,  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Escort for Basic Time - normally   |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | scheduled work, per half hour  |          |          | CLO  | PE1BT |        | 16.44  | 10.42     |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Escort for Overtime - outside of<br>normally scheduled working hours on a scheduled work day, per                              |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | half hour  |          |          | CLO  | PE1OT |        | 21.41  | 13.45     |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Escort for Premium Time - outside  |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | of scheduled work day, per half hour   |          |          | CLO  | PE1PT |        | 26.38  | 16.49     |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.  |          |          | CLO  | PE1AY | 0.0224 |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State  |          |          | CLO  | PE1A1 | 0.0579 | 27.50  |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card                                      |          |          | CLO  | PE1AA |        | 7.74   |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Access System - Replace Lost or  |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | Stolen Card, per Card  |          |          | CLO  | PE1AR |        | 22.64  |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or                                    |          |          | CLO  | PE1AK |        | 13.01  |           |              |       |   |       |  |  |   | ļ            |
|                        | Stolen Key, per Key  |          |          | CLO  | PE1AL |        | 13.01  |           |              |       |   |       |  |  |   |              |
| CFA                    |  |          |          | 1  |       |        |        |           |              |       |   |       |  |  |   |              |
| Cahla                  | Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request Records  |          |          | CLO  | PE1C9 |        | 77.43  |           |              |       |   |       |  |  |   |              |
| Caple                  | Recurring Collocation Cable Records - per request  | Ι        | 1        | CLO  | PE1CU | 10.97  |        |           | ı            |       |   |       |  |  |   |              |
|                        | Recurring Collocation Cable Records - VG/DS0 Cable, per cable record   |          |          | CLO  | PE1CE | 5.29   |        |           |              |       |   |       |  |  |   |              |
|                        | Recurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair  |          |          | CLO  | PE1CT | 0.08   |        |           |              |       |   |       |  |  |   |              |
|                        | Recurring Collocation Cable Records - DS1, per T1TIE   |          |          | CLO  | PE1C2 | 0.04   |        |           |              |       |   |       |  |  |   |              |
| $\vdash \vdash \vdash$ | Recurring Collocation Cable Records - DS3, per T3TIE   | <u> </u> | <u> </u> | CLO  | PE1C4 | 0.13   |        |           |              |       |   |       |  |  |   |              |
| 1 1                    | Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records  |          |          | CLO  | PE1CG | 1.37   |        |           | 1            |       |   |       |  |  |   |              |
|                        | Physical Collocation, Cable Records, CAT5/RJ45   |          |          | CLO  | PE1C6 | 0.04   |        |           | 1            |       |   |       |  |  |   |              |
| Virtual                | to Physical  |          |          |  |       |        |        |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit  Physical Collocation - Virtual to Physical Collocation Relocation, |          |          | CLO  | PE1BV |        | 33.00  |           |              |       |   |       |  |  |   |              |
|                        | per DSO Circuit  |          |          | CLO  | PE1BO |        | 33.00  |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit   |          |          | CLO  | PE1B1 |        | 52.00  |           |              |       |   |       |  |  |   |              |
|                        | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit   |          |          | CLO  | PE1B3 |        | 52.00  |           |              |       |   |       |  |  | <u> </u>  |              |

| Svc Order Submitted Submit | COLLOCAT          | ION - Louisiana  |         |          |  |        |        |          |       |          |       |                   |                       | Att: 4 Exh: B  |   |  |             |
|--|-------------------|--|---------|----------|--|--------|--------|----------|-------|----------|-------|-------------------|-----------------------|--|---|--|-------------|
| Project Colocation - Visual to Project Colocation in Project Page   Do.   Do.   St. 186  | CATEGORY          |  | Interim | Zone     | BCS  | usoc   |        |          |       |          |       | Submitted<br>Elec | Submitted<br>Manually | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Charge -<br>Manual Svc<br>Order vs.<br>Electronic- | Manual Svc  |
| Press  |                   |  |         |          |  |        | Rec    |          |       |          |       |                   |                       |  |   |  |             |
| Note Group Circuit   Note Control Control   Note Control Control   Note Control Control   Note Control Control   Note Control Control   Note Control   Not   | $\longrightarrow$ | Dhariad Callagation Without to Dhariad Callagation in Disc. Dog.   |         |          |  |        |        | First    | Add'l | First    | Add'l | SOMEC             | SOMAN                 | SOMAN  | SOMAN   | SOMAN  | SOMAN       |
| DSG Clinial  |                   | Voice Grade Circuit  |         |          | CLO  | PE1BR  |        | 22.52    |       |          |       |                   |                       |  |   |  |             |
| DST Character   DST Characte   |                   | DSO Circuit  |         |          | CLO  | PE1BP  |        | 22.52    |       |          |       |                   |                       |  |   |  |             |
| DSS Crost  | ,                 |  |         |          | CLO  | PE1BS  |        | 32.74    |       |          |       |                   |                       |  |   |  |             |
| Enterior Cable   Project Coloration - Fiber Cable Support Structure, per Enterior   CLO   PETRO   Rest 54  |                   |  |         |          | CLO  | PE1BE  |        | 32.74    |       |          |       |                   |                       |  |   |  |             |
| Recording drags per Brannec Cable   CLO   PEIBD   M1.51  | Entrand           |  |         |          |  |        | 1      |          |       |          |       |                   |                       |  |   |  |             |
| Project Coloration - Floor Carbo Support Structure, per Enterview Coloration - Floor Carbo Support Structure, per Floor Coloration - Floor Carbo Support Structure, per Floor Coloration - Floor Carbo Support Structure, per Floor Carbo Support Structure, per Floor Carbo Support Structure, per Floor Structure, per Floor Support Structure, per Floor Struc   |                   |  |         |          | CLO  | PE1BD  |        | 841.54   |       |          |       |                   |                       |  |   |  |             |
| Physical Colocation - Piker Entrance Cable Installation, per Fiber   Cit.Q   Pie IED   3,88  |                   | Physical Collocation - Fiber Cable Support Structure, per Entrance |         |          | CLO  |        | 18 31  |          |       |          |       |                   |                       |  |   |  |             |
| VIRTUAL COLL-CATON   |                   |  |         |          |  |        | 10.01  | 3.88     |       |          |       |                   |                       |  |   |  |             |
| Application  | VIRTUAL COLI      |  |         |          | CLO  | FEIED  |        | 3.00     |       |          |       |                   |                       |  |   |  |             |
| Virtual Collocation - Grainer Cross Comments (New York)  |                   | tion   |         |          |  | •      |        |          |       | •        |       |                   |                       |  |   |  | -           |
| Agrication Fee, per application   AMTES   VECA   988.30  |                   |  |         |          | AMTFS  | EAF    |        | 1,770.40 | _     |          | ·     |                   |                       |  |   | ·  |             |
| Virtual Colocation - Figure 2 galou. per sq. ft.   AMTES   VELEF   741.97  | .                 |  |         |          | AMTEC  | VE404  |        | 500.00   |       |          |       |                   |                       |  |   |  |             |
| Space Preparation   Proof Space, per sq. ft.   AMTES   ESPVX   5.30  |                   |  |         |          |  |        |        |          |       |          |       |                   |                       |  |   |  | <del></del> |
| Power   Virtual Collocation - Power, per fused army   AMTES   ESPAX   8.32   |                   |  |         |          | ,  | 1.5    | 1      | 7 11101  |       |          |       | 1                 |                       | <u> </u>   |   |  |             |
| Virtual Collocation - Power, per fused arrap   Cross Connects, Cro-Carrier Cross Connects, and Pors)   UEANL, UEA, UDN, UNAL, UNI, UNI, UNI, UNI, UNI, UNI, UNI, UNI   |                   |  |         |          | AMTFS  | ESPVX  | 5.30   |          |       |          |       |                   |                       |  |   |  |             |
| Cross Connects, Cross Connects, Co-Carrier Cross Connects, and Ports)  |                   | Vistoria Collegation Devices now from the con-                     |         |          | AMTEC  | IECDAY | 0.00   |          |       | 1        |       | 1                 | 1                     |  |   |  |             |
| UEAN, UEA, UPA, UN, UL, UPA, UCL, UPA, UPA, UPA, UPA, UPA, UPA, UPA, UPA   |                   |  | te)     | <u> </u> | AMITES   | ESPAX  | 8.32   |          |       | <u> </u> |       |                   |                       | <u> </u>   |   |  | <u> </u>    |
| Virtual Collocation - 4-wire cross-connect, loop, provisioning   |                   |  |         |          | UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX                                | UEAC2  | 0.0296 | 11.94    | 11.46 |          |       |                   |                       |  |   |  |             |
| URL UKTD1, UNCTX, ULDD1, UNCTX, ULDD1, UNTO1, USLEL, UNLD1, USL, ULDD1, UNTO1, USLEL, UNLD1, USL, UNLD1, USL, UNLD1, USL, UNLD1, USL, UNLD2, UTD3, USL, USL, USL, USL, USL, USL, USL, USL  |                   | Virtual Collocation - 4-wire cross-connect, loop, provisioning     |         |          | UDL, UNCVX,  | UEAC4  | 0.0591 | 12.04    | 11.53 |          |       |                   |                       |  |   |  |             |
| Virtual collocation - Special Access & UNE, cross-connect per   ULDS, ULTS, ULDS, ULDS, ULTS, ULDS,    |                   | Virtual collocation - Special Access & UNE, cross-connect per      |         |          | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,<br>UEPEX, UEPDX |        |        |          |       |          |       |                   |                       |  |   |  |             |
| Virtual Collocation - 2-Fiber Cross Connects   |                   |  |         |          | UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,             | CND3X  | 13.21  | 20.28    | 14.76 |          |       |                   |                       |  |   |  |             |
| Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable  AMTFS  VE1CB  0.001  AMTFS  VE1CD  0.0015  UEPSE, UEPSB, UEPSB, UEPSP,   |                   | Virtual Collocation - 2-Fiber Cross Connects                       |         |          | U1T48, U1T12,<br>U1TO3, ULDO3,   | CNC2F  | 2.65   | 20.29    | 14.76 |          |       |                   |                       |  |   |  |             |
| Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable  AMTFS  VE1CB  0.001  AMTFS  VE1CD  0.0015  UEPSX, UEPSB, UEPSB, UEPSP,   |                   | Virtual Collocation - 4-Fiber Cross Connects                       |         |          | U1T48, U1T12,<br>U1TO3, ULDO3,   | CNC4F  | 5 31   | 24.81    | 19 29 |          |       |                   |                       |  |   |  |             |
| Copper/Coax Cable Support Structure, per linear foot, per cable AMTFS VE1CD 0.0015 UEPSX, UEPSB, UEPSE, UEPSP,   |                   | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -   |         |          |  |        |        | 24.01    | 10.29 |          |       |                   |                       |  |   |  |             |
| UEPSX, UEPSB,<br>UEPSE, UEPSP,   |                   |  |         |          | AMTFS  | VE1CD  | 0.0015 |          |       |          |       |                   |                       |  |   |  |             |
| Virtual Collocation 2-Wire Cross Connect, Port     UEPSR, UEP2C   VE1R2   0.0296   11.94   11.46   |                   |  |         |          | UEPSX, UEPSB,<br>UEPSE, UEPSP,   |        |        |          |       |          |       |                   |                       |  |   |  |             |
| Virtual Collocation 4-Wire Cross Connect, Port UEPDD, UEPEX VE1R4 0.0591 12.04 11.53   |                   |  |         |          |  |        |        |          |       | ļ        |       | ļ                 |                       |  |   |  |             |

| COLLOC   | ATION - Louisiana   |          |          |                      |                  |  |                  |           |              |       |   |   | Att: 4 Exh: B   |  |   |  |
|----------|---|----------|----------|----------------------|------------------|--|------------------|-----------|--------------|-------|---|---|---|--|---|--|
| CATEGOR  |   | Interim  | Zone     | BCS                  | usoc             |  |                  | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |   |          |          |                      |                  | Rec  |                  | curring   | Nonrecurring |       |   |   |   | Rates(\$)  |   |  |
|          |   |          |          |                      |                  | Rec  | First            | Add'l     | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN  |
| CF/      |   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | Virtual Collocation - CFA Information Resend Request, per   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | ſ  |
|          | Premises, per Arrangement, per request  |          |          | AMTFS                | VE1QR            |  | 77.43            |           |              |       |   |   |   |  |   | <u> </u>   |
| Cal      | ble Records   |          |          | 1.1.750              | lur.             | 40.07  |                  |           | 1            |       | 1   |   |   | 1  |   | 1  |
|          | Virtual Collocation Cable Records - per request(LA only)  Virtual Collocation Cable Records - VG/DS0 Cable, per cable   |          | 1        | AMTFS                | VE1BG            | 10.97  |                  |           |              |       | 1   |   |   |  |   | +  |
|          | record(LA only)   |          |          | AMTFS                | VE1BH            | 5.29   |                  |           |              |       |   |   |   |  |   | i  |
|          | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100  |          | 1        | AWITIO               | VEIDII           | 5.25   |                  |           |              |       |   |   |   |  |   | <b></b>  |
|          | pair(LA only)   |          |          | AMTFS                | VE1BJ            | 0.08   |                  |           |              |       |   |   |   |  |   | i  |
|          | Virtual Collocation Cable Records - DS1, per T1TIE(LA only)   |          |          | AMTFS                | VE1BK            | 0.04   |                  |           |              |       |   |   |   |  |   |  |
|          | Virtual Collocation Cable Records - DS3, per T3TIE(LA only)   |          |          | AMTFS                | VE1BL            | 0.13   |                  |           |              |       |   |   |   |  |   |  |
|          | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | 1  |
|          | records(LA only)  |          | <u> </u> | AMTES                | VE1BM            | 1.37   |                  |           | ļ            |       | ļ   |   |   |  |   | <b>—</b>   |
| _        | Virtual Collocation Cable Records - CAT 5/RJ45 (LA only)  |          | 1        | AMTFS                | VE1B6            | 0.04   |                  | l         | I            |       | <u> </u>                                  | <u> </u>                                      | <u> </u>  | i  |   | <u> </u>   |
| Sec      | Curity  |          | 1        | ı                    |                  | <del>                                     </del> |                  | 1         | 1            |       | 1   | 1   | ı   | 1  |   |  |
|          | Virtual collocation - Security escort, basic time, normally scheduled work hours  |          | 1        | AMTFS                | SPTBX            |  | 16.44            | 10.42     |              |       |   | 1   |   | 1  |   | 1  |
|          | Virtual collocation - Security escort, overtime, outside of normally  |          | 1        | AWITIO               | OI IDA           |  | 10.44            | 10.42     |              |       |   |   |   |  |   | <b></b>  |
|          | scheduled work hours on a normal working day  |          |          | AMTFS                | SPTOX            |  | 21.41            | 13.45     |              |       |   |   |   |  |   | ĺ  |
|          | Virtual collocation - Security escort, premium time, outside of a   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | scheduled work day  |          |          | AMTFS                | SPTPX            |  | 26.38            | 16.49     |              |       |   |   |   |  |   | i  |
| Mai      | intenance   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | Virtual collocation - Maintenance in CO - Basic, per half hour  |          |          | AMTFS                | CTRLX            |  | 27.12            | 10.42     |              |       |   |   |   |  |   |  |
|          |   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | i  |
|          | Virtual collocation - Maintenance in CO - Overtime, per half hour   |          |          | AMTFS                | SPTOM            |  | 35.42            | 13.45     |              |       |   |   |   |  |   | <b>└</b>   |
|          |   |          |          |                      | 00704            |  | 40.70            |           |              |       |   |   |   |  |   | i  |
| F        | Virtual collocation - Maintenance in CO - Premium per half hour trance Cable  |          |          | AMTFS                | SPTPM            |  | 43.72            | 16.49     |              |       |   | l .   |   |  |   |  |
| Ent      | Virtual Collocation - Cable Installation Charge, per cable  |          | 1        | AMTFS                | ESPCX            |  | 841.54           |           |              |       |   | 1   | 1   |  |   |  |
|          | Virtual Collocation - Cable Installation Charge, per Cable  Virtual Collocation - Cable Support Structure, per cable  |          | 1        | AMTFS                | ESPSX            | 16.02  | 041.04           |           |              |       | 1   |   |   |  |   | <b>—</b>   |
| COLLOCAT | TION IN THE REMOTE SITE   |          | 1        |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | ysical Remote Site Collocation  | •        | •        | •                    |                  |  |                  |           |              | •     | •   | •   |   | •  |   | •  |
|          | Physical Collocation in the Remote Site - Application Fee   |          |          | CLORS                | PE1RA            |  | 298.80           |           |              |       |   |   |   |  |   | (  |
|          | Cabinet Space in the Remote Site per Bay/ Rack  |          |          | CLORS                | PE1RB            | 225.39   |                  |           |              |       |   |   |   |  |   | <u> </u>   |
|          |   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | i  |
|          | Physical Collocation in the Remote Site - Security Access - Key   |          |          | CLORS                | PE1RD            |  | 13.01            |           |              |       |   |   |   |  |   | <b></b>  |
|          | Physical Collocation in the Remote Site - Space Availability Report   | i i      |          | 0.000                | DE 400           |  | 440.50           |           |              |       |   |   |   |  |   | i  |
|          | per Premises Requested  Physical Collocation in the Remote Site - Remote Site CLLI Code   |          | 1        | CLORS                | PE1SR            |  | 112.52           |           |              |       | 1   |   |   |  |   | +  |
|          | Request, per CLLI Code Requested  |          |          | CLORS                | PE1RE            |  | 36.47            |           |              |       |   |   |   |  |   | i  |
|          | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO   |          | 1        | CLORS                | PE1RR            |  | 233.21           |           |              |       | 1   |   |   |  |   |  |
|          | Physical Collocation - Security Escort for Basic Time - normally  |          |          | 020110               |                  |  | 200.21           |           |              |       |   |   |   |  |   |  |
|          | scheduled work, per half hour   | <u></u>  |          | CLORS                | PE1BT            | <u> </u>   | 16.44            | 10.42     |              |       | L   | <u> </u>                                      |   |  |   | L  |
|          | Physical Collocation - Security Escort for Overtime - outside of  |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | normally scheduled working hours on a scheduled work day, per   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | i  |
|          | half hour   |          |          | CLORS                | PE1OT            |  | 21.41            | 13.45     |              |       |   |   |   |  |   | <u> </u>   |
|          | Physical Collocation - Security Escort for Premium Time - outside   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   | i  |
|          | of scheduled work day, per half hour  |          |          | CLORS                | PE1PT            |  | 26.38            | 16.49     |              |       |   |   |   |  |   | <u> </u>   |
| Adj      | jacent Remote Site Collocation  | ,        | _        | 0.000                | lne (n)          |  | 755.00           | 755.00    | 1            | 1     | 1   |   |   | 1  |   |  |
|          | Remote Site-Adjacent Collocation-Application Fee  | -        | 1        | CLORS                | PE1RU            | <del>                                     </del> | 755.62           | 755.62    | <del> </del> |       | <b> </b>                                  |   |   | <del>                                     </del>                           |   | <del>                                     </del>                               |
|          | Remote Site-Adjacent Collocation - Real Estate, per square foot   | 1        |          | CLORS                | PE1RT            | 0.134  |                  |           |              |       |   |   |   |  |   | i  |
|          | remote one-Aujacent Conocation - Real Estate, per square foot   |          | +        | OLUNG                | FEIRI            | 0.134  |                  | 1         | 1            |       | <b> </b>                                  |   |   | <del> </del>   |   |  |
| 1        | Remote Site-Adjacent Collocation - AC Power, per breaker amp  |          | 1        | CLORS                | PE1RS            | 6.27   |                  |           |              |       |   | 1   |   | 1  |   | 1  |
| 1        |   | sary for | adjacei  | nt remote site collo | cation, the Part | ies will negotiat                                | e appropriate ra | ates.     | •            |       | •   |   |   | •  |   |  |
| NO       | TE: If Security Escort and/or Add'l Engineering Fees become neces   |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          | tual Remote Site Collocation  |          |          |                      |                  |  |                  |           |              |       |   |   |   |  |   |  |
|          |   |          |          | VE1RS                | VE1RB            |  | 298.80           |           |              |       |   |   |   |  |   |  |
|          | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  |          |          |                      |                  |  | 298.80           |           |              |       |   |   |   |  |   | 1  |
|          | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  |          |          | VE1RS<br>VE1RS       | VE1RB<br>VE1RC   | 225.39   | 298.80           |           |              |       |   |   |   |  |   |  |
|          | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report  |          |          | VE1RS                | VE1RC            | 225.39   |                  |           |              |       |   |   |   |  |   |  |
|          | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report per Premises requested   |          |          |                      |                  | 225.39   | 298.80<br>112.52 |           |              |       |   |   |   |  |   |  |
|          | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report per Premises requested  Virtual Collocation in the Remote Site - Remote Site CLLI Code |          |          | VE1RS<br>VE1RS       | VE1RC<br>VE1RR   | 225.39   | 112.52           |           |              |       |   |   |   |  |   |  |
| Virt     | tual Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report per Premises requested   |          |          | VE1RS                | VE1RC            | 225.39   |                  |           |              |       |   |   |   |  |   |  |

| COLLO   | CATION - Louisiana   |         |      |                                      |       |        |          |           |              |            |       |                                    | Att: 4 Exh: B           |                         |   |          |
|---------|--|---------|------|--------------------------------------|-------|--------|----------|-----------|--------------|------------|-------|------------------------------------|-------------------------|-------------------------|---|----------|
| CATEGOR |  | Interim | Zone | BCS                                  | usoc  |        |          | RATES(\$) |              |            |       | Svc Order<br>Submitted<br>Manually | Incremental<br>Charge - | Incremental<br>Charge - | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|         |  |         |      |                                      |       | D      | Nonrec   | urring    | Nonrecurring | Disconnect |       | •                                  | oss                     | Rates(\$)               |   |          |
|         |  |         |      |                                      |       | Rec    | First    | Add'l     | First        | Add'l      | SOMEC | SOMAN                              | SOMAN                   | SOMAN                   | SOMAN   | SOMAN    |
|         | Adjacent Collocation - Space Charge per Sq. Ft.                                    |         |      | CLOAC                                | PE1JA | 0.0552 |          |           |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - Electrical Facility Charge per Linear Ft.                   |         |      | CLOAC                                | PE1JC | 5.61   |          |           |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 2-Wire Cross-Connects                                       |         |      | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN | PE1JE | 0.0245 | 11.94    | 11.46     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 4-Wire Cross-Connects                                       |         |      | UEA,UHL,UDL,UCL                      |       | 0.0491 | 12.04    | 11.53     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - DS1 Cross-Connects  |         |      | USL                                  | PE1JG | 0.9605 | 21.39    | 15.47     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - DS3 Cross-Connects  |         |      | UE3                                  | PE1JH | 13.01  | 20.28    | 14.76     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 2-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JJ | 2.20   | 20.28    | 14.76     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 4-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JK | 4.21   | 24.81    | 19.29     |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - Application Fee   |         |      | CLOAC                                | PE1JB |        | 1,543.20 |           |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 120V, Single Phase Standby Power Rate<br>per AC Breaker Amp |         |      | CLOAC                                | PE1JL | 5.45   |          |           |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp    |         |      | CLOAC                                | PE1JM | 10.92  |          |           |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp     |         |      | CLOAC                                | PE1JN | 16.37  |          | •         |              |            |       |                                    |                         |                         |   |          |
|         | Adjacent Collocation - 277V, Three Phase Standby Power Rate<br>per AC Breaker Amp  |         |      | CLOAC                                | PE1JO | 37.80  |          | •         |              |            |       |                                    |                         |                         |   |          |

Page 20 of 35

| COLLOCATI    | ON - Mississippi   |         |      |  |                |        |                    |                  |                       |                     |   |   | Att: 4 Exh: B  |   |   |   |
|--------------|--|---------|------|--|----------------|--------|--------------------|------------------|-----------------------|---------------------|---|---|--|---|---|---|
| CATEGORY     |  | Interim | Zone | BCS  | usoc           |        |                    | RATES(\$)        | T                     |                     | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|              |  |         |      |  |                | Rec    | Nonred<br>First    | curring<br>Add'l | Nonrecurring<br>First | Disconnect<br>Add'l | SOMEC                                     | SOMAN   | SOMAN  | Rates(\$)<br>SOMAN  | SOMAN   | SOMAN   |
|              |  |         |      |  |                |        | FIISL              | Auu i            | FIISL                 | Auu i               | SOIVIEC                                   | SOWAN   | SOWAN  | SOWAN   | SOWAN   | JOWAN   |
| PHYSICAL COL | LOCATION   |         |      |  |                |        |                    |                  |                       |                     |   |   |  |   |   |   |
| Applicat     |  |         |      |  |                |        |                    | 1                |                       |                     | 1   |   |  |   |   |   |
|              | Physical Collocation - Initial Application Fee   |         |      | CLO  | PE1BA          |        | 1,890.38           |                  |                       |                     |   |   |  |   |   | <b></b>   |
|              | Physical Collocation - Subsequent Application Fee Physical Collocation - Co-Carrier Cross Connects/Direct Connect,                       |         |      | CLO  | PE1CA          |        | 1,575.69           |                  |                       |                     |   |   |  |   |   | <del>                                     </del>                                |
|              | Application Fee, per application   |         |      | CLO  | PE1DT          |        | 583.13             |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation Administrative Only - Application Fee   |         |      | CLO  | PE1BL          |        | 740.76             |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Application Cost, Simple Augment  |         |      | CLO  | PE1KS          |        | 597.34             |                  | 1.22                  |                     |   |   |  |   |   |   |
|              | Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment                     |         |      | CLO<br>CLO   | PE1KM<br>PE1K1 |        | 837.57<br>1.063.00 |                  | 1.22<br>1.22          |                     |   |   |  |   |   |   |
|              | Physical Collocation - Application Cost, Intermediate Augment  Physical Collocation - Application Cost - Major Augment                   |         |      | CLO  | PE1KJ          |        | 2,422.00           |                  | 1.22                  |                     |   |   |  |   |   | <del></del>   |
|              | reparation   |         |      | 020  |                | 1      | 2,122.00           |                  |                       |                     | l   |   |  |   | <u> </u>  | ·   |
|              | Physical Collocation - Floor Space, per sq feet  |         |      | CLO  | PE1PJ          | 5.74   |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space Enclosure, welded wire, first 50<br>square feet   |         |      | CLO  | PE1BX          | 165.23 |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space enclosure, welded wire, first 100 square feet   |         |      | CLO  | PE1BW          | 183.20 |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet  |         |      | CLO  | PE1CW          | 17.97  |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space Preparation - C.O. Modification per square ft.  |         |      | CLO  | PE1SK          | 2.30   |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space Preparation, Common Systems<br>Modifications-Cageless, per square foot                                      |         |      | CLO  | PE1SL          | 2.52   |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space Preparation - Common Systems<br>Modifications-Caged, per cage   |         |      | CLO  | PE1SM          | 85.67  |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Space Preparation - Firm Order Processing<br>Physical Collocation - Space Availability Report, per Central Office |         |      | CLO  | PE1SJ          |        | 604.19             |                  |                       |                     |   |   |  |   |   |   |
|              | Requested  |         |      | CLO  | PE1SR          |        | 1,081.40           |                  |                       |                     |   |   |  |   |   |   |
| Power        | Physical Collocation - Power, -48V DC Power - per Fused Amp  |         | 1    |  |                | 1      | 1                  | 1                | 1                     |                     | 1   |   |  |   |   |   |
|              | Requested  |         |      | CLO  | PE1PL          | 7.33   |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Power, 120V AC Power, Single Phase, per<br>Breaker Amp  |         |      | CLO  | PE1FB          | 5.29   |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Power, 240V AC Power, Single Phase, per<br>Breaker Amp  |         |      | CLO  | PE1FD          | 10.58  |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Power, 120V AC Power, Three Phase, per<br>Breaker Amp   |         |      | CLO  | PE1FE          | 15.87  |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - Power, 277V AC Power, Three Phase, per<br>Breaker Amp   |         |      | CLO  | PE1FG          | 36.65  |                    |                  |                       |                     |   |   |  |   |   | <u> </u>  |
| Cross C      | onnects (Cross Connects, Co-Carrier Cross Connects, and Por  | ts)     |      | lue Au Lie ÷   |                |        |                    |                  |                       |                     |   |   |  |   |   |   |
|              | Physical Collocation - 2-wire cross-connect, loop, provisioning  |         |      | UEANL,UEQ,<br>UNCNX, UEA, UCL,<br>UAL, UHL, UDN,<br>UNCVX  | PE1P2          | 0.0288 | 12.37              | 11.87            | 6.04                  | 5.45                |   |   |  |   |   |   |
|              | Physical Collocation - 4-wire cross-connect, loop, provisioning  |         |      | UEA, UHL, UNCVX,<br>UNCDX, UCL, UDL  | PE1P4          | 0.0288 | 12.37              | 11.94            | 6.59                  | 5.45                |   |   |  |   |   |   |
|              |  |         |      | WDS1L, WDS1S,<br>UXTD1, ULDD1,<br>USLEL, UNLD1,<br>U1TD1, UNC1X,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP, | <u> </u>       | 0.0576 | 12.47              | 11.94            | 6.59                  | 5.91                |   |   |  |   |   |   |
|              | Physical Collocation -DS1 Cross-Connect for Physical<br>Collocation, provisioning  |         |      | USL, UEPEX,<br>UEPDX<br>UE3, U1TD3,<br>UXTD3, UXTS1,   | PE1P1          | 1.14   | 22.16              | 16.02            | 6.60                  | 5.97                |   |   |  |   |   |   |
|              | Physical Collocation - DS3 Cross-Connect, provisioning   |         |      | UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3,<br>UEPEX, UEPDX,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP  | PE1P3          | 14.49  | 21.01              | 15.29            | 7.61                  | 6.10                |   |   |  |   |   |   |

| Physis Physis Copp Physis Security Physis Shecurity Physis Sohecurity Physis Sohecurity Physis Sohecurity Physis Sohecurity Physis | rsical Collocation - 2-Fiber Cross-Connect  rsical Collocation - 4-Fiber Cross-Connect  rsical Collocation - Co-Carrier Cross Connects/Direct Connect - ar Cable Support Structure, per linear foot, per cable.                   | Interim    | Zone      | BCS  CLO, ULDO3, ULD12, ULD48, U1T03, U1T14, U1T48, UDL03, UDL12, UDF          | USOC           | - Rec -      | Nonrec<br>First |             | Nonrecurring      |                      | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Order vs.<br>Electronic-                         |
|--|---|------------|-----------|--|----------------|--------------|-----------------|-------------|-------------------|----------------------|---|-------|---|--|---|--|
| Physis Physis Fiber Physis Copp Physis Security Physis schee Physis norm half h Physiof scc  | rsical Collocation - 4-Fiber Cross-Connect rsical Collocation - Co-Carrier Cross Connects/Direct Connect - ar Cable Support Structure, per linear foot, per cable. rsical Collocation - Co-Carrier Cross Connect/Direct Connect - |            |           | ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF                  |                | Rec          |                 |             | Nonrecurring      |                      |   |       |   |  |   | Disc Add'l                                       |
| Physis Physis Fiber Physis Copp Physis Security Physis schee Physis norm half h Physiof scc  | rsical Collocation - 4-Fiber Cross-Connect rsical Collocation - Co-Carrier Cross Connects/Direct Connect - ar Cable Support Structure, per linear foot, per cable. rsical Collocation - Co-Carrier Cross Connect/Direct Connect - |            |           | ULD12, ULD48,<br>U1TO3, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF                  |                |              | First           |             |                   |                      | 00450                                     | SOMAN | SOMAN   | Rates(\$)  | SOMAN   | SOMAN  |
| Physis Fiber Physis Copp Physis Physis Security Physis schec Physis norm half h Physiof scl  | rsical Collocation - Co-Carrier Cross Connects/Direct Connect -<br>er Cable Support Structure, per linear foot, per cable.<br>rsical Collocation - Co-Carrier Cross Connect/Direct Connect -                                      |            |           |  | PE1F2          | 2.87         | 21.01           | Add'I 15.29 | <b>First</b> 7.61 | <b>Add'I</b><br>6.10 | SOMEC                                     | SOMAN | SUMAN   | SOMAN  | SUMAN   | SOMAN  |
| Physis Fiber Physis Copp Physis Physis Security Physis schec Physis norm half h Physiof scl  | rsical Collocation - Co-Carrier Cross Connects/Direct Connect -<br>er Cable Support Structure, per linear foot, per cable.<br>rsical Collocation - Co-Carrier Cross Connect/Direct Connect -                                      | 1          |           | ULDO3, ULD12,<br>ULD48, U1TO3,<br>U1T12, U1T48,<br>UDLO3, UDL12,<br>UDF, UDFCX | PE1F4          | 5.10         | 25.70           | 19.97       | 10.01             | 8.50                 |   |       |   |  |   |  |
| Physis Copp Physis Physis Security Physis schee Physinorm half h Physiol sol   | er Cable Support Structure, per linear foot, per cable.  rsical Collocation - Co-Carrier Cross Connect/Direct Connect -   |            |           | 051, 051 070   |                | 0.10         | 200             | 10.07       | 10.01             | 0.00                 |   |       |   |  |   |  |
| Physis Physis Security Physis schee Physi norm half h Physi of sci   |   | -          |           | CLO  | PE1ES          | 0.001        |                 |             |                   |                      |   |       |   |  |   |  |
| Physi Security Physi Schec Physi norm half h Physi of scl Physi  | oper/Coax Cable Support Structure, per linear foot, per cable.  |            |           | CLO  | PE1DS          | 0.0015       |                 |             |                   |                      |   |       |   |  |   |  |
| Security Physischer Physischer Physischer Physischer Physischer Physis   | rsical Collocation 2-Wire Cross Connect, Port   |            |           | UEPSR, UEPSP,<br>UEPSE, UEPSB,<br>UEPSX, UEP2C                                 | PE1R2          | 0.0288       | 12.37           | 11.87       | 6.04              | 5.45                 |   | 15.75 |   |  |   |  |
| Physisched Physisched Physisched Physisched Physisched Physisched Physisched Physisched  | sical Collocation 4-Wire Cross Connect, Port  |            |           | UEPEX, UEPDD   | PE1R4          | 0.0576       | 12.47           | 11.94       | 6.59              | 5.91                 |   | 15.75 |   |  |   |  |
| sched Physi norm half h Physi of scl Physi   |   |            |           |  | •              |              |                 |             |                   |                      |   |       |   |  |   |  |
| norm-<br>half h<br>Physi<br>of sol<br>Physi  | rsical Collocation - Security Escort for Basic Time - normally eduled work, per half hour rsical Collocation - Security Escort for Overtime - outside of  |            |           | CLO  | PE1BT          |              | 17.02           | 10.79       |                   |                      |   |       |   |  |   |  |
| of scl<br>Physi  | mally scheduled working hours on a scheduled work day, per  |            |           | CLO  | PE1OT          |              | 22.17           | 13.94       |                   |                      |   |       |   |  |   |  |
|  | rsical Collocation - Security Escort for Premium Time - outside scheduled work day, per half hour   |            |           | CLO  | PE1PT          |              | 27.32           | 17.08       |                   |                      |   |       |   |  |   |  |
|  | rsical Collocation - Security Access System, Security System, Central Office rsical Collocation -Security Access System - New Card  |            |           | CLO  | PE1AX          | 75.23        |                 |             |                   |                      |   |       |   |  |   | <u> </u>   |
| Activa   | ivation, per Card Activation (First), per State   |            |           | CLO  | PE1A1          | 0.0576       | 27.95           |             |                   |                      |   |       |   |  |   |  |
| Chan   | rsical Collocation-Security Access System-Administrative<br>ange, existing Access Card, per Request, per State, per Card<br>rsical Collocation - Security Access System - Replace Lost or   |            |           | CLO  | PE1AA          |              | 7.84            |             |                   |                      |   |       |   |  |   |  |
|  | len Card, per Card  |            |           | CLO  | PE1AR          |              | 22.91           |             |                   |                      |   |       | 1   | '  | 1   |  |
|  | rsical Collocation - Security Access - Initial Key, per Key   |            |           | CLO  | PE1AK          |              | 13.17           |             |                   |                      |   |       |   |  |   |  |
| Physi<br>Stole   | rsical Collocation - Security Access - Key, Replace Lost or<br>len Key, per Key   |            |           | CLO  | PE1AL          |              | 13.17           |             |                   |                      |   |       |   |  |   |  |
| CFA  |   |            |           | ı  |                | , ,          | <del></del>     |             |                   |                      |   |       |   | ,  |   |  |
| premi  | sical Collocation - CFA Information Resend Request, per<br>mises, per arrangement, per request<br>rds - Note: The rates in the First & Additional columns will a  | ectually h | he hiller | CLO  | PE1C9          | respectively | 77.41           |             |                   |                      |   |       |   |  |   |  |
|  | rsical Collocation - Cable Records, per request   |            | J DINCE   | CLO  | PE1CR          | II           | I 763.69        | S 490.94    | 133.77            |                      |   |       |   |  |   |  |
| Physi<br>recor   | rsical Collocation, Cable Records, VG/DS0 Cable, per cable ord (maximum 3600 records)   |            |           | CLO  | PE1CD          |              | 328.81          |             | 190.22            |                      |   |       |   |  |   |  |
| Physi<br>100 p   | rsical Collocation, Cable Records, VG/DS0 Cable, per each pair  |            |           | CLO  | PE1CO          |              | 4.84            |             | 5.93              |                      |   |       |   |  |   |  |
|  | rsical Collocation, Cable Records, DS1, per T1 TIE<br>rsical Collocation, Cable Records, DS3, per T3 TIE  | 1          | +         | CLO<br>CLO   | PE1C1<br>PE1C3 |              | 2.27<br>7.92    |             | 2.78<br>9.72      |                      |   |       |   |  |   | <del></del>                                      |
| Physi  | rsical Collocation, Cable Records, US3, per 13 TIE rsical Collocation - Cable Records, Fiber Cable, per cable ord (maximum 99 records)  |            |           | CLO  | PE1CB          |              | 84.98           |             | 77.58             |                      |   |       |   |  |   |  |
|  | rsical Collocation, Cable Records,CAT5/RJ45   | i –        | 1         | CLO  | PE1C5          | † †          | 2.27            |             | 2.78              |                      |   |       |   | <del></del>  |   |  |
| Virtual to Phy<br>Physi  | hysical<br>rsical Collocation - Virtual to Physical Collocation Relocation,   |            | 1         |  |                |              |                 |             | 20                |                      |   |       |   |  |   |  |
| Physi  | Voice Grade Circuit vsical Collocation - Virtual to Physical Collocation Relocation,  |            |           | CLO  | PE1BV          |              | 33.00           |             |                   |                      |   |       |   |  |   | <del>                                     </del> |
| Physi  | DSG Circuit   |            |           | CLO  | PE1BO<br>PE1B1 |              | 33.00           |             |                   |                      |   |       |   | <u> </u>   | <b>——</b>   | <del> </del>                                     |
| per D<br>Physi<br>per D  | DSO Circuit rsical Collocation - Virtual to Physical Collocation Relocation, DS1 Circuit  |            | 1         |  |                | 1 !          | 52.00           |             |                   |                      |   |       | ' j   | l i  | 1 1   |  |

| COLLOCAT              | TION - Mississippi   |         |          |  |                       |               |                  |                |              |       |   |   | Att: 4 Exh: B   |  |   |  |
|-----------------------|--|---------|----------|--|-----------------------|---------------|------------------|----------------|--------------|-------|---|---|---|--|---|--|
| COLLOCAT              | RATE ELEMENTS  | Interim | Zone     | BCS  | USOC                  |               |                  | RATES(\$)      |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Att: 4 Exh: B Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'l | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'I |
|                       |  |         |          |  |                       | Rec           | Nonred           |                | Nonrecurring |       |   |   |   | Rates(\$)  |   |  |
|                       |  |         |          |  |                       | Nec           | First            | Add'l          | First        | Add'l | SOMEC                                     | SOMAN   | SOMAN   | SOMAN  | SOMAN   | SOMAN  |
|                       | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit   |         |          | CLO  | PE1BR                 |               | 22.54            |                |              |       |   |   |   |  |   |  |
|                       | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit   |         |          | CLO  | PE1BP                 |               | 22.54            |                |              |       |   |   |   |  |   |  |
|                       | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit   |         |          | CLO  | PE1BS                 |               | 32.78            |                |              |       |   |   |   |  |   |  |
|                       | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit   |         |          | CLO  | PE1BE                 |               | 32.78            |                |              |       |   |   |   |  |   |  |
| Entran                | nce Cable  |         |          |  | 1                     | 1             |                  |                | 1            |       |   |   |   | 1  |   |  |
|                       | Physical Collocation - Fiber Cable Installation, Pricing, non-<br>recurring charge, per Entrance Cable   |         |          | CLO  | PE1BD                 |               | 926.27           |                | 22.62        |       |   |   |   |  |   |  |
|                       | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable   |         |          | CLO  | PE1PM                 | 17.42         |                  |                |              |       |   |   |   |  |   |  |
|                       | Physical Collocation - Fiber Entrance Cable Installation, per Fiber  |         |          | CLO  | PE1ED                 |               | 3.89             |                |              |       |   |   |   |  |   |  |
| VIRTUAL COL<br>Applic |  |         | <u> </u> |  | 1                     |               |                  |                |              |       |   |   |   |  |   |  |
| Applic                | Virtual Collocation - Application Fee  |         | 1        | AMTFS  | EAF                   | T I           | 1,212.25         |                | 0.51         |       |   |   |   |  |   |  |
|                       | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,  |         |          |  |                       | †             |                  |                | 5.01         |       |   |   |   |  |   |  |
| -                     | Application Fee, per application  Virtual Collocation Administrative Only - Application Fee  |         |          | AMTFS<br>AMTFS   | VE1CA<br>VE1AF        |               | 583.13<br>740.76 |                |              |       |   |   |   |  |   |  |
| Space                 | Preparation  |         |          |  |                       |               |                  |                |              |       |   |   |   |  |   |  |
|                       | Virtual Collocation - Floor Space, per sq. ft.   |         |          | AMTFS  | ESPVX                 | 5.74          |                  |                |              |       |   |   |   |  |   |  |
| Power                 | Virtual Collocation - Power, per fused amp   |         | 1        | AMTFS  | ESPAX                 | 7.33          | 1                |                | 1            |       |   |   |   |  |   |  |
| Cross                 | Connects (Cross Connects, Co-Carrier Cross Connects, and Po  | rte)    | <u> </u> | AWITS  | ESPAX                 | 7.33          |                  |                | l            |       |   |   |   |  |   |  |
|                       | Virtual Collocation - 2-wire cross-connect, loop, provisioning   |         |          | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX<br>UEA, UHL, UCL,  | UEAC2                 | 0.0268        | 12.37            | 11.87          | 6.04         | 5.45  |   |   |   |  |   |  |
|                       | Virtual Collocation - 4-wire cross-connect, loop, provisioning   |         |          | UDL, UNCVX,<br>UNCDX   | UEAC4                 | 0.0536        | 12.47            | 11.94          | 6.59         | 5.91  |   |   |   |  |   |  |
|                       | Virtual Collocation - Special Access & UNE, cross-connect per DS1  |         |          | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,<br>UEPEX, UEPDX   | CNC1X                 | 1.14          | 22.16            | 16.02          | 6.60         | 5.97  |   |   |   |  |   |  |
|                       |  |         |          | HIGH HIES HATES  |                       |               |                  | 10.02          | 0.00         | 0.01  |   |   |   |  | <b>Ч</b>  |  |
|                       | Virtual collocation - Special Access & UNE, cross-connect per DS3  |         |          | USL, UE3, U1TD3,<br>UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,<br>UNLD3, XDEST   | CND3X                 | 14.49         | 21.01            | 15.29          | 7.61         | 6.10  |   |   |   |  |   |  |
|                       |  |         |          | UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,   |                       |               |                  |                |              |       |   |   |   |  |   |  |
|                       | Virtual Collocation - 2-Fiber Cross Connects   |         |          | UXTS1, UXTD3, UNC3X, UNC3X, UNC3X, UNCSX, UNCDX, U1TS1, ULDS1, UTS1, ULDS1, UNLD3, XDEST  UDL12, UDL03, ULT148, UT103, ULD12, ULD048, UDF12, UDL03, UD1148, UDF148, UT1748, UT1748, UT103, ULT03, ULT03, ULT03, ULT03, ULT03, ULD03,   | F CNC2F               | 14.49         | 21.01            | 15.29<br>15.29 | 7.61<br>7.61 | 6.10  |   |   |   |  |   |  |
|                       | DS3  |         |          | UXT51, UXTD3, UNC3X, UNC3X, UNC5X, UNCD5, U1T51, ULDS1, UDLSX, UNLD3, XDEST  UDL12, UDLO3, U1T48, U1T12, ULD48, UDD3, ULD12, ULD48, UDF  UDL12, UDLO3, UT148, UT148, UT1748, U | F CNC2F               | 14.49<br>2.91 | 21.01            | 15.29          | 7.61         | 6.10  |   |   |   |  |   |  |
|                       | Virtual Collocation - 2-Fiber Cross Connects  Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -   |         |          | UXTS1, UXTD3, UNC3X, UNCSX, UNCDS, U1TS1, ULDS1, U1TS1, ULDS1, UDLSX, UNLD3, XDEST  UDL12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF12, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF12, ULD48, UDF14, UD | F CNC2F               | 2.91          | 21.01            | 15.29<br>15.29 | 7.61<br>7.61 | 6.10  |   |   |   |  |   |  |
|                       | Virtual Collocation - 2-Fiber Cross Connects  Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - |         |          | UXTS1, UXTD3, UNC3X, UNCSX, UNCD3, U1TS1, ULDS1, U1TS1, ULDS1, UDLSX, UNLD12, UDLO3, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF U1T03, ULD03, U1T48, U1T12, U1T03, ULD03, U1T03, ULD03, ULD12, ULD48, UDF U1T03, ULD03, ULD12, ULD48, UDF UNT03, ULD03, ULD12, ULD48, UDF UNT03, ULD03, ULD12, ULD48, UDF   | F CNC2F F CNC4F VE1CB | 2.91<br>5.82  | 21.01            | 15.29<br>15.29 | 7.61<br>7.61 | 6.10  |   |   |   |  |   |  |

| COLLOCAT      | TION - Mississippi   |           |          |   |   |                           |  |                          |                         |           |           | Att: 4 Exh: B |             |             |             |
|---------------|--|-----------|----------|---|---|---------------------------|--|--------------------------|-------------------------|-----------|-----------|---------------|-------------|-------------|-------------|
| - 3 0 0 1 1   |  |           |          |   |   |                           |  |                          |                         | Svc Order |           | Incremental   | Incremental | Incremental | Incrementa  |
|               |  |           |          |   |   |                           |  |                          |                         | Submitted | Submitted | Charge -      | Charge -    | Charge -    | Charge -    |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
| CATEGORY      | RATE ELEMENTS  | Interim   | 7        | BCS   | usoc  |                           |  | DATEC(E)                 |                         | Elec      | Manually  | Manual Svc    | Manual Svc  | Manual Svc  | Manual Svo  |
| AIEGURY       | RATE ELEMENTS  | interim   | Zone     | BCS   | USUC  |                           |  | RATES(\$)                |                         | per LSR   | per LSR   | Order vs.     | Order vs.   | Order vs.   | Order vs.   |
|               |  |           |          |   |   |                           |  |                          |                         |           |           | Electronic-   | Electronic- | Electronic- | Electronic- |
|               |  |           |          |   |   |                           |  |                          |                         |           |           | 1st           | Add'l       | Disc 1st    | Disc Add'l  |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               |  |           |          |   |   | Rec                       | Nonrec   | urring                   | Nonrecurring Disconnect |           |           | oss           | Rates(\$)   |             |             |
|               |  |           |          |   |   | Nec                       | First  | Add'l                    | First Add'l             | SOMEC     | SOMAN     | SOMAN         | SOMAN       | SOMAN       | SOMAN       |
| CFA           |  |           |          | •   |   |                           |  |                          |                         | •         |           |               |             |             | •           |
|               | Virtual Collocation - CFA Information Resend Request, per  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Premises, per Arrangement, per request   |           |          | AMTFS   | VE1QR   |                           | 77.41  |                          |                         |           |           |               |             |             |             |
| Cable         | Records - Note: The rates in the First & Additional columns will a   | ctually k | a hillad |   |   | enactivaly                | 77.71  |                          | l l                     | - 1       |           |               | l           |             |             |
| Cable         | Virtual Collocation Cable Records - per request  | Ctually i |          | AMTFS   | VE1BA   | Spectively                | I 763.69   | S 490.94                 | 133.77                  |           | ı         |               |             |             | 1           |
|               | Virtual Collocation Cable Records - VG/DS0 Cable, per cable  |           |          | 7 UVI I I O   | VEIDIC  |                           | 700.00   | 0 400.04                 | 100.77                  |           |           |               |             |             |             |
|               | record   |           |          | AMTFS   | VE1BB   |                           | 328.81   |                          | 190.22                  |           |           |               |             |             |             |
| -+-           |  |           |          | AIVITES   | VEIDD   |                           | 320.01   |                          | 190.22                  |           |           |               |             |             |             |
|               | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100   |           |          | AMTES   | 1/5450  |                           |  |                          |                         |           |           |               |             |             |             |
|               | pair   |           |          |   | VE1BC   |                           | 4.84   |                          | 5.93                    |           |           |               |             |             |             |
|               | Virtual Collocation Cable Records - DS1, per T1TIE   |           |          | AMTFS   | VE1BD   |                           | 2.27   |                          | 2.78                    |           |           |               |             |             |             |
|               | Virtual Collocation Cable Records - DS3, per T3TIE   |           |          | AMTFS   | VE1BE   |                           | 7.92   |                          | 9.72                    |           |           |               |             |             |             |
| 1 -           | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber  | 1         | ]        |   |   |                           |  |                          |                         |           |           |               |             |             | ]           |
|               | records  | L         | L        | AMTFS   | VE1BF   | <u> </u>                  | 84.98  |                          | 77.58                   |           |           |               |             |             | L           |
|               | Virtual Collocation Cable Records - CAT 5/RJ45   |           |          | AMTFS   | VE1B5   |                           | 2.27   |                          | 2.78                    |           |           |               |             |             |             |
| Securi        |  |           |          |   |   |                           |  |                          | •                       |           |           |               | •           |             |             |
|               | Virtual collocation - Security escort, basic time, normally scheduled  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | work hours   | l         |          | AMTFS   | SPTBX   |                           | 17.02  | 10.79                    |                         |           |           |               |             |             | l           |
|               | Virtual collocation - Security escort, overtime, outside of normally   |           |          |   | 1   |                           | 2  |                          |                         |           |           |               |             |             | i           |
|               | scheduled work hours on a normal working day   | l         |          | AMTFS   | SPTOX   |                           | 22.17  | 13.94                    |                         |           |           |               |             |             | l           |
| -+-           | Virtual collocation - Security escort, premium time, outside of a  |           |          | 7   | 0. 10/1   |                           | 22.17  | 10.01                    |                         |           |           |               |             |             |             |
|               | scheduled work day   |           |          | AMTFS   | SPTPX   |                           | 27.32  | 17.08                    |                         |           |           |               |             |             |             |
| Mainta        | enance   |           |          | AWITO   | SFIFA   |                           | 21.32  | 17.00                    | l l                     |           | l         |               |             |             | l           |
| iviainte      |  |           |          | AMTFS   | CTRLX   |                           | 28.09  | 10.79                    | T T                     |           |           |               |             |             |             |
|               | Virtual collocation - Maintenance in CO - Basic, per half hour   |           |          | AMIFS   | CIRLX   |                           | 28.09  | 10.79                    |                         |           |           |               |             |             |             |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Virtual collocation - Maintenance in CO - Overtime, per half hour  |           |          | AMTFS   | SPTOM   |                           | 36.69  | 13.94                    |                         |           |           |               |             |             |             |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Virtual collocation - Maintenance in CO - Premium per half hour  |           |          | AMTFS   | SPTPM   |                           | 45.28  | 17.08                    |                         |           |           |               |             |             |             |
| Entran        | nce Cable  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Virtual Collocation - Cable Installation Charge, per cable   |           |          | AMTFS   | ESPCX   |                           | 926.27   |                          | 22.62                   |           |           |               |             |             |             |
|               | Virtual Collocation - Cable Support Structure, per cable   |           |          | AMTFS   | ESPSX   | 15.24                     |  |                          |                         |           |           |               |             |             |             |
| COLLOCATION   | N IN THE REMOTE SITE   |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
| Physic        | cal Remote Site Collocation  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Physical Collocation in the Remote Site - Application Fee  |           |          | CLORS   | PE1RA   |                           | 309.48   |                          | 168.63                  |           |           |               |             |             |             |
|               | Cabinet Space in the Remote Site per Bay/ Rack   |           |          | CLORS   | PE1RB   | 210.05                    |  |                          |                         |           |           |               |             |             |             |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Physical Collocation in the Remote Site - Security Access - Key  |           |          | CLORS   | PE1RD   |                           | 13.17  |                          |                         |           |           |               |             |             |             |
| -+-           |  |           |          | 020110  |   |                           | 10.11  |                          |                         |           |           |               |             |             |             |
|               |  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | Physical Collocation in the Remote Site - Space Availability Report  |           |          | CLORS   | PF1SR   |                           | 116.54   |                          |                         |           |           |               |             |             |             |
| -+-           | per Premises Requested   |           |          | CLORS   | PE1SR   |                           | 116.54   |                          |                         |           |           |               |             |             |             |
| $\neg \vdash$ | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code   |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested  |           |          | CLORS   | PE1RE   |                           | 37.77  |                          |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO  |           |          |   |   |                           |  |                          |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally   |           |          | CLORS<br>CLORS  | PE1RE<br>PE1RR  |                           | 37.77<br>233.14  | 10.70                    |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour   |           |          | CLORS   | PE1RE   |                           | 37.77  | 10.79                    |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of  |           |          | CLORS<br>CLORS  | PE1RE<br>PE1RR  |                           | 37.77<br>233.14  | 10.79                    |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per  |           |          | CLORS<br>CLORS<br>CLORS   | PE1RE<br>PE1RR<br>PE1BT   |                           | 37.77<br>233.14<br>17.02                                       |                          |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour  |           |          | CLORS<br>CLORS  | PE1RE<br>PE1RR  |                           | 37.77<br>233.14  | 10.79                    |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside  |           |          | CLORS<br>CLORS<br>CLORS   | PE1RE PE1RR PE1BT PE1OT   |                           | 37.77<br>233.14<br>17.02                                       | 13.94                    |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour  |           |          | CLORS<br>CLORS<br>CLORS   | PE1RE<br>PE1RR<br>PE1BT   |                           | 37.77<br>233.14<br>17.02                                       |                          |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside  |           |          | CLORS<br>CLORS<br>CLORS   | PE1RE PE1RR PE1BT PE1OT   |                           | 37.77<br>233.14<br>17.02                                       | 13.94                    |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation   |           |          | CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT   |                           | 37.77<br>233.14<br>17.02                                       | 13.94                    |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour   |           |          | CLORS<br>CLORS<br>CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT   |                           | 37.77<br>233.14<br>17.02<br>22.17<br>27.32                     | 13.94<br>17.08           |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  |           |          | CLORS CLORS CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU                                   | 0.134                     | 37.77<br>233.14<br>17.02<br>22.17<br>27.32                     | 13.94<br>17.08           |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation   |           |          | CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT   | 0.134                     | 37.77<br>233.14<br>17.02<br>22.17<br>27.32                     | 13.94<br>17.08           |                         |           |           |               |             |             |             |
| Adjace        | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot  |           |          | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT                             |                           | 37.77<br>233.14<br>17.02<br>22.17<br>27.32                     | 13.94<br>17.08           |                         |           |           |               |             |             |             |
|               | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp   | Sarv for  |          | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS                       | 6.27                      | 37.77<br>233.14<br>17.02<br>22.17<br>27.32<br>755.62           | 13.94<br>17.08<br>755.62 |                         |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot  Remote Site-Adjacent Collocation - AC Power, per breaker amp :: f Security Escort and/or Add'l Engineering Fees become necess:   | sary for  |          | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS                       | 6.27                      | 37.77<br>233.14<br>17.02<br>22.17<br>27.32<br>755.62           | 13.94<br>17.08<br>755.62 |                         |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp if Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation  | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS tremote site colloc           | PE1RE PE1RR PE1BT  PE1OT PE1PT  PE1RU PE1RT  PE1RS ation, the Part    | 6.27                      | 37.77 233.14 17.02 22.17 27.32 755.62                          | 13.94<br>17.08<br>755.62 | 469.69                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot  Remote Site-Adjacent Collocation - AC Power, per breaker amp :: f Security Escort and/or Add'l Engineering Fees become necess:   | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS   | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS                       | 6.27                      | 37.77<br>233.14<br>17.02<br>22.17<br>27.32<br>755.62           | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp : if Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee  | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Part       | 6.27<br>ies will negotiat | 37.77 233.14 17.02 22.17 27.32 755.62                          | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp Est Security Escort and/or Add'l Engineering Fees become necess Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee   | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS tremote site colloc           | PE1RE PE1RR PE1BT  PE1OT PE1PT  PE1RU PE1RT  PE1RS ation, the Part    | 6.27                      | 37.77 233.14 17.02 22.17 27.32 755.62                          | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp Et Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Per Bay/Rack of Space   | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS VE1RS VE1RS             | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Part VE1RB | 6.27<br>ies will negotiat | 37.77 233.14 17.02 22.17 27.32 755.62  e appropriate ra 309.48 | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp : if Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Part       | 6.27<br>ies will negotiat | 37.77 233.14 17.02 22.17 27.32 755.62                          | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp Et Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Per Bay/Rack of Space   | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS VE1RS VE1RS             | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Part VE1RB | 6.27<br>ies will negotiat | 37.77 233.14 17.02 22.17 27.32 755.62  e appropriate ra 309.48 | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |
| NOTE:         | per Premises Requested Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour ent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp : if Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | sary for  | adjacer  | CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS CLORS VE1RS VE1RS             | PE1RE PE1RR PE1BT PE1OT PE1PT PE1RU PE1RT PE1RS ation, the Part VE1RB | 6.27<br>ies will negotiat | 37.77 233.14 17.02 22.17 27.32 755.62  e appropriate ra 309.48 | 13.94<br>17.08<br>755.62 | 168.63                  |           |           |               |             |             |             |

| COLL  | CAT | ION - Mississippi   |         |      |   |                |                  |                |                |              |              |   |                        | Att: 4 Exh: B |           |   |   |
|-------|-----|---|---------|------|---|----------------|------------------|----------------|----------------|--------------|--------------|---|------------------------|---------------|-----------|---|---|
| CATEG |     | RATE ELEMENTS   | Interim | Zone | BCS   | usoc           |                  |                | RATES(\$)      |              |              | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted | Incremental   | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|       |     |   |         |      |   |                | _ 1              | Nonrec         | urrina         | Nonrecurring | Disconnect   |   |                        | oss           | Rates(\$) |   | -   |
|       |     |   |         |      |   |                | Rec              | First          | Add'l          | First        | Add'l        | SOMEC                                     | SOMAN                  | SOMAN         | SOMAN     | SOMAN   | SOMAN   |
|       |     | Adjacent Collocation - Space Charge per Sq. Ft.   |         |      | CLOAC   | PE1JA          | 0.0678           |                |                |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - Electrical Facility Charge per Linear Ft.                          |         |      | CLOAC   | PE1JC          | 4.68             |                |                |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects |         |      | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN<br>UEA,UHL,UDL,UCL | PE1JE<br>PE1JF | 0.0223<br>0.0446 | 12.37<br>12.47 | 11.87<br>11.94 | 6.04<br>6.59 | 5.45<br>5.91 |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - DS1 Cross-Connects   |         |      | USL   | PE1JG          | 1.05             | 22.16          | 16.02          | 6.60         | 5.97         |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - DS3 Cross-Connects   |         |      | UE3   | PE1JH          | 14.27            | 21.01          | 15.29          | 7.61         | 6.10         |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 2-Fiber Cross-Connect  |         |      | CLOAC   | PE1JJ          | 2.42             | 21.01          | 15.29          | 7.61         | 6.10         |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 4-Fiber Cross-Connect  |         |      | CLOAC   | PE1JK          | 4.62             | 25.70          | 19.97          | 10.01        | 8.50         |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - Application Fee  |         |      | CLOAC   | PE1JB          |                  | 1,585.83       |                |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp           |         |      | CLOAC   | PE1JL          | 5.29             |                |                |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp           |         |      | CLOAC   | PE1JM          | 10.58            |                | ·              |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp            |         |      | CLOAC   | PE1JN          | 15.87            |                |                |              |              |   |                        |               |           |   |   |
|       |     | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp            |         |      | CLOAC   | PE1JO          | 36.65            |                |                |              |              |   |                        |               |           |   |   |

| COLLOC          | ΈΔΤΙ   | ON - South Carolina  |         |      |   |                |        |                  |           |              |            |                              |                                  | Att: 4 Exh: B   |   |  |  |
|-----------------|--------|--|---------|------|---|----------------|--------|------------------|-----------|--------------|------------|------------------------------|----------------------------------|---|---|--|--|
| COLLOC          | ,A 11  | ON - South Carolina  | 1       |      |   |                | 1      |                  |           |              |            | Svc Order                    | Svc Order                        | Incremental   | Incremental   | Incremental  | Incrementa   |
| CATEGORY        | Υ      | RATE ELEMENTS  | Interim | Zone | BCS   | usoc           |        |                  | RATES(\$) |              |            | Submitted<br>Elec<br>per LSR | Submitted<br>Manually<br>per LSR | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|                 |        |  |         |      |   |                |        | Nonred           | curring   | Nonrecurring | Disconnect |                              | l                                | OSS   | Rates(\$)   |  | ·  |
|                 |        |  |         |      |   |                | Rec    | First            | Add'I     | First        | Add'I      | SOMEC                        | SOMAN                            | SOMAN   | SOMAN   | SOMAN  | SOMAN  |
|                 |        |  |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
| PHYSICAL        |        |  |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  | J  |
| Apr             | plicat | ion Physical Collocation - Initial Application Fee   |         |      | CLO   | PE1BA          |        | 1,883.67         |           | 0.51         | 1          |                              | 1                                | ı   | 1   | ı  |  |
|                 |        | Physical Collocation - Initial Application Fee  Physical Collocation - Subsequent Application Fee              |         |      | CLO   | PE1CA          |        | 1,570.10         |           | 0.51         |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Co-Carrier Cross Connects/Direct Connect,   |         |      |   |                |        | .,               |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Application Fee, per application   |         |      | CLO   | PE1DT          |        | 584.42           |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation Administrative Only - Application Fee   |         |      | CLO<br>CLO  | PE1BL<br>PE1KS |        | 743.66<br>594.27 |           | 1.21         |            |                              |                                  |   |   |  |  |
| _               |        | Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment | 1       |      | CLO   | PE1KS<br>PE1KM |        | 833.26           |           | 1.21         |            |                              |                                  |   |   |  | -  |
|                 |        | Physical Collocation - Application Cost, Intermediate Augment  |         |      | CLO   | PE1K1          |        | 1,058.00         |           | 1.21         |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Application Cost - Major Augment  |         |      | CLO   | PE1KJ          |        | 2,409.00         |           | 1.21         |            |                              |                                  |   |   |  |  |
| Spa             |        | Preparation  |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
| <del></del>     | _      | Physical Collocation - Floor Space, per sq feet Physical Collocation - Space Enclosure, welded wire, first 50  |         |      | CLO   | PE1PJ          | 3.95   |                  |           | <b> </b>     |            |                              |                                  |   |   |  | -  |
|                 |        | enysical Collocation - Space Enclosure, welded wire, first 50 square feet                                      |         |      | CLO   | PE1BX          | 197.69 |                  |           |              |            |                              |                                  |   |   |  | 1  |
|                 |        | Physical Collocation - Space enclosure, welded wire, first 100   |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | square feet  |         |      | CLO   | PE1BW          | 219.19 |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Space enclosure, welded wire, each additional 50 square feet                            |         |      | CLO   | PE1CW          | 21.50  |                  |           |              |            |                              |                                  |   |   |  |  |
|                 | -      | Physical Collocation - Space Preparation - C.O. Modification per   |         |      | CLO   | FEICW          | 21.50  |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | square ft.   |         |      | CLO   | PE1SK          | 2.75   |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Space Preparation, Common Systems   |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Modifications-Cageless, per square foot  |         |      | CLO   | PE1SL          | 3.24   |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Space Preparation - Common Systems<br>Modifications-Caged, per cage                     |         |      | CLO   | PE1SM          | 110.16 |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | wiodifications-Gayed, per cage   |         |      | CLO   | I L IOW        | 110.10 |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Space Preparation - Firm Order Processing   |         |      | CLO   | PE1SJ          |        | 602.05           |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Space Availability Report, per Central Office   |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
| Po              | wer    | Requested  | l       |      | CLO   | PE1SR          |        | 1,077.57         |           |              |            |                              |                                  |   |   |  | <u> </u>   |
| POV             |        | Physical Collocation - Power, -48V DC Power - per Fused Amp  |         |      |   |                |        |                  |           | I            | I          |                              | 1                                |   |   |  |  |
|                 |        | Requested  |         |      | CLO   | PE1PL          | 9.19   |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Power, 120V AC Power, Single Phase, per   |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Breaker Amp  |         |      | CLO   | PE1FB          | 5.67   |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Power, 240V AC Power, Single Phase, per<br>Breaker Amp                                  |         |      | CLO   | PE1FD          | 11.36  |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Power, 120V AC Power, Three Phase, per  |         |      | 020   |                | 11.00  |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Breaker Amp  |         |      | CLO   | PE1FE          | 17.03  |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - Power, 277V AC Power, Three Phase, per  |         |      |   |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
| Crc             | nee C  | Breaker Amp<br>connects (Cross Connects, Co-Carrier Cross Connects, and Por                                    | rte)    |      | CLO   | PE1FG          | 39.33  |                  |           | I            |            |                              | J.                               | l   |   | l  | <u> </u>   |
| 0.0             | )33 C  | officers (Cross Cofficers, Co-Carrer Cross Cofficers, and For  | 13)     |      | UEANL,UEQ,  |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        |  |         |      | UNCNX, UEA, UCL,  |                |        |                  |           |              |            |                              |                                  |   |   |  | 1  |
|                 |        |  |         |      | UAL, UHL, UDN,  | 55.5           |        |                  |           |              | _          |                              |                                  |   |   |  | 1  |
|                 |        | Physical Collocation - 2-wire cross-connect, loop, provisioning  |         |      | UNCVX<br>UEA, UHL, UNCVX,   | PE1P2          | 0.0341 | 12.32            | 11.83     | 6.04         | 5.45       |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation - 4-wire cross-connect, loop, provisioning  |         |      | UNCDX, UCL, UDL   | PE1P4          | 0.0682 | 12.42            | 11.90     | 6.40         | 5.74       |                              |                                  |   |   |  | 1  |
|                 |        | ,  |         |      | WDS1L, WDS1S,   | T              | 0.0002 | .22              | 50        | 5.10         | J.,, -     |                              |                                  |   |   |  |  |
|                 |        |  |         |      | UXTD1, ULDD1,<br>USLEL, UNLD1,<br>U1TD1, UNC1X,<br>UEPSR, UEPSB,<br>UEPSE, UEPSP,                                 |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
|                 |        | Physical Collocation -DS1 Cross-Connect for Physical   |         |      | USL, UEPEX,   |                |        |                  |           |              |            |                              | 1                                |   |   |  | 1  |
| $\vdash \vdash$ |        | Collocation, provisioning  | ļ       |      | UEPDX   | PE1P1          | 1.12   | 22.08            | 15.96     | 6.42         | 5.80       |                              |                                  |   |   |  | <u> </u>   |
|                 |        |  |         |      | UE3, U1TD3,<br>UXTD3, UXTS1,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3,<br>UEPEX, UEPDX,<br>UEPSR, UEPSB, |                |        |                  |           |              |            |                              |                                  |   |   |  |  |
| . 1             |        | Physical Collocation - DS3 Cross-Connect, provisioning   |         |      | UEPSE, UEPSP  | PE1P3          | 14.21  | 20.94            | 15.23     | 7.39         | 5.93       |                              |                                  |   |   |  | 1  |

| OLLOCATI | ION - South Carolina  |           |          |   |                |                  |                |                |              |              |   |                | Att: 4 Exh: B  |  |   |   |
|----------|---|-----------|----------|---|----------------|------------------|----------------|----------------|--------------|--------------|---|----------------|--|--|---|---|
| ATEGORY  | RATE ELEMENTS   | Interim   | Zone     | BCS   | usoc           |                  |                | RATES(\$)      |              |              | Svc Order<br>Submitted<br>Elec<br>per LSR |                | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |   |           |          |   |                | Rec              | Nonrec         |                | Nonrecurring |              |   |                |  | Rates(\$)  |   | SOMAN   |
|          |   |           |          | CLO, ULDO3,   | +              | -                | First          | Add'l          | First        | Add'l        | SOMEC                                     | SOMAN          | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|          | Physical Collocation - 2-Fiber Cross-Connect  |           |          | ULD12, ULD48,<br>U1T03, U1T12,<br>U1T48, UDL03,<br>UDL12, UDF<br>ULD03, ULD12,<br>ULD48, U1T03,<br>U1T12, U1T48,<br>UDL03, UDL12. | PE1F2          | 2.82             | 20.94          | 15.23          | 7.40         | 5.93         |   |                |  |  |   |   |
|          | Physical Collocation - 4-Fiber Cross-Connect  |           |          | UDF, UDFCX  | PE1F4          | 5.01             | 25.61          | 19.90          | 9.73         | 8.26         |   |                |  |  |   |   |
|          | _   |           |          | ,   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connects/Direct Connect -   |           |          |   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | Fiber Cable Support Structure, per linear foot, per cable.  |           |          | CLO   | PE1ES          | 0.001            |                |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Co-Carrier Cross Connect/Direct Connect -  |           |          |   |                | l                |                |                |              |              |   |                |  |  |   |   |
|          | Copper/Coax Cable Support Structure, per linear foot, per cable.  |           |          | CLO   | PE1DS          | 0.0015           |                |                |              |              |   |                |  |  |   |   |
|          |   |           |          | UEPSR, UEPSP,   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          |   |           |          | UEPSE, UEPSB,   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port                                   |           |          | UEPSX, UEP2C<br>UEPEX, UEPDD  | PE1R2<br>PE1R4 | 0.0341<br>0.0682 | 12.32<br>12.42 | 11.83<br>11.90 | 6.04<br>6.40 | 5.45<br>5.74 |   | 15.69<br>15.69 |  |  |   |   |
| Security |   |           |          | OEFEX, OEFDD  | FEIR4          | 0.0062           | 12.42          | 11.90          | 0.40         | 5.74         |   | 15.09          |  | l  |   |   |
|          | Physical Collocation - Security Escort for Basic Time - normally  |           |          |   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | scheduled work, per half hour   |           |          | CLO   | PE1BT          |                  | 16.96          | 10.75          |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Escort for Overtime - outside of<br>normally scheduled working hours on a scheduled work day, per |           |          |   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | half hour   |           |          | CLO   | PE1OT          |                  | 22.10          | 13.89          |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour                            |           |          | CLO   | PE1PT          |                  | 27.23          | 17.02          |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Access System, Security System, per Central Office  |           |          | CLO   | PE1AX          | 74.72            |                |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State                     |           |          | CLO   | PE1A1          | 0.0601           | 27.85          |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation-Security Access System-Administrative<br>Change, existing Access Card, per Request, per State, per Card      |           |          | CLO   | PE1AA          |                  | 7.81           |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Access System - Replace Lost or   |           |          | 020   | 1 2 17 0 1     |                  | 7.01           |                |              |              |   |                |  |  |   |   |
|          | Stolen Card, per Card   |           |          | CLO   | PE1AR          |                  | 22.83          |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Access - Initial Key, per Key   |           |          | CLO   | PE1AK          |                  | 13.13          |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Security Access - Key, Replace Lost or   |           |          | 01.0  | DEAN           |                  | 40.40          |                |              |              |   |                |  |  |   |   |
| CFA      | Stolen Key, per Key   |           |          | CLO   | PE1AL          |                  | 13.13          |                | l l          |              |   |                |  | l .  |   |   |
| 31.5     | Physical Collocation - CFA Information Resend Request, per  |           |          |   |                |                  |                |                |              |              |   |                |  |  |   |   |
|          | premises, per arrangement, per request  |           | L        | CLO   | PE1C9          |                  | 77.71          |                |              |              |   |                |  |  | 1   | İ   |
|          | ecords - Note: The rates in the First & Additional columns will an<br>Physical Collocation - Cable Records, per request           | ctually b | e billed | d as "Initial I" and "Su<br>CLO   | PE1CR          | respectively     | 760.98         | S 489.20       | 133.29       |              |   |                |  | 1  |   |   |
|          | Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable                   |           |          | CLO   | PEICK          |                  | 760.96         | 5 469.20       | 133.29       |              |   |                |  |  |   |   |
|          | record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each  |           |          | CLO   | PE1CD          |                  | 327.65         |                | 189.54       |              |   |                |  |  |   |   |
|          | 100 pair  |           |          | CLO   | PE1CO          | l                | 4.82           |                | 5.91         |              |   |                |  |  | 1   |   |
|          | Physical Collocation, Cable Records, DS1, per T1 TIE  |           |          | CLO   | PE1C1          |                  | 2.26           |                | 2.77         |              |   |                |  |  |   |   |
|          | Physical Collocation, Cable Records, DS3, per T3 TIE  |           |          | CLO   | PE1C3          |                  | 7.90           |                | 9.68         |              |   |                |  |  |   |   |
|          | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  |           |          | CLO   | PE1CB          |                  | 84.68          |                | 77.30        |              |   |                |  |  |   |   |
|          | Physical Collocation, Cable Records,CAT5/RJ45  o Physical   |           |          | CLO   | PE1C5          |                  | 2.26           |                | 2.77         |              |   |                |  | <u> </u>   | L   | l   |
| viituait | Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit                               |           |          | CLO   | PE1BV          |                  | 33.00          |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit  |           |          | CLO   | PE1BO          |                  | 33.00          |                |              |              |   |                |  |  |   |   |
|          | Physical Collocation - Virtual to Physical Collocation Relocation,  | -         |          | 020   | LIDO           |                  | 33.00          |                |              |              |   |                |  |  | -   |   |
|          | per DS1 Circuit   |           |          | CLO   | PE1B1          |                  | 52.00          |                |              |              |   |                |  |  |   |   |

| ILLULI CHE | ATION - South Carolina   |         |      |  |                       |        |                  |           |              |              |   |   | Att: 4 Exh: B  |  |   |   |
|------------|--|---------|------|--|-----------------------|--------|------------------|-----------|--------------|--------------|---|---|--|--|---|---|
| CATEGOR    |  | Interim | Zone | BCS  | USOC                  |        |                  | RATES(\$) |              |              | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|            |  |         |      |  |                       | Rec    | Nonre            |           | Nonrecurring |              |   |   |  | Rates(\$)  |   |   |
|            |  |         |      |  |                       |        | First            | Add'l     | First        | Add'l        | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, Per<br>Voice Grade Circuit  |         |      | CLO  | PE1BR                 |        | 22.43            |           |              |              |   |   |  |  |   |   |
|            | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit   |         |      | CLO  | PE1BP                 |        | 22.43            |           |              |              |   |   |  |  |   |   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit   |         |      | CLO  | PE1BS                 |        | 32.61            |           |              |              |   |   |  |  |   |   |
|            | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit   |         |      | CLO  | PE1BE                 |        | 32.61            |           |              |              |   |   |  |  |   |   |
| Ent        | rance Cable  | ,       |      | •  | •                     |        |                  |           |              |              |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Cable Installation, Pricing, non-<br>recurring charge, per Entrance Cable   |         |      | CLO  | PE1BD                 |        | 794.22           |           | 22.54        |              |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable   | '       |      | CLO  | PE1PM                 | 21.33  |                  |           |              |              |   |   |  |  |   |   |
|            | Physical Collocation - Fiber Entrance Cable Installation, per Fiber  |         |      | CLO  | PE1ED                 |        | 3.87             |           |              |              |   |   |  |  |   |   |
|            | OLLOCATION   |         |      |  |                       |        |                  |           |              |              |   |   |  |  |   |   |
| App        | Virtual Collocation - Application Fee  | 1       | 1    | AMTFS  | EAF                   | 1      | 1,207.95         |           | 0.51         |              |   |   |  |  |   |   |
|            | Virtual Collocation - Application Fee  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,   | 1       |      | / WITT 0   | LAI                   |        | 1,201.90         |           | 0.51         |              |   |   |  |  |   |   |
|            | Application Fee, per application  Virtual Collocation Administrative Only - Application Fee  |         |      | AMTFS<br>AMTFS   | VE1CA<br>VE1AF        |        | 584.42<br>743.66 |           |              |              |   |   |  |  |   |   |
| Spa        | nce Preparation  |         | 1    | ,  | 1.5.7.11              | 1      | 7 10.00          |           | 1            |              |   |   | <u> </u>   |  |   | l .   |
|            | Virtual Collocation - Floor Space, per sq. ft.   |         |      | AMTFS  | ESPVX                 | 3.95   |                  |           |              |              |   |   |  |  |   |   |
| Pov        |  |         |      |  | Isonav                |        |                  | 1         |              | 1            |   |   | 1  |  |   |   |
| Cro        | Virtual Collocation - Power, per fused amp<br>ss Connects (Cross Connects, Co-Carrier Cross Connects, and Po   | rtc)    |      | AMTFS  | ESPAX                 | 9.19   |                  |           |              |              |   |   |  |  |   |   |
|            | Virtual Collocation - 2-wire cross-connect, loop, provisioning   |         |      | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX<br>UEA, UHL, UCL,  | UEAC2                 | 0.0317 | 12.32            | 11.83     | 6.04         | 5.45         |   |   |  |  |   |   |
|            | Virtual Collocation - 4-wire cross-connect, loop, provisioning   |         |      | UDL, UNCVX,<br>UNCDX   | UEAC4                 | 0.0634 | 12.42            | 11.90     | 6.40         | 5.74         |   |   |  |  |   |   |
|            | Virtual collocation - Special Access & UNE,cross-connect per DS  | 1       |      | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,<br>UEPEX, UEPDX   | CNC1X                 | 1.12   | 22.08            | 15.96     |              | 5.80         |   |   |  |  |   |   |
|            | Virtual collocation - Special Access & UNE, cross-connect per DS3  |         |      | USL, UE3, U1TD3,<br>UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,<br>UNLD3, XDEST                                 | CND3X                 | 14.21  | 20.94            | 15.23     | 7.39         | 5.93         |   |   |  |  |   |   |
|            |  |         |      |  |                       | 11121  |                  |           | 7.00         |              |   |   |  |  |   |   |
|            | Virtual Collocation - 2-Fiber Cross Connects   |         |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDI   |                       | 2.86   | 20.94            | 15.23     | 7.40         | 5.93         |   |   |  |  |   |   |
|            |  |         |      | U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDI<br>UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,                               | F CNC2F               | 2.86   | 20.94            |           | 7.40         |              |   |   |  |  |   |   |
|            | Virtual Collocation - 2-Fiber Cross Connects  Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable                     |         |      | U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDI<br>UDL12, UDLO3,<br>U1T48, U1T12,  | F CNC2F               |        |                  | 15.23     |              | 5.93<br>8.26 |   |   |  |  |   |   |
|            | Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -   |         |      | U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDI UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDI AMTFS                      | F CNC2F               | 2.86   | 20.94            |           | 7.40         |              |   |   |  |  |   |   |
|            | Virtual Collocation - 4-Fiber Cross Connects  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - |         |      | U1T48, U1T12,<br>U1T03, ULDO3,<br>ULD12, ULD48, UDI<br>UDL12, UDL03,<br>U1T48, U1T12,<br>U1T03, ULD03,<br>ULD12, ULD48, UDI<br>AMTFS | F CNC2F F CNC4F VE1CB | 2.86   | 20.94            |           | 7.40         |              |   |   |  |  |   |   |

| OLLOCA"        | TION - South Carolina   |  |  |                               | _                         |  |                            |           | _            | _          |   |   | Att: 4 Exh: B  | _  | -   |   |
|----------------|---|--|--|-------------------------------|---------------------------|--|----------------------------|-----------|--------------|------------|---|---|--|--|---|---|
| ATEGORY        | RATE ELEMENTS   | Interim  | Zone   | BCS                           | usoc                      |  |                            | RATES(\$) |              |            | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Sv<br>Order vs.<br>Electronic<br>Disc Add' |
|                |   |  |  |                               |                           | Rec  | Nonre                      | curring   | Nonrecurring | Disconnect |   |   |  | Rates(\$)  |   |   |
|                |   |  |  |                               |                           | Rec  | First                      | Add'l     | First        | Add'l      | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
| CFA            |   |  |  |                               |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | Virtual Collocation - CFA Information Resend Request, per   |  |  |                               |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | Premises, per Arrangement, per request  |  |  | AMTFS                         | VE1QR                     |  | 77.71                      |           |              |            |   |   |  |  |   |   |
| Cable          | Records - Note: The rates in the First & Additional columns will a  | ctually b  | e billed   |                               |                           | spectively                                       |                            |           |              |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - per request   |  |  | AMTFS                         | VE1BA                     |  | I 760.98                   | S 489.20  | 133.29       |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - VG/DS0 Cable, per cable   |  |  |                               |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | record  |  |  | AMTFS                         | VE1BB                     |  | 327.65                     |           | 189.54       |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100  |  |  |                               |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | pair  |  |  | AMTFS                         | VE1BC                     |  | 4.82                       |           | 5.91         |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - DS1, per T1TIE  |  |  | AMTFS                         | VE1BD                     |  | 2.26                       |           | 2.77         |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - DS3, per T3TIE  |  |  | AMTFS                         | VE1BE                     |  | 7.90                       |           | 9.68         |            |   |   |  |  |   |   |
|                | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber   |  |  | l                             |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | records   | <u> </u>   |  | AMTFS                         | VE1BF                     | ļ  | 84.68                      |           | 77.30        |            | 1   |   |  | ļ  |   |   |
|                | Virtual Collocation Cable Records - CAT 5/RJ45  | <u> </u>   |  | AMTFS                         | VE1B5                     |  | 2.26                       |           | 2.77         |            |   |   |  | l  |   |   |
| Secur          |   |  |  | T                             |                           |  |                            | 1         | 1            |            |   |   |  |  | 1   |   |
| 1              | Virtual collocation - Security escort, basic time, normally scheduled   | 1  |  | AMTEC                         | SPTBX                     |  | 40.00                      | 10.75     | l            |            |   |   |  | 1  |   |   |
|                | work hours  |  |  | AMTFS                         | SPIBX                     |  | 16.96                      | 10.75     |              |            |   |   |  |  |   |   |
|                | Virtual collocation - Security escort, overtime, outside of normally  |  |  |                               | ODTOV                     |  | 00.40                      | 40.00     |              |            |   |   |  |  |   |   |
| _              | scheduled work hours on a normal working day  | -  | -  | AMTFS                         | SPTOX                     |  | 22.10                      | 13.89     |              |            |   |   |  |  |   |   |
|                | Virtual collocation - Security escort, premium time, outside of a   |  |  |                               | OPTRV                     |  |                            | 47.00     |              |            |   |   |  |  |   |   |
|                | scheduled work day  | <u> </u>   |  | AMTFS                         | SPTPX                     |  | 27.23                      | 17.02     |              |            |   |   |  | l .  |   |   |
| Mainte         | enance  |  |  |                               | OTDI V                    |  | 07.00                      | 10.75     | 1            |            |   |   |  |  | 1   | 1   |
|                | Virtual collocation - Maintenance in CO - Basic, per half hour  |  |  | AMTFS                         | CTRLX                     |  | 27.99                      | 10.75     |              |            |   |   |  |  |   |   |
|                |   |  |  |                               | 007014                    |  | 00.50                      | 40.00     |              |            |   |   |  |  |   |   |
|                | Virtual collocation - Maintenance in CO - Overtime, per half hour   | ļ  |  | AMTFS                         | SPTOM                     |  | 36.56                      | 13.89     |              |            |   |   |  |  |   |   |
|                |   |  |  | l                             |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | Virtual collocation - Maintenance in CO - Premium per half hour   | <u> </u>   |  | AMTFS                         | SPTPM                     |  | 45.12                      | 17.02     |              |            |   |   |  |  |   |   |
| Entrar         | nce Cable   |  |  |                               |                           |  |                            |           |              |            |   |   |  |  | 1   | 1   |
|                | Virtual Collocation - Cable Installation Charge, per cable  |  |  | AMTES                         | ESPCX                     | 40.00  | 794.22                     |           | 22.54        |            | 1   |   |  |  |   |   |
| LOCATIO        | Virtual Collocation - Cable Support Structure, per cable  |  |  | AMTFS                         | ESPSX                     | 18.66  |                            |           |              |            | 1   |   |  |  |   |   |
|                | ON IN THE REMOTE SITE   | <u> </u>   |  |                               |                           |  |                            |           |              |            | l   |   |  | l  |   |   |
| Physic         | Physical Collocation in the Remote Site - Application Fee   | 1  | 1  | CLORS                         | PE1RA                     | 1  | 308.38                     |           | 168.60       |            | 1   |   |  | 1  |   |   |
|                |   | <del>                                     </del> |  | CLORS                         | PE1RA<br>PE1RB            | 246.44   | 300.30                     |           | 100.00       |            |   |   |  |  |   |   |
| _              | Cabinet Space in the Remote Site per Bay/ Rack  | <del>                                     </del> |  | CLORS                         | PEIRD                     | 240.44   |                            |           |              |            |   |   |  |  |   |   |
|                | Dhysical Callegation in the Demote City Convity Access Key  |  |  | CLORS                         | PE1RD                     |  | 13.13                      |           |              |            |   |   |  |  |   |   |
| _              | Physical Collocation in the Remote Site - Security Access - Key   |  |  | CLORS                         | PEIKD                     |  | 13.13                      |           |              |            |   |   |  |  |   |   |
|                | Physical Collocation in the Remote Site - Space Availability Report<br>per Premises Requested   |  |  | CLORS                         | PE1SR                     |  | 116.13                     |           |              |            |   |   |  |  |   |   |
| _              | Physical Collocation in the Remote Site - Remote Site CLLI Code   | <del>                                     </del> |  | CLORS                         | PEISK                     |  | 110.13                     |           |              |            |   |   |  |  |   |   |
|                | Request, per CLLI Code Requested  |  |  | CLORS                         | PE1RE                     |  | 37.64                      |           |              |            |   |   |  |  |   |   |
| _              | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO   | 1  |  | CLORS                         | PE1RE                     | •  | 234.50                     |           |              |            |   |   |  |  |   |   |
| _              | Physical Collocation - Security Escort for Basic Time - normally  | 1  |  | CLORS                         | PEIKK                     | •  | 234.50                     |           |              |            |   |   |  |  |   |   |
|                | scheduled work, per half hour   | 1  |  | CLORS                         | PE1BT                     | ]  | 16.96                      | 10.75     | l            |            |   |   |  | 1  |   |   |
| _              | Physical Collocation - Security Escort for Overtime - outside of  | <del>                                     </del> | <del>                                     </del> | OLONG                         | LIDI                      | <del>                                     </del> | 10.90                      | 10.75     | <del> </del> |            | <del> </del>                              |   |  |  |   |   |
|                | normally scheduled working hours on a scheduled work day, per   |  | 1  |                               |                           |  |                            |           |              |            |   |   |  |  |   |   |
|                | half hour   |  | 1  | CLORS                         | PE1OT                     |  | 22.10                      | 13.89     |              |            |   |   |  |  |   |   |
|                | Physical Collocation - Security Escort for Premium Time - outside   | <del>                                     </del> |  | 020110                        | 1 2 101                   | <del>                                     </del> | 22.10                      | 13.09     | <b> </b>     |            | <b>†</b>                                  |   |  |  |   |   |
|                | of scheduled work day, per half hour  |  |  | CLORS                         | PE1PT                     |  | 27.23                      | 17.02     |              |            |   |   |  |  |   |   |
| Adiac          | ent Remote Site Collocation   | <del></del>                                      | L  | OLONO                         | рын                       |  | 21.23                      | 17.02     | 1            | 1          |   |   |  | l  | 1   | L   |
| Aujuo          | Remote Site-Adjacent Collocation-Application Fee  | 1  | 1  | CLORS                         | PE1RU                     |  | 755.62                     | 755.62    |              |            | I   |   |  |  |   |   |
|                | Terrote one Adjacent Conceation Application Fee   | 1  |  | OLOITO                        | I LINO                    |  | 700.02                     | 700.02    |              |            |   |   |  |  |   |   |
|                | Remote Site-Adjacent Collocation - Real Estate, per square foot   | 1  |  | CLORS                         | PE1RT                     | 0.134  |                            |           | l            |            |   |   |  | I  |   |   |
|                |   |  |  | 020110                        | 1 = 1101                  | 0.134  |                            |           | <b> </b>     |            | <b>†</b>                                  |   |  |  |   |   |
|                | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,   |  |  | •                             | D= 400                    | 6.27   |                            |           | l            |            |   |   |  | I  |   |   |
|                |   |  |  | CLORS                         | IPE1RS                    |  |                            |           |              |            |   |   |  |  |   |   |
| NOTE           | Remote Site-Adjacent Collocation - AC Power, per breaker amp  | sary for   | adjacer  | CLORS<br>nt remote site collo | PE1RS<br>cation, the Part |  | e appropriate ra           | ates.     |              |            |   |   |  |  |   |   |
| NOTE<br>Virtua |   | sary for   | adjacer  |                               |                           |  | e appropriate ra           | ates.     |              |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp :: If Security Escort and/or Add'l Engineering Fees become necess  | sary for   | adjacer  |                               |                           |  | e appropriate ra<br>616.76 | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp :: If Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation  | sary for   | adjacer  | nt remote site collo          | cation, the Part          |  |                            | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp : If Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation   Virtual Collocation in the Remote Site - Application Fee  | sary for   | adjacer  | VE1RS                         | cation, the Part          |  |                            | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp :: If Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation  | sary for   | adjacer  | nt remote site collo          | VE1RB                     | ies will negotiate                               |                            | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp  Et if Security Escort and/or Add'l Engineering Fees become necess  Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  | sary for   | adjacer  | VE1RS                         | VE1RB                     | ies will negotiate                               |                            | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp  :: If Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report                       | sary for   | adjacer  | VE1RS VE1RS                   | VE1RB  VE1RC              | ies will negotiate                               | 616.76                     | ates.     | 337.19       |            |   |   |  |  |   |   |
| NOTE<br>Virtua | Remote Site-Adjacent Collocation - AC Power, per breaker amp :: If Security Escort and/or Add'l Engineering Fees become necess I Remote Site Collocation  Virtual Collocation in the Remote Site - Application Fee  Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report per Premises requested | sary for   | adjacer  | VE1RS VE1RS                   | VE1RB  VE1RC              | ies will negotiate                               | 616.76                     | ates.     | 337.19       |            |   |   |  |  |   |   |

| COLLOC   | ATION - South Carolina   |         |      |                                      |       |        |          |           |              |            |       |                                    | Att: 4 Exh: B  |           |   |          |
|----------|--|---------|------|--------------------------------------|-------|--------|----------|-----------|--------------|------------|-------|------------------------------------|--|-----------|---|----------|
| CATEGORY |  | Interim | Zone | BCS                                  | usoc  |        |          | RATES(\$) |              |            |       | Svc Order<br>Submitted<br>Manually | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -  | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Charge - |
|          |  |         |      |                                      |       | Rec    | Nonrec   | urring    | Nonrecurring | Disconnect |       |                                    | oss  | Rates(\$) |   |          |
|          |  |         |      |                                      |       | Rec    | First    | Add'l     | First        | Add'l      | SOMEC | SOMAN                              | SOMAN  | SOMAN     | SOMAN   | SOMAN    |
|          | Adjacent Collocation - Space Charge per Sq. Ft.                                    |         |      | CLOAC                                | PE1JA | 0.0939 |          |           |              |            |       |                                    |  |           |   |          |
|          | Adjacent Collocation - Electrical Facility Charge per Linear Ft.                   |         |      | CLOAC                                | PE1JC | 6.40   |          |           |              |            |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 2-Wire Cross-Connects                                       |         |      | UEANL,UEQ,UEA,U<br>CL, UAL, UHL, UDN | PE1JE | 0.0264 | 12.32    | 11.83     | 6.04         | 5.45       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 4-Wire Cross-Connects                                       |         |      | UEA,UHL,UDL,UCL                      |       | 0.0527 | 12.42    | 11.90     | 6.40         | 5.74       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - DS1 Cross-Connects  |         |      | USL                                  | PE1JG | 1.03   | 22.08    | 15.96     | 6.42         | 5.80       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - DS3 Cross-Connects  |         |      | UE3                                  | PE1JH | 14.00  | 20.94    | 15.23     | 7.39         | 5.93       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 2-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JJ | 2.37   | 20.94    | 15.23     | 7.40         | 5.93       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 4-Fiber Cross-Connect                                       |         |      | CLOAC                                | PE1JK | 4.53   | 25.61    | 19.90     | 9.73         | 8.26       |       |                                    |  |           |   |          |
|          | Adjacent Collocation - Application Fee   |         |      | CLOAC                                | PE1JB |        | 1,580.20 |           |              |            |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 120V, Single Phase Standby Power Rate<br>per AC Breaker Amp |         |      | CLOAC                                | PE1JL | 5.67   |          |           |              |            |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 240V, Single Phase Standby Power Rate<br>per AC Breaker Amp |         |      | CLOAC                                | PE1JM | 11.36  |          |           |              |            |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp     |         |      | CLOAC                                | PE1JN | 17.03  |          |           |              | •          |       |                                    |  |           |   |          |
|          | Adjacent Collocation - 277V, Three Phase Standby Power Rate<br>per AC Breaker Amp  |         |      | CLOAC                                | PE1JO | 39.33  |          | ·         |              |            |       |                                    |  |           |   |          |

| COLLOC/  | ATION - Tennessee   |         |      |   |                |        |                       |           |                       |                     |   |       | Att: 4 Exh: B   |  |   |   |
|--|---|---------|------|---|----------------|--------|-----------------------|-----------|-----------------------|---------------------|---|-------|---|--|---|---|
| CATEGORY   |   | Interim | Zone | BCS   | usoc           |        |                       | RATES(\$) |                       |                     | Svc Order<br>Submitted<br>Elec<br>per LSR |       | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Sv<br>Order vs.<br>Electronic<br>Disc Add' |
| $\vdash$   |   |         |      |   |                | Rec    | Nonrecurring<br>First | Add'l     | Nonrecurring<br>First | Disconnect<br>Add'l | SOMEC                                     | SOMAN | OSS<br>SOMAN  | Rates(\$)<br>SOMAN   | SOMAN   | SOMAN   |
| i l  |   |         |      |   |                |        |                       | 71441     | 101                   | 7.00.               | 0020                                      | 00    | 00  | 00   | 00  | 00  |
|  | COLLOCATION   |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| Appli  | ication   |         |      | Ta  |                | 1      |                       |           | 1                     |                     |   |       | 1   | 1  | 1   | 1   |
|  | Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee                    |         |      | CLO<br>CLO  | PE1BA<br>PE1CA |        | 1,285.98<br>1,085.48  |           |                       |                     |   |       |   |  |   |   |
|  | Physical Collocation - Subsequent Application ree  Physical Collocation - Co-Carrier Cross Connects/Direct Connect, |         |      | CLO   | LICA           |        | 1,000.40              |           |                       |                     |   |       |   |  |   |   |
|  | Application Fee, per application  |         |      | CLO   | PE1DT          |        | 585.09                |           |                       |                     |   |       |   |  |   |   |
| 1  | Physical Collocation - Power Reconfiguration Only, Application  |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| $\leftarrow \leftarrow$                          | Fee   |         |      | CLO   | PE1PR          |        | 400.10                |           |                       |                     |   |       |   |  |   |   |
| Snar   | Physical Collocation Administrative Only - Application Fee<br>ce Preparation  |         |      | CLO   | PE1BL          |        | 743.25                |           |                       | l                   |   |       |   | l  |   |   |
| Орас   | Physical Collocation - Floor Space, per sq feet   |         |      | CLO   | PE1PJ          | 5.94   |                       |           |                       |                     |   |       |   | l  |   |   |
|  | Physical Collocation - Space Enclosure, welded wire, first 50   |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ullet  | square feet   |         |      | CLO   | PE1BX          | 197.09 |                       |           |                       |                     |   |       |   |  |   |   |
| i  | Physical Collocation - Space enclosure, welded wire, first 100 square feet  |         |      | CLO   | PE1BW          | 218.53 |                       |           |                       |                     |   |       |   |  |   |   |
| -  | Physical Collocation - Space enclosure, welded wire, each   |         |      | CLO   | PEIDW          | 210.53 |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | additional 50 square feet   |         |      | CLO   | PE1CW          | 21.44  |                       |           |                       |                     |   |       |   |  |   |   |
| i i  | Physical Collocation - Space Preparation - C.O. Modification per  |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
|  | square ft.  |         |      | CLO   | PE1SK          | 2.74   |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | Physical Collocation - Space Preparation, Common Systems  |         |      | CLO   | PE1SL          | 2.95   |                       |           |                       |                     |   |       |   |  |   |   |
|  | Modifications-Cageless, per square foot  Physical Collocation - Space Preparation - Common Systems                  |         |      | CLO   | PEISL          | 2.95   |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | Modifications-Caged, per cage   |         |      | CLO   | PE1SM          | 100.14 |                       |           |                       |                     |   |       |   |  |   |   |
|  |   |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
|  | Physical Collocation - Space Preparation - Firm Order Processing  |         |      | CLO   | PE1SJ          |        | 1,204.00              |           |                       |                     |   |       |   |  |   |   |
| ı l  | Physical Collocation - Space Availability Report, per Central Office  | ١.      |      | CLO   | DE40D          |        | 2,027.00              |           |                       |                     |   |       |   |  |   |   |
| Powe   | Requested   |         |      | CLO   | PE1SR          |        | 2,027.00              |           |                       |                     |   |       |   | l  |   |   |
| 1 1 0  | Physical Collocation - Power, -48V DC Power - per Fused Amp   |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
|  | Requested   |         |      | CLO   | PE1PL          | 8.87   |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | Physical Collocation - Power, 120V AC Power, Single Phase, per  |         |      | 01.0  | DE 450         | = 00   |                       |           |                       |                     |   |       |   |  |   |   |
|  | Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per  |         |      | CLO   | PE1FB          | 5.60   |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | Breaker Amp   |         |      | CLO   | PE1FD          | 11.22  |                       |           |                       |                     |   |       |   |  |   |   |
| <del>-                                    </del> | Physical Collocation - Power, 120V AC Power, Three Phase, per   |         |      | 020   |                |        |                       |           | 1                     |                     |   |       |   |  |   |   |
|  | Breaker Amp   |         |      | CLO   | PE1FE          | 16.82  |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  | Physical Collocation - Power, 277V AC Power, Three Phase, per   |         |      |   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ——————————————————————————————————————           | Breaker Amp s Connects (Cross Connects, Co-Carrier Cross Connects, and Po   | -4-1    |      | CLO   | PE1FG          | 38.84  |                       |           |                       |                     |   |       |   |  |   |   |
| Cros   | is connects (cross connects, co-carrier cross connects, and Pol   | ເວງ     |      | UEANL,UEQ,  |                | 1      |                       |           | 1                     |                     |   |       |   |  |   |   |
| i  |   |         |      | UNCNX, UEA, UCL,  |                | 1      |                       |           | 1                     |                     |   |       |   |  |   |   |
| i  |   |         |      | UAL, UHL, UDN,  | L              |        |                       |           | 1                     |                     |   |       |   |  |   |   |
| $\leftarrow \leftarrow$                          | Physical Collocation - 2-wire cross-connect, loop, provisioning   |         |      | UNCVX<br>UEA, UHL, UNCVX,   | PE1P2          | 0.033  | 33.82                 | 31.92     |                       |                     |   |       |   |  |   |   |
| ı l  | Physical Collocation - 4-wire cross-connect, loop, provisioning   |         |      | UNCDX, UCL, UDL   | PE1P4          | 0.066  | 33.94                 | 31.95     |                       |                     |   |       |   |  |   |   |
|  | 1 Trystcal Collocation - 4-wire closs-conflect, loop, provisioning  |         |      | WDS1L, WDS1S,   | 1 1 1 4        | 0.000  | 33.94                 | 31.93     |                       |                     |   |       |   |  |   |   |
| 1  |   |         |      | UXTD1, ULDD1,   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  |   |         |      | USLEL, UNLD1,   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  |   |         |      | U1TD1, UNC1X,   |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  |   |         |      | UEPSR, UEPSB,<br>UEPSE, UEPSP,  |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| i  | Physical Collocation -DS1 Cross-Connect for Physical  |         |      | USL, UEPEX,   |                |        |                       |           | 1                     |                     |   |       |   |  |   |   |
| ullet  | Collocation, provisioning   |         |      | UEPDX   | PE1P1          | 1.51   | 53.27                 | 40.16     |                       |                     |   |       |   |  |   |   |
|  |   |         |      | UE3, U1TD3,<br>UXTD3, UXTS1,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UNLD3, |                |        |                       |           |                       |                     |   |       |   |  |   |   |
| ı l  |   |         |      | UEPEX, UEPDX,<br>UEPSR, UEPSB,  |                |        |                       |           |                       |                     |   |       |   |  |   |   |
|  |   |         |      | ,,,,  |                |        |                       |           |                       |                     |   | i l   |   | 1  |   | ĺ   |

| COLLOCAT | ION - Tennessee  |         |  |  |         |        |              |           |              |       |   |           | Att: 4 Exh: B   |  |   |  |
|----------|--|---------|--|--|---------|--------|--------------|-----------|--------------|-------|---|-----------|---|--|---|--|
| CATEGORY | RATE ELEMENTS  | Interim | Zone   | BCS  | USOC    |        |              | RATES(\$) |              |       | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incrementa<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|          |  |         |  |  |         | Rec    | Nonrecurring |           | Nonrecurring |       |   |           |   | Rates(\$)  |   |  |
|          |  |         |  | CLO HIDOS  |         |        | First        | Add'l     | First        | Add'l | SOMEC                                     | SOMAN     | SOMAN   | SOMAN  | SOMAN   | SOMAN  |
|          | Physical Collocation - 2-Fiber Cross-Connect   |         |  | CLO, ULDO3,<br>ULD12, ULD48,<br>U1T03, U1T12,<br>U1T48, UDLO3,<br>UDL12, UDF<br>ULD03, ULD12,<br>ULD48, U1T03,<br>U1T12, U1T48,<br>UDLO3, UDL12, | PE1F2   | 15.64  | 41.56        | 29.82     | 12.96        | 10.34 |   |           | 2.69  | 2.69   | 1.56  | 1.56   |
|          | Physical Collocation - 4-Fiber Cross-Connect   |         |  | UDF, UDFCX   | PE1F4   | 28.11  | 50.53        | 38.78     | 16.97        | 14.35 |   |           | 2.69  | 2.69   | 1.56  | 1.56   |
|          |  |         |  |  |         |        |              |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.                                     |         |  | CLO  | PE1ES   | 0.0013 |              |           |              |       |   |           |   |  |   |  |
|          | Piber Cable Support Structure, per linear root, per cable.   |         |  | CLO  | FEIES   | 0.0013 |              |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Co-Carrier Cross Connect/Direct Connect -   |         |  |  |         |        |              |           |              |       |   |           |   |  |   |  |
|          | Copper/Coax Cable Support Structure, per linear foot, per cable.   |         |  | CLO<br>UEPSR, UEPSP,<br>UEPSE, UEPSB.  | PE1DS   | 0.0019 |              |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation 2-Wire Cross Connect, Port  |         |  | UEPSX, UEP2C   | PE1R2   | 0.033  | 33.82        | 31.92     |              |       |   |           | 20.35   | 10.54  | 13.32   | 1.40   |
|          | Physical Collocation 4-Wire Cross Connect, Port  |         |  | UEPEX, UEPDD   | PE1R4   | 0.066  | 33.94        | 31.95     |              |       |   |           | 20.35   | 10.54  | 13.32   | 1.40   |
| Securi   |  |         | ,  | 1  |         | ı      |              |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of |         |  | CLO  | PE1BT   |        | 33.91        | 21.49     |              |       |   |           |   |  |   |  |
|          | normally scheduled working hours on a scheduled work day, per half hour  |         |  | CLO  | PE1OT   |        | 44.17        | 27.76     |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour   |         |  | CLO  | PE1PT   |        | 54.42        | 34.02     |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Security Access System - Security System per Central Office   |         |  | CLO  | PE1AX   | 55.99  |              |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation -Security Access System - New Card<br>Activation, per Card Activation (First), per State  |         |  | CLO  | PE1A1   | 0.059  | 55.67        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card  |         |  | CLO  | PE1AA   |        | 15.61        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Security Access System - Replace Lost or  |         |  |  |         |        |              |           |              |       |   |           |   |  |   |  |
|          | Stolen Card, per Card  Physical Collocation - Security Access - Initial Key, per Key   |         |  | CLO  | PE1AR   |        | 45.64        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or                                     |         |  | CLO  | PE1AK   |        | 26.24        |           | 1            |       |   |           |   |  |   |  |
|          | Stolen Key, per Key  |         |  | CLO  | PE1AL   |        | 26.24        |           |              |       |   |           |   |  |   |  |
| CFA      |  |         |  |  | 1       |        |              |           |              |       | •   |           |   | 1  | 1   | 1  |
|          | Physical Collocation - CFA Information Resend Request, per<br>premises, per arrangement, per request   |         |  | CLO  | PE1C9   |        | 77.67        |           |              |       |   |           |   |  |   |  |
| Cable I  | Records  |         | <u> </u>   | ICLO   | 11 1103 | 1      | 77.07        |           | l l          |       |   |           | <u> </u>  | l  | l   |  |
|          | Physical Collocation - Cable Records, per request  |         |  | CLO  | PE1CR   |        | 1,711.00     |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)   |         |  | CLO  | PE1CD   |        | 925.06       |           |              |       |   |           |   |  |   |  |
| 1        | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair   |         |  | CLO  | PE1CO   |        | 18.05        |           | 1            |       |   |           |   |  |   |  |
|          | Physical Collocation, Cable Records, DS1, per T1 TIE   |         | <del>                                     </del> | CLO  | PE1C0   |        | 8.45         |           |              |       | -   |           |   | 1  | 1   | 1  |
|          | Physical Collocation, Cable Records, DS3, per T3 TIE   |         |  | CLO  | PE1C3   |        | 29.57        |           | <u> </u>     |       |   |           |   |  |   |  |
|          | Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)   |         |  | CLO  | PE1CB   |        | 279.42       |           |              |       |   |           |   |  |   |  |
| Virtual  | Physical Collocation, Cable Records,CAT5/RJ45 to Physical  |         | <u> </u>   | CLO  | PE1C5   | l      | 8.45         |           | 1            |       | l   | l .       |   | <u> </u>   |   | l  |
| virtual  | to Physical Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit   |         |  | CLO  | PE1BV   |        | 33.00        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit   |         |  | CLO  | PE1BO   |        | 33.00        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit   |         |  | CLO  | PE1B1   |        | 52.00        |           |              |       |   |           |   |  |   |  |
|          | Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit   |         |  | CLO  | PE1B3   |        | 52.00        |           |              |       |   |           |   |  |   |  |

| COLLOCAT     | ION - Tennessee  |         |      |  |                |              |                  |               |                |              |   |   | Att: 4 Exh: B  |  |   |   |
|--------------|--|---------|------|--|----------------|--------------|------------------|---------------|----------------|--------------|---|---|--|--|---|---|
| CATEGORY     | RATE ELEMENTS  | Interim | Zone | BCS  | USOC           |              |                  | RATES(\$)     |                |              | Svc Order<br>Submitted<br>Elec<br>per LSR | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Add'I | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svo<br>Order vs.<br>Electronic-<br>Disc Add'l |
|              |  |         |      |  |                | Rec          | Nonrecurring     |               | Nonrecurring   |              |   |   |  | Rates(\$)  |   |   |
|              |  |         |      |  |                | 1100         | First            | Add'l         | First          | Add'l        | SOMEC                                     | SOMAN   | SOMAN  | SOMAN  | SOMAN   | SOMAN   |
|              | Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit   |         |      | CLO  | PE1BR          |              | 21.11            |               |                |              |   |   |  |  |   |   |
|              | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit   |         |      | CLO  | PE1BP          |              | 21.11            |               |                |              |   |   |  |  |   |   |
|              | Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit   |         |      | CLO  | PE1BS          |              | 30.69            |               |                |              |   |   |  |  |   |   |
|              | Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit   |         |      | CLO  | PE1BE          |              | 30.69            |               |                |              |   |   |  |  |   |   |
| Entran       | ce Cable   |         |      | ,  |                |              | •                |               |                | ,            | ,   |   |  |  |   |   |
|              | Physical Collocation - Fiber Cable Support Structure, per Entrance Cable   |         |      | CLO  | PE1PM          | 19.80        |                  |               |                |              |   |   |  |  |   |   |
|              | Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)   |         |      | CLO  | PE1EC          |              | 1,071.00         |               | 43.10          |              |   |   |  |  |   |   |
|              | Physical Collocation - Fiber Entrance Cable Installation, per Fiber  |         |      | CLO  | PE1ED          |              | 7.29             |               |                |              |   |   |  |  |   |   |
| VIRTUAL COLI |  |         |      |  |                |              |                  |               |                |              |   |   |  |  |   |   |
| Applica      | Virtual Collocation - Application Fee  |         |      | AMTFS  | EAF            | I            | 2,633.00         |               | T              |              |   |   | 2.07   | 2.81   | 0.67  | 1.41  |
|              | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,  |         |      | 7.WITI 0   | LAI            | 1            | 2,033.00         |               |                |              |   |   | 2.01   | 2.01   | 0.07  | 1.41  |
|              | Application Fee, per application  Virtual Collocation Administrative Only - Application Fee                                      |         |      | AMTFS<br>AMTFS   | VE1CA<br>VE1AF |              | 585.09<br>743.25 |               |                |              |   |   |  |  |   |   |
|              | Preparation  |         | 1    | , ·  | 1.5.0.0        | 1            | 7 10.20          | <u> </u>      | 1              |              | l   | l   |  |  | <u> </u>  |   |
|              | Virtual Collocation - Floor Space, per sq. ft.   |         |      | AMTFS  | ESPVX          | 3.91         |                  |               |                |              |   |   |  |  |   |   |
| Power        |  |         |      | Lutto  | Incon.v.       |              | ı                |               |                | 1            | 1   |   | 1  |  |   | 1   |
| Cross        | Virtual Collocation - Power, per fused amp Connects (Cross Connects, Co-Carrier Cross Connects, and Pol                          | rtc)    |      | AMTFS  | ESPAX          | 6.79         |                  |               | <u> </u>       |              |   |   |  |  |   |   |
|              | Virtual Collocation - 2-wire cross-connect, loop, provisioning   |         |      | UEANL, UEA, UDN,<br>UAL, UHL, UCL,<br>UEQ, UNCVX,<br>UNCDX, UNCNX<br>UEA, UHL, UCL,                  | UEAC2          | 0.57         | 11.62            | 9.90          | 10.38          | 8.66         |   |   | 2.07   | 2.81   | 0.67  | 1.41  |
|              | Virtual Collocation - 4-wire cross-connect, loop, provisioning   |         |      | UDL, UNCVX,<br>UNCDX   | UEAC4          | 0.57         | 11.81            | 10.04         | 10.44          | 8.67         |   |   | 2.07   | 2.81   | 0.67  | 1.41  |
|              | Virtual collocation - Special Access & UNE, cross-connect per<br>DS1   |         |      | ULR, UXTD1,<br>UNC1X, ULDD1,<br>U1TD1, USLEL,<br>UNLD1, USL,<br>UEPEX, UEPDX                         | CNC1X          | 1.32         | 32.22            | 17.76         | 10.46          | 8.75         |   |   | 2.07   | 2.81   | 0.67  |   |
|              | Virtual collocation - Special Acess & UNE, cross-connect per DS3   |         |      | USL, UE3, U1TD3,<br>UXTS1, UXTD3,<br>UNC3X, UNCSX,<br>ULDD3, U1TS1,<br>ULDS1, UDLSX,<br>UNLD3, XDEST | CND3X          | 12.32        | 29.97            | 16.30         | 12.03          | 8.99         |   |   | 2.07   | 2.81   | 0.67  | 1.41  |
|              | Virtual Collocation - 2-Fiber Cross Connects   |         |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDI                                 | F CNC2F        | 3.03         | 41.56            | 29.82         | 12.96          | 10.34        |   |   | 2.69   | 2.69   | 1.56  | 1.56  |
|              | Virtual Collocation - 4-Fiber Cross Connects   |         |      | UDL12, UDLO3,<br>U1T48, U1T12,<br>U1TO3, ULDO3,<br>ULD12, ULD48, UDF                                 | F CNC4F        | 6.06         | 50.53            | 38.78         | 16.97          | 14.35        |   |   | 2.69   | 2.69   | 1.56  | 1.56  |
|              | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -<br>Fiber Cable Support Structure, per linear foot, per cable    |         |      | AMTFS  | VE1CB          | 0.0013       |                  |               |                |              |   |   |  |  |   |   |
|              | Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable |         |      | AMTFS<br>UEPSX, UEPSB,   | VE1CD          | 0.0019       |                  |               |                |              |   |   |  |  |   |   |
|              | Virtual Collocation 2-Wire Cross Connect, Port Virtual Collocation 4-Wire Cross Connect, Port                                    |         |      | UEPSR, UEPSP,<br>UEPSR, UEP2C<br>UEPDD, UEPEX  | VE1R2<br>VE1R4 | 0.57<br>0.57 | 11.62<br>11.81   | 9.90<br>10.04 | 10.38<br>10.44 | 8.66<br>8.67 |   |   | 20.35<br>20.35   | 10.54<br>10.54   | 13.32<br>13.32  | 1.40<br>1.40  |

| COLLOC       | ATION - Tennessee  |          |         |  |   |                          |   |                 |              |       |                   |                       | Att: 4 Exh: B                   |                                   |                                      |  |
|--------------|--|----------|---------|--|---|--------------------------|---|-----------------|--------------|-------|-------------------|-----------------------|---------------------------------|-----------------------------------|--------------------------------------|--|
| JULLUCA      | ATTOR - Tellifessee  |          |         |  |   |                          |   |                 |              |       | Svc Order         | Svc Order             | Incremental                     | Incremental                       | Incremental                          | Incrementa                             |
| CATEGORY     | Y RATE ELEMENTS  | Interim  | Zono    | BCS  | USOC  |                          |   | RATES(\$)       |              |       | Submitted<br>Elec | Submitted<br>Manually | Charge -<br>Manual Svc          | Charge -<br>Manual Svc            | Charge -<br>Manual Svc               | Charge -<br>Manual Svo                 |
| CATEGORT     | TATE ELEMENTS  | memi     | Zone    | ВСЗ  | 0300  |                          |   | RATES(\$)       |              |       | per LSR           | per LSR               | Order vs.<br>Electronic-<br>1st | Order vs.<br>Electronic-<br>Add'l | Order vs.<br>Electronic-<br>Disc 1st | Order vs.<br>Electronic-<br>Disc Add'l |
|              |  |          |         |  |   | Rec                      | Nonrecurring  |                 | Nonrecurring |       |                   |                       |                                 | Rates(\$)                         |                                      |  |
|              |  |          |         |  |   |                          | First   | Add'l           | First        | Add'l | SOMEC             | SOMAN                 | SOMAN                           | SOMAN                             | SOMAN                                | SOMAN                                  |
| CFA          | Virtual Collocation - CFA Information Resend Request, per  |          |         |  |   | 1                        | 1   |                 | 1            | 1     | 1                 |                       |                                 |                                   |                                      |  |
|              | Premises, per Arrangement, per request   |          |         | AMTFS  | VE1QR   |                          | 77.67   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| Cab          | ple Records  | l.       |         | 7 WITT O   | VETQI   |                          | 77.07   |                 | 1            |       | l l               |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - per request  |          |         | AMTFS  | VE1BA   |                          | 1,711.00  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - VG/DS0 Cable, per cable  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | record   |          |         | AMTFS  | VE1BB   |                          | 925.06  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair  |          |         | AMTFS  | VE1BC   |                          | 18.05   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - DS1, per T1TIE   |          |         | AMTFS  | VE1BD   |                          | 8.45  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - DS3, per T3TIE   |          |         | AMTFS  | VE1BE   |                          | 29.57   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - Fiber Cable, per 99 fiber  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| L_           | records  |          |         | AMTFS  | VE1BF   |                          | 279.42  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation Cable Records - CAT 5/RJ45   |          |         | AMTFS  | VE1B5   |                          | 8.45  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| Seci         | With a least and Constitution and the constitution of the constitu |          |         |  |   | 1                        | , ı   |                 | ı            |       |                   |                       |                                 |                                   |                                      |  |
|              | Virtual collocation - Security escort, basic time, normally scheduled work hours   |          |         | AMTFS  | SPTBX   |                          | 33.15   | 20.44           |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
|              | Virtual collocation - Security escort, overtime, outside of normally   |          |         | ,  | OI IBA  |                          | 33.13   | 20.44           | 1            |       |                   |                       | 2.01                            | 2.01                              | 0.07                                 | 1.4                                    |
|              | scheduled work hours on a normal working day   |          |         | AMTFS  | SPTOX   |                          | 41.50   | 25.61           |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
|              | Virtual collocation - Security escort, premium time, outside of a  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | scheduled work day   |          |         | AMTFS  | SPTPX   |                          | 49.86   | 30.79           |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
| Mair         | ntenance   |          |         |  |   | ,                        |   |                 |              | 1     |                   |                       |                                 |                                   |                                      |  |
|              | Virtual collocation - Maintenance in CO - Basic, per half hour   |          |         | AMTFS  | CTRLX   |                          | 30.64   |                 |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
|              | Virtual collegation Maintenance in CO. Quartima new half hours   |          |         | AMTFS  | SPTOM   |                          | 35.77   |                 |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
|              | Virtual collocation - Maintenance in CO - Overtime, per half hour  |          |         | AMITS  | SPTOM   |                          | 35.77   |                 | 1            |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
|              | Virtual collocation - Maintenance in CO - Premium per half hour  |          |         | AMTFS  | SPTPM   |                          | 40.90   |                 |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.4                                    |
| Entr         | rance Cable  |          |         |  | 10  |                          |   |                 | 1            |       | 1                 |                       |                                 |                                   |                                      |  |
|              | Virtual Collocation - Cable Installation Charge, per cable   |          |         | AMTFS  | ESPCX   |                          | 1,749.00  |                 |              |       |                   |                       | 2.07                            | 2.81                              | 0.67                                 | 1.41                                   |
|              | Virtual Collocation - Cable Support Structure, per cable   |          |         | AMTFS  | ESPSX   | 17.87                    |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | ION IN THE REMOTE SITE   |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| Pnys         | rsical Remote Site Collocation  Physical Collocation in the Remote Site - Application Fee  |          |         | CLORS  | PE1RA   | 1                        | 580.20  |                 | 312.76       |       |                   |                       |                                 |                                   |                                      |  |
|              | Cabinet Space in the Remote Site per Bay/ Rack   |          |         | CLORS  | PE1RB   | 220.41                   | 300.20  |                 | 312.70       |       | 1                 |                       |                                 |                                   |                                      |  |
|              | Cabillet Chace in the Hermote One per Bay, Hack  |          |         | 020110   |   | 220.11                   |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Physical Collocation in the Remote Site - Security Access - Key  |          |         | CLORS  | PE1RD   |                          | 24.69   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Physical Collocation in the Remote Site - Space Availability Report  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | per Premises Requested   |          |         | CLORS  | PE1SR   |                          | 218.49  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Physical Collocation in the Remote Site - Remote Site CLLI Code  |          |         | 01.000   | DEADE   |                          | 70.04   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Request, per CLLI Code Requested  Remote Site DLEC Data (BRSDD), per Compact Disk, per CO  |          |         | CLORS<br>CLORS                                   | PE1RE<br>PE1RR  |                          | 70.81<br>234.15   |                 | 1            |       |                   |                       |                                 |                                   |                                      |  |
|              | Physical Collocation - Security Escort for Basic Time - normally   |          |         | CLORS  | FEIRK   |                          | 234.13  |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | scheduled work, per half hour  |          |         | CLORS  | PE1BT   |                          | 33.91   | 21.49           |              |       |                   |                       |                                 |                                   |                                      |  |
|              |  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | Physical Collocation - Security Escort for Overtime - outside of   |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | normally scheduled working hours on a scheduled work day, per  |          |         |  |   |                          |   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
|              | normally scheduled working hours on a scheduled work day, per half hour  |          |         | CLORS  | PE1OT   |                          | 44.17   | 27.76           |              |       |                   |                       |                                 |                                   |                                      |  |
|              | normally scheduled working hours on a scheduled work day, per<br>half hour<br>Physical Collocation - Security Escort for Premium Time - outside  |          |         |  |   |                          | 44.17   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| Adl          | normally scheduled working hours on a scheduled work day, per<br>half hour Physical Collocation - Security Escort for Premium Time - outside<br>of scheduled work day, per half hour   |          |         | CLORS<br>CLORS                                   | PE1OT<br>PE1PT  |                          |   | 27.76<br>34.02  |              |       |                   |                       |                                 |                                   |                                      |  |
| Adja         | normally scheduled working hours on a scheduled work day, per<br>half hour<br>Physical Collocation - Security Escort for Premium Time - outside<br>of scheduled work day, per half hour<br>acent Remote Site Collocation   |          |         | CLORS  | PE1PT   |                          | 44.17<br>54.42  | 34.02           |              |       |                   |                       |                                 |                                   |                                      |  |
| Adja         | normally scheduled working hours on a scheduled work day, per<br>half hour Physical Collocation - Security Escort for Premium Time - outside<br>of scheduled work day, per half hour   |          |         |  |   |                          | 44.17   |                 |              |       |                   |                       |                                 |                                   |                                      |  |
| Adja         | normally scheduled working hours on a scheduled work day, per<br>half hour Physical Collocation - Security Escort for Premium Time - outside<br>of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  |          |         | CLORS  | PE1PT   | 0.134                    | 44.17<br>54.42  | 34.02           |              |       |                   |                       |                                 |                                   |                                      |  |
| Adja         | normally scheduled working hours on a scheduled work day, per<br>half hour<br>Physical Collocation - Security Escort for Premium Time - outside<br>of scheduled work day, per half hour<br>acent Remote Site Collocation   |          |         | CLORS CLORS                                      | PE1PT PE1RU PE1RT   | 0.134                    | 44.17<br>54.42  | 34.02           |              |       |                   |                       |                                 |                                   |                                      |  |
|              | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp  |          |         | CLORS CLORS CLORS CLORS                          | PE1RU PE1RT PE1RS   | 6.27                     | 44.17<br>54.42<br>755.62                                | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necess  | sary for | adjacer | CLORS CLORS CLORS CLORS                          | PE1RU PE1RT PE1RS   | 6.27                     | 44.17<br>54.42<br>755.62                                | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necessual Remote Site Collocation   | sary for | adjacer | CLORS CLORS CLORS CLORS tremote site collo       | PE1PT  PE1RU  PE1RT  PE1RS  pcation, the Part               | 6.27                     | 44.17<br>54.42<br>755.62<br>te appropriate ra           | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necess  | sary for | adjacer | CLORS CLORS CLORS CLORS                          | PE1RU PE1RT PE1RS   | 6.27                     | 44.17<br>54.42<br>755.62                                | 34.02<br>755.62 | 312.76       |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee  Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necessual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee   | sary for | adjacer | CLORS CLORS CLORS CLORS tremote site collo       | PE1PT  PE1RU  PE1RT  PE1RS  pcation, the Part               | 6.27                     | 44.17<br>54.42<br>755.62<br>te appropriate ra           | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necessual Remote Site Collocation   | sary for | adjacer | CLORS CLORS CLORS CLORS at remote site collo     | PE1PT PE1RU PE1RT PE1RS peation, the Part                   | 6.27<br>ies will negotia | 44.17<br>54.42<br>755.62<br>te appropriate ra           | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necessual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested   | sary for | adjacer | CLORS CLORS CLORS CLORS at remote site collo     | PE1PT PE1RU PE1RT PE1RS peation, the Part                   | 6.27<br>ies will negotia | 44.17<br>54.42<br>755.62<br>te appropriate ra           | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT          | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necess ual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Space Availability Report per Premises requested Virtual Collocation in the Remote Site - Remote Site CLLI Code Virtual Collocation in the Remote Site - Remote Site CLLI Code   | sary for | adjacer | CLORS CLORS CLORS tremote site collo VE1RS VE1RS | PE1PT PE1RU PE1RT PE1RS scation, the Part VE1RB VE1RC VE1RR | 6.27<br>ies will negotia | 44.17<br>54.42<br>755.62<br>te appropriate ra<br>580.20 | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |
| NOT<br>Virtu | normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour acent Remote Site Collocation Remote Site Collocation Remote Site-Adjacent Collocation-Application Fee Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation - AC Power, per breaker amp TE: If Security Escort and/or Add'l Engineering Fees become necessual Remote Site Collocation Virtual Collocation in the Remote Site - Application Fee Virtual Collocation in the Remote Site - Per Bay/Rack of Space Virtual Collocation in the Remote Site - Space Availability Report per Premises requested   | sary for | adjacer | CLORS CLORS CLORS CLORS tremote site collo VE1RS | PE1PT PE1RU PE1RT PE1RS PE1RS PCation, the Part VE1RB       | 6.27<br>ies will negotia | 44.17<br>54.42<br>755.62<br>te appropriate ra           | 34.02<br>755.62 |              |       |                   |                       |                                 |                                   |                                      |  |

| COLLO  | CATION - Tennessee   |          |         |                |                |              |                |                |                         |                |             |   | Att: 4 Exh: B  |              |   |   |
|--------|--|----------|---------|----------------|----------------|--------------|----------------|----------------|-------------------------|----------------|-------------|---|--|--------------|---|---|
| CATEGO | RY RATE ELEMENTS   | Interim  | Zone    | BCS            | usoc           |              |                | RATES(\$)      |                         |                |             | Svc Order<br>Submitted<br>Manually<br>per LSR | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>1st | Charge -     | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc 1st | Incremental<br>Charge -<br>Manual Svc<br>Order vs.<br>Electronic-<br>Disc Add'l |
|        |  |          |         |                |                | Rec          | Nonrecurring   |                | Nonrecurring Disconnect |                |             |   | oss  | Rates(\$)    |   |   |
|        | 1  |          |         |                |                |              | First          | Add'l          | First                   | Add'l          | SOMEC SOMAN | SOMAN   | SOMAN  | SOMAN        | SOMAN   |   |
|        | Adjacent Collocation - Space Charge per Sq. Ft.  |          |         | CLOAC          | PE1JA          | 0.0656       |                |                |                         |                | 1           |   |  |              |   |   |
|        | Adjacent Collocation - Electrical Facility Charge per Linear Ft.   |          |         | CLOAC          | PE1JC          | 5.53         |                |                |                         |                |             |   |  |              |   |   |
|        | Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects                              |          |         |                | PE1JF          | 0.34<br>0.33 | 11.12<br>11.30 | 10.18<br>10.31 | 11.33<br>11.62          | 10.23<br>10.44 |             |   | 1.77<br>1.77   | 1.77<br>1.77 | 1.12<br>1.12  | 1.12  |
|        | Adjacent Collocation - DS1 Cross-Connects  |          |         | USL            | PE1JG          | 1.70         | 28.39          | 16.88          | 11.65                   | 10.54          |             |   | 1.77   | 1.77         | 1.12  |   |
|        | Adjacent Collocation - DS3 Cross-Connects  | 1        |         | UE3            | PE1JH          | 19.03        | 26.23          | 15.51          | 13.40                   | 10.77          |             |   | 1.77   | 1.77         | 1.12  | 1.12  |
|        | Adjacent Collocation - 2-Fiber Cross-Connect   |          |         | CLOAC          | PE1JJ          | 3.49         | 26.23          | 15.51          | 13.41                   | 10.78          |             |   | 1.77   | 1.77         | 1.12  | 1.12  |
|        | Adjacent Collocation - 4-Fiber Cross-Connect   |          |         | CLOAC          | PE1JK          | 6.50         | 29.75          | 19.02          | 17.60                   | 14.97          |             |   | 1.77   | 1.77         | 1.12  |   |
|        | Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp |          |         | CLOAC<br>CLOAC | PE1JB<br>PE1JL | 5.81         | 2,973.00       |                | 0.95                    |                |             |   | 0.00   | 0.00         | 0.00  | 0.00  |
|        | Adjacent Collocation - 240V, Single Phase Standby Power Rate<br>per AC Breaker Amp                                     |          |         | CLOAC          | PE1JM          | 11.64        |                |                |                         |                |             |   |  |              |   |   |
|        | Adjacent Collocation - 120V, Three Phase Standby Power Rate<br>per AC Breaker Amp                                      |          |         | CLOAC          | PE1JN          | 17.45        |                |                |                         |                |             |   |  |              |   |   |
|        | Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp   |          |         | CLOAC          | PE1JO          | 40.30        |                |                |                         |                |             |   |  |              |   |   |
| N      | l ote: Rates displaying an "I" in Interim column are interim as a result o   | of a Com | mission | order.         |                |              |                |                |                         |                |             |   |  |              |   | $\vdash$  |